Mapping Bibliography

Search Keyed to 30X60' Dutch John Tuesday, December 31, 2002

Ref#

737 Anderman, G.G., 1955, Geology of a portion of north flank of the Uinta Mountains in the vicinity of Manila, Summit and Daggett Counties, Utah, and Sweetwater County, Wyoming, Princeton, New Jersey, Princeton University Ph.D. dissertation 508 p.. Scale: 40000
Latitude: N: 410000 S: 405200 Longitude: W 1100030 E: 1092830

1773 Anderman, G.G., 1955, in Anderman, G.G., editor, Green River Basin Geologic map of southwestern Wyoming, northwestern Colorado, and northeastern Utah, Wyoming Geological Association Guidebook Tenth Annual Field Conference. Scale: 500000
Latitude: N: 433000 S: 404500 Longitude: W 1120000 E: 1060000

2100 Anderman, G.G., 1955, in Anderman, G.G., editor, Green River Basin Tertiary deformational history of a portion of the northern flank of the Uinta Mountains in the vicinity of Manila, Utah, Wyoming Geological Association Guidebook Tenth Annual Field Conference, p. 130-134. Scale: 97000
Latitude: N: 410300 S: 405230 Longitude: W 1100000 E: 1092930

1745 Andrews, D.A.; Hunt, C.B., 1948, Geologic map of eastern and southern Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-70. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1090000

2451 Bradley, M.D., 1988, Structural evolution of the Uinta Mountains, Utah, and their interaction with the Utah-Wyoming salient of the Sevier overthrust belt, Salt Lake City, University of Utah Ph.D. dissertation 178 p., pl. 5. Scale: 29816
Latitude: N: 405845 S: 405430 Longitude: W 1101257 E: 1095220

1735 Bradley, W.H., 1936, Map of the north flank of the Uinta Mountains in Utah and adjacent portions of Wyoming and Colorado, U.S. Geological Survey Professional Paper 185-I, p. 163-199, pl. 34. Scale: 250000
Latitude: N: 412640 S: 404500 Longitude: W 1103015 E: 1073000

1147 Bradley, W.H., 1961, Geologic map of a part of southwestern Wyoming and adjacent states, U.S. Geological Survey Miscellaneous Investigations Series Map I-332. Scale: 250000
Latitude: N: 424300 S: 404230 Longitude: W 1105630 E: 1072500

1061 Carrara, P.E., 1980, Surficial geologic map of the Vernal 1° x 2° quadrangle, Colorado and Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1204. Scale: 250000
Latitude: N: 410000 S: 400000 Longitude: W 1100000 E: 1080000

1487 Connor, J.J.; Delaney, T.A.; Kulik, D.M.; Sawatzky, D.L.; Whipple, J.W.; Ryan, G.S., 1988, Mineral resource potential and geologic map of the Diamond Breaks wilderness study area, Moffat County, Colorado, and Daggett County, Utah, U.S. Geological Survey Bulletin 1714-B, 15 p., pl. 1. Scale: 50000
Latitude: N: 405230 S: 403730 Longitude: W 1090730 E: 1085230

881 Cook, R.A., 1975, Mechanisms of sandstone deformation, a study of the drape-folded Weber Sandstone in Dinosaur National Monument, Colorado and Utah, College Station, Texas A&M University Ph.D. dissertation

123 p., map 2. Scale: 62500
Latitude: N: 403530 S: 402400 Longitude: W 1091230 E: 1084530

746 Curtis, B.F., 1949, Structure and stratigraphy of the Linwood-Spring Creek area, Utah-Wyoming, Cambridge,
Massachusetts, Harvard University Ph.D. dissertation 156 p.. Scale: 31680
Latitude: N: 410100 S: 405430 Longitude: W 1093900 E: 1091900

Ref#

1602 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields
Coal and geology map, Donkey Flat quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 42-43. Scale: 42240
Latitude: N: 403730 S: 403000 Longitude: W 1093000 E: 1092230

1603 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields
Coal and geology map, Dry Fork-Vernal NW quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 48-49. Scale: 42240
Latitude: N: 403400 S: 402600 Longitude: W 1094500 E: 1093730

1604 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields
Coal and geology map, Island Park quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 54-55. Scale: 44240
Latitude: N: 403730 S: 403000 Longitude: W 1091500 E: 1090730

1606 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields
Coal and geology map, Jensen Ridge quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 62-63. Scale: 42240
Latitude: N: 403730 S: 403000 Longitude: W 1092230 E: 1091500

1607 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields
Coal and geology map, Lake Mountain quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 66-67. Scale: 42240
Latitude: N: 403730 S: 403000 Longitude: W 1095230 E: 1094500

1611 Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields
Coal and geology map, Steinaker Reservoir-Vernal NE quadrangle, Utah Geological and Mineralogical Survey Monograph 2, p. 86-87. Scale: 42240
Latitude: N: 403430 S: 402700 Longitude: W 1093730 E: 1093000

1706 Gale, H.S., 1909, in Gale, H.S., Contributions to Economic Geology, 1907 Coal fields of northwestern Colorado and northeastern Utah, U.S. Geological Survey Bulletin 341, p. 283-315, pl. 20. Scale: 250000
Latitude: N: 410500 S: 405400 Longitude: W 1100000 E: 1093000

1877 Graff, P.J.; Sears, J.W.; Holden, G.S., 1980, Geologic map of Red Creek quartzite, Research Associates of Wyoming, for U.S. Department of Energy Report GJBX-170(80), 180 p., pl. 1. Scale: 48000
Latitude: N: 410000 S: 405330 Longitude: W 1093000 E: 1085500

2559 Grauch, V.J.S.; Plesha, J.L., 1989, Aeromagnetic maps of the Uinta and Piceance Basins and vicinity, Utah and Colorado, U.S. Geological Survey Miscellaneous Field Studies Map MF-2008-C, 2 sheets, plates 1 and 2.
Scale: 500000
Latitude: N: 410000 S: 380000 Longitude: W 1130000 E: 1063500

180 Hansen, W.R., 1955, Geology of the Flaming Gorge quadrangle, Utah-Wyoming, U.S. Geological Survey Geologic Quadrangle Map GQ-75. Scale: 24000

Latitude: N: 410000 S: 405230 Longitude: W 1093730 E: 1093000

50 Hansen, W.R., 1955, in Anderman, G.G., editor, Green River Basin Pre-Cambrian geology of the area between Clay Basin and Browns Park in Utah and Colorado, Wyoming Geological Association Guidebook Tenth Annual Field Conference, p. 23-28, pl. 1. Scale: 63360

Latitude: N: 410000 S: 405230 Longitude: W 1093000 E: 1090000

Ref#

186 Hansen, W.R., 1957, Geology of the Clay Basin quadrangle, [Daggett County] Utah, U.S. Geological Survey
Geologic Quadrangle Map GQ-101. Scale: 24000
Latitude: N: 410000 S: 405230 Longitude: W 1091500 E: 1090730

254 Hansen, W.R., 1961, Geologic map of the Dutch John and Goslin Mountain quadrangles, Utah-Wyoming, U.S.
Geological Survey Miscellaneous Investigations Series Map I-324. Scale: 24000
Latitude: N: 410000 S: 405230 Longitude: W 1093000 E: 1091500

251 Hansen, W.R., 1961, Geologic map of the Willow Creek Butte quadrangle, Utah-Colorado, U.S. Geological
Survey Miscellaneous Investigations Series Map I-322. Scale: 24000
Latitude: N: 410000 S: 405230 Longitude: W 1090730 E: 1090000

1234 Hansen, W.R., 1965, Geology of the Flaming Gorge area, Utah-Colorado-Wyoming, U.S. Geological Survey
Professional Paper 490, 196 p., pl. 1. Scale: 48000
Latitude: N: 410000 S: 404845 Longitude: W 1094500 E: 1090000

479 Hansen, W.R., 1977, Geologic map of the Jones Hole quadrangle, Uintah County, Utah, and Moffat County,
Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1401. Scale: 24000
Latitude: N: 403730 S: 403000 Longitude: W 1090730 E: 1090000

1783 Hansen, W.R.; Bonilla, M.G., 1954, Laramide faulting and orogeny on the north flank of the Uinta Mountains in
eastern Daggett County, Utah, Colorado Scientific Society Proceedings v. 17, no. 1, p. 1-29, pl. 1.
Scale: 152000
Latitude: N: 410000 S: 405230 Longitude: W 1094500 E: 1093000

184 Hansen, W.R.; Bonilla, M.G., 1956, Geology of the Manila quadrangle, [Daggett County] Utah-Wyoming, U.S.
Geological Survey Miscellaneous Investigations Series Map I-156. Scale: 24000
Latitude: N: 410000 S: 405230 Longitude: W 1094500 E: 1093730

471 Hansen, W.R.; Carrara, P.E.; Rowley, P.D., 1981, Geologic map of the Crouse Reservoir quadrangle, Uintah
and Daggett Counties, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1554. Scale: 24000
Latitude: N: 404500 S: 403730 Longitude: W 1091500 E: 1090730

2409 Hansen, W.R.; Rowley, P.D., 1991, Geologic map of the Hoy Mountain quadrangle, Daggett and Uintah
Counties, Utah, and Moffat County, Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1695.
Scale: 24000
Latitude: N: 404500 S: 403730 Longitude: W 1090730 E: 1090000

1996 Hansen, W.R.; Rowley, P.D., 1991, Geologic map of the Hoy Mountain quadrangle, Daggett and Uintah
Counties, Utah, and Moffat County, Colorado, U.S. Geological Survey Geologic Quadrangle Map GQ-1695.
Scale: 24000
Latitude: N: 404500 S: 403730 Longitude: W 1090730 E: 1090000

1085 Hansen, W.R.; Rowley, P.D.; Carrara, P.E., 1983, Geologic map of Dinosaur National Monument and vicinity,
Utah and Colorado, U.S. Geological Survey Miscellaneous Investigations Series Map I-1407. Scale:
50000
Latitude: N: 403730 S: 402230 Longitude: W 1092230 E: 1083000

2540 Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000

Latitude: N: 440000 S: 340000 Longitude: W 1200000 E: 1080000

Ref#

827 Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map A-1. Scale: 500000

Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300

2477 Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM compact disc. Scale: 500000

Latitude: N: 420000 S: 370000 Longitude: W 1140400 E: 1090000

2537 Johnson, S.Y.; Johnson, R.C., 1991, Stratigraphic and time-stratigraphic cross sections of phanerozoic roocks along line A-A', Uinta and Piceance Basin area-Eagle Basin, Colorado, to Eastern Basin and Range area, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2184-A. Scale: 500000

Latitude: N: 410000 S: 390000 Longitude: W 1130000 E: 1070000

852 Kinney, D.M., 1950, Geology of the Uinta River-Brush Creek area, Duchesne and Uintah Counties, Utah, New Haven, Connecticut, Yale University Ph.D. dissertation . Scale: 62500

Latitude: N: 404500 S: 401700 Longitude: W 1101500 E: 1091500

32 Kinney, D.M., 1951, Geology of the Uinta River and Brush Creek-Diamond Mountain areas, Duchesne and Uintah Counties, Utah [Geologic map of the Brush Creek-Diamond Mountain area], U.S. Geological Survey Oil and Gas Investigations Map OM-123, [two maps on one sheet]. Scale: 63360

Latitude: N: 404500 S: 401630 Longitude: W 1093000 E: 1091500

99 Kinney, D.M., 1955, Geology of the Uinta River-Brush Creek area, Duchesne and Uintah Counties, Utah, U.S. Geological Survey Bulletin 1007, 185 p., pl. 1. Scale: 63360

Latitude: N: 404500 S: 401700 Longitude: W 1101500 E: 1091500

29 Kinney, D.M.; Rominger, J.F., 1947, Geology of the Whiterocks River-Ashley Creek area, Uintah County, Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-82, pl. 1. Scale: 63360

Latitude: N: 404500 S: 403000 Longitude: W 1100000 E: 1093000

1450 Lickus, M.R.; Law, B.E., 1988, Structure contour map of the greater Green River basin, Wyoming, Colorado, and Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-2031. Scale: 500000

Latitude: N: 433000 S: 404500 Longitude: W 1104500 E: 1070000

1841 Lindsay, J.B.; compiler, 1969, in Lindsay, J.B., editor, Geologic guidebook of the Uinta Mountains, Utah's maverick range Geologic map of the Uinta Mountains uplift and surrounding transition area, Intermountain Association of Petroleum Geologists Guidebook Sixteenth Annual Field Conference, 237 p.. Scale: 250000

Latitude: N: 411500 S: 401500 Longitude: W 1113500 E: 1090000

2530 Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901-B. Scale: 1000000

Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1020000

1417 Luft, S.J., 1985, Generalized geologic map showing distribution and basal configuration of the Browns Park
Formation and Bishop Conglomerate in northwestern Colorado, northeastern Utah, and southern Wyoming,
U.S. Geological Survey Miscellaneous Field Studies Map MF-1821. Scale: 250000
Latitude: N: 410000 S: 401500 Longitude: W 1100000 E: 1090300

Ref#

4 Lupton, C.T., 1912, Deep Creek district of the Vernal coal field, Uintah County, Utah, U.S. Geological Survey Bulletin 471-I, p. 575-594, pl. 60. Scale: 62500
Latitude: N: 403330 S: 403010 Longitude: W 1095300 E: 1094220

745 Martner, S.T., 1948, Geology of the Manila-Linwood area, Sweetwater County, Wyoming, and Daggett County, Utah, Pasadena, California Institute of Technology Ph.D. dissertation 119 p., pl. 1. Scale: 31680
Latitude: N: 410000 S: 405300 Longitude: W 1095000 E: 1092500

2541 Osterwald, F.W.; Dean, B.G., 1957, Preliminary Tectonic map of the northern Colorado and northeastern Utah, showing the distribution of uranium deposits, U.S. Geological Survey Mineral Investigations Field Studies Map MF-130, sheet 1. Scale: 500000
Latitude: N: 410000 S: 394000 Longitude: W 1110000 E: 1064000

81 Ritzma, H.R., 1959, Geologic atlas of Utah, Daggett County, Utah Geological and Mineralogical Survey Bulletin 66, 116 p.. Scale: 125000
Latitude: N: 410000 S: 403900 Longitude: W 1100000 E: 1090300

472 Rowley, P.D.; Hansen, W.R.; Carrara, P.E., 1981, Geologic map of the Island Park quadrangle, Uintah County, Utah, U.S. Geological Survey Geologic Quadrangle Map GQ-1560. Scale: 24000
Latitude: N: 403730 S: 403000 Longitude: W 1091500 E: 1090730

1360 Rowley, P.D.; Hansen, W.R.; Tweto, Ogden; Carrara, P.E., 1985, Geologic map of the Vernal 1° x 2° quadrangle, Colorado, Utah, and Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1526. Scale: 250000
Latitude: N: 410000 S: 400000 Longitude: W 1100000 E: 1080000

1226 Sanderson, I.D.; Wiley, M.T., 1986, The Jesse Ewing Canyon Formation, an interpreted alluvial fan deposit in the basal Uinta Mountain group (Middle Proterozoic), Utah, The Mountain Geologist v. 23, no. 3, p. 77-89, fig. 1. Scale: 26000
Latitude: N: 405630 S: 405500 Longitude: W 1090930 E: 1090700

2004 Schell, E.M., 1969, in Lindsay, J.B., editor, Geologic guidebook of the Uinta Mountains, Utah's maverick range Summary of the geology of the Sheep Creek Canyon geological area and vicinity, Daggett County, Utah, Intermountain Association of Petroleum Geologists Guidebook Sixteenth Annual Field Conference, p. 143-152, pl. 1. Scale: 24000
Latitude: N: 405710 S: 405300 Longitude: W 1094900 E: 1094500

2024 Schell, E.M.; Dyni, J.R., 1973, Preliminary geologic strip maps of the Park City and Phosphoria Formations, Vernal phosphate area, Uintah County, Utah, U.S. Geological Survey Open-File Report OF 73-248, pl. 2. Scale: 24000
Latitude: N: 403910 S: 403145 Longitude: W 1091530 E: 1090255

1723 Schultz, A.R., 1920, Oil possibilities in and around Baxter Basin in the Rock Springs uplift, Sweetwater County, Wyoming, U.S. Geological Survey Bulletin 702. Scale: 250000
Latitude: N: 410000 S: 404500 Longitude: W 1094000 E: 1090000

1871 Smith, Larry; Kinney, D.M.; Rominger, J.F., 1960, Geology of the Park City Formation in the Ashley Creek-Brush Creek area, Uintah County, Utah, U.S. Geological Survey Open-File Report OF 60-126. Scale: 31680

Latitude: N: 404100 S: 403345 Longitude: W 1093645 E: 1092350

Ref#

2624 Sprinkel, D.A., 2002, Progress Report Geologic map of the Dutch John quadrangle (east part) Utah-Colorado-Wyoming. Year 3 of 3., Utah Geological Survey Open-File Report 399, pl. 1 and 2. Scale: 62500
Latitude: N: 410000 S: 403000 Longitude: W 1100000 E: 1090000

2485 Sprinkel, D.L., 2000, Progress report geologic map of the Dutch John quadrangle (east part), Utah-Colorado-Wyoming - Year 1 of 3, Utah Geological Survey Open-File Report 374, pl. 1. Scale: 100000
Latitude: N: 410000 S: 403000 Longitude: W 1091500 E: 1090000

784 Stokes, W.L.; Madsen, J.H., Jr.; compilers, 1961, Geologic map of Utah (northeast quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
Latitude: N: 420000 S: 392230 Longitude: W 1113730 E: 1090000

2560 Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300

49 Untermann, G.E.; Untermann, B.R., 1951, Geology of Dinosaur National Monument and vicinity, Utah-Colorado, Utah Geological and Mineralogical Survey Bulletin 42, 221 p., pl. 2. Scale: 88000
Latitude: N: 404530 S: 402320 Longitude: W 1091730 E: 1083000

1293 Untermann, G.E.; Untermann, B.R., 1961, Geologic map of Duchesne County, Utah, unknown unpublished map . Scale: 63360
Latitude: N: 405000 S: 394830 Longitude: W 1105300 E: 1095830

1117 Untermann, G.E.; Untermann, B.R., 1964, Geology of Uintah County, Utah Geological and Mineralogical Survey Bulletin 72, 112 p.. Scale: 125000
Latitude: N: 404800 S: 392700 Longitude: W 1095900 E: 1090300

1462 Untermann, G.E.; Untermann, B.R., 1965, Geologic map of Dinosaur National Mounument, Colorado-Utah, Utah Geological and Mineralogical Survey Map 10. Scale: 62500
Latitude: N: 404400 S: 402430 Longitude: W 1092100 E: 1083130

1380 Walton, P.T., 1944, Geology of the Cretaceous of the Uinta Basin, Utah, Geological Society of America Bulletin v. 55, p. 91-130, pl. 2. Scale: 537000
Latitude: N: 404800 S: 395230 Longitude: W 1110730 E: 1090000

1780 Wilmarth, V.R., 1953, Yellow Canary uranium deposits, Daggett County, Utah, U.S. Geological Survey Circular 312, 8 p., fig. 2. Scale: 2400
Latitude: N: 405606 S: 405600 Longitude: W 1091322 E: 1091314