Search Keyed to 30X60' Quad: Grouse Creek Friday, November 09, 2001

Ref#

619Baker, W.H., 1959, Geologic setting and origin of the Grouse Creek pluton, Box Elder County, Utah, Salt Lake City, University of Utah Ph.D. dissertation 175 p.. Scale: 31680

Latitude N: 413615 S: 412600 Longitude W: 1135230 E: 1133600

1199Beers, A.H.; Bonham, H.F., Jr., 1961, Areal economic geology [mineral survey], Southern Pacific Company unpublished map . Scale: 24000

Latitude N: 415300 S: 414800 Longitude W: 1131000 E: 1130500

1215Beers, A.H.; Bonham, H.F., Jr., 1963, Areal economic geology [mineral survey], Southern Pacific Company unpublished map . Scale: 24000

Latitude N: 414000 S: 413730 Longitude W: 1133000 E: 1131600

1214Beers, A.H.; Bonham, H.F., Jr., 1963, Areal economic geology [mineral survey], Southern Pacific Company unpublished map . Scale: 24000

Latitude N: 413730 S: 413200 Longitude W: 1134400 E: 1133000

1225Beers, A.H.; Bonham, H.F., Jr., 1963, Areal economic geology [mineral survey], Southern Pacific Company unpublished map . Scale: 24000

Latitude N: 413900 S: 413730 Longitude W: 1134000 E: 1133000

1212Beers, A.H.; Bonham, H.F., Jr., 1963, Areal economic geology [mineral survey], Southern Pacific Company unpublished map . Scale: 24000

Latitude N: 414300 S: 413730 Longitude W: 1131600 E: 1130800

44Compton, R.R., 1972, Geologic map of the Yost quadrangle, Box Elder County, Utah and Cassia County, Idaho, U.S. Geological Survey Miscellaneous Investigations Series Map I-672. Scale: 31680

Latitude N: 420000 S: 414500 Longitude W: 1134500 E: 1133000

45Compton, R.R., 1975, Geologic map of the Park Valley quadrangle, Box Elder County, Utah and Cassia County, Idaho, U.S. Geological Survey Miscellaneous Investigations Series Map I-873. Scale: 31680

Latitude N: 420000 S: 414500 Longitude W: 1133000 E: 1131500

1518Compton, R.R.; Todd, V.R.; Zartman, R.E.; Naeser, C.W., 1977, Oligocene and Miocene metamorphism, folding, and low-angle faulting in northwestern Utah, Geological Society of America Bulletin v. 88, p. 1237-1250, fig. 9. Scale: 27300

Latitude N: 415740 S: 415650 Longitude W: 1134940 E: 1134845

2575Currey, D.R.; Atwood, G.; Mabey, D.R., 1984, Major levels of Great Salt Lake and Lake Bonneville, Utah Geological and Mineral Survey Map 73. Scale: 750000

Latitude N: 421500 S: 380000 Longitude W: 1141000 E: 1115000

1290Doelling, H.H., 1975, Preliminary geologic map of Cotton Thomas Basin quadrangle, Box Elder County, Utah, Utah Geological and Mineral Survey unpublished map . Scale: 62500

Latitude N: 420000 S: 414500 Longitude W: 1140000 E: 1134500

1084Doelling, H.H.; Campbell, J.A.; Gwynn, J.W.; Perry, L.I., 1980, Geology and mineral resources of Box Elder County, Utah, Utah Geological and Mineral Survey Bulletin 115, 251 p.. Scale: 125000

Latitude N: 420000 S: 410000 Longitude W: 1140300 E: 1115200

Ref#

1634Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields Generalized geology map, Goose Creek NE-Cotton Thomas NW [Pole Creek and Nile Spring] quadrangle, Utah Geological and Mineralogical Survey Monograph Series 2, p. 388-389. Scale: 62500

Latitude N: 420500 S: 415500 Longitude W: 1140500 E: 1135500

1635Doelling, H.H.; Graham, R.L., 1972, in Doelling, H.H., and Graham, R.L., Eastern and northern Utah coal fields Part of Grouse Creek Basin [Kimball Creek quadrangle], Utah Geological and Mineralogical Survey Monograph Series 2, p. 389. Scale: 62500

Latitude N: 414900 S: 414500 Longitude W: 1135200 E: 1134500

16Felix, C.E., 1956, in Eardley, A.J., and Hardy, C.T., editors, Geology of parts of northwestern Utah Geology of the eastern part of the Raft River Range, Box Elder County, Utah, and Cassia County, Idaho,, Utah Geological Society Guidebook to the Geology of Utah no. 11, p. 76-97, fig. 14. Scale: 62500

Latitude N: 420200 S: 414415 Longitude W: 1133200 E: 1130730

898Hare, E.M., 1982, Structure and petrology of Tertiary volcanic rocks between Death Creek and Dairy Valley Creek, Utah, Logan, Utah State University M.S. thesis 64 p.. Scale: 12000

Latitude N: 413944 S: 413703 Longitude W: 1140328 E: 1135800

2540Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity (conodont color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts of Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets. Scale: 2500000

Latitude N: 440000 S: 340000 Longitude W: 1200000 E: 1080000

827Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map [Geologic Map of Utah] A-1. Scale: 500000

Latitude N: 420000 S: 370000 Longitude W: 1140300 E: 1090300

2477Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM. Scale: 500000

Latitude N: 420000 S: 370000 Longitude W: 1140400 E: 1090000

617Howes, R.C., 1972, Geology of the Wildcat Hills, Utah, Logan, Utah State University M.S. thesis 43 p., pl. 1. Scale: 12000

Latitude N: 415330 S: 414730 Longitude W: 1130430 E: 1125730

2438Johnson, W.D., 1984, Map showing outcrops of thick, dominately argillaceous sedimentary and metasedimentary rocks, Basin and Range Province, Utah, U.S. Geological Survey Water Resources Investigations Report WRI-83-4122-E. Scale: 500000

Latitude N: 420000 S: 370000 Longitude W: 1140000 E: 1120000

1493Kerr, S.B., 1987, Basalt outcrops, sample locations, and generalized geology of the study area in Curlew Valley, Utah, Logan, Utah State University M.S. thesis 84 p.. Scale: 40000
Latitude N: 420000 S: 414100 Longitude W: 1131500 E: 1124500

691Kerr, S.B., 1987, Petrology of Pliocene (?) basalts of Curlew Valley (Box Elder County), Utah, Logan, Utah State University M.S. thesis 84 p., pl. 2. Scale: 12000
Latitude N: 415245 S: 414730 Longitude W: 1131300 E: 1130700

Ref#

2530Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901-B. Scale: 1000000

Latitude N: 420000 S: 370000 Longitude W: 1140000 E: 1020000

18Mapel, W.J.; Hail, W.J., Jr., 1956, in Eardley, A.J., and Hardy, C.T., editors, Geology of parts of northwestern Utah Tertiary stratigraphy of the Goose Creek district, Cassia County, Idaho and adjacent parts of Utah and Nevada, Utah Geological Society Guidebook to the Geology of Utah no. 11, p. 1-16, fig. 2. Scale: 63360

Latitude N: 421115 S: 415300 Longitude W: 1140730 E: 1135230

19Mapel, W.J.; Hail, W.J., Jr., 1959, Tertiary geology of the Goose Creek district, Cassia County, Idaho, Box Elder County, Utah, and Elko County, Nevada, U.S. Geological Survey Bulletin 1055-H, p. 217-254, pl. 46. Scale: 63360

Latitude N: 421230 S: 415400 Longitude W: 1140730 E: 1135200

1901Miller, D.M.; Armstrong, R.L.; Compton, R.R.; Todd, V.R., 1983, Geology of the Albion-Raft River-Grouse Creek Mountains area, northern Utah and southern Idaho [Ingham Pass area], in Geologic excursions in the overthrust belt and metamorphic core complexes of the intermountain region, Utah Geological and Mineral Survey Special Studies 59, p. 1-62, fig. 18. Scale: 37000

Latitude N: 414100 S: 413800 Longitude W: 1134700 E: 1134300

2132Miller, D.M.; Armstrong, R.L.; Compton, R.R.; Todd, V.R., 1983, in Gurgel, Klaus D., editor, Geologic excursions in the overthrust belt and metamorphic core complexes of the intermountain region Geology of the Albion-Raft River-Grouse Creek Mountains area, northwestern Utah and southern Idaho [Alfred Hill-George Point area], Utah Geological and Mineral Survey Special Studies 59, p. 1-62, fig. 23. Scale: 44000

Latitude N: 413800 S: 413400 Longitude W: 1132615 E: 1132230

2135Miller, D.M.; Armstrong, R.L.; Compton, R.R.; Todd, V.R., 1983, in Gurgel, Klaus D., editor, Geologic excursions in the overthrust belt and metamorphic core complexes of the intermountain region Geology of the Albion-Raft River-Grouse Creek Mountains area, northwestern Utah and southern Idaho [south end of Big Pink Hill], Utah Geological and Mineral Survey Special Studies 59, p. 1-62, fig. 21. Scale: 7000

Latitude N: 413750 S: 413730 Longitude W: 1133105 E: 1133055

2133Miller, D.M.; Armstrong, R.L.; Compton, R.R.; Todd, V.R., 1983, in Gurgel, Klaus D., editor, Geologic excursions in the overthrust belt and metamorphic core complexes of the intermountain region Geology of the Albion-Raft River-Grouse Creek Mountains area, northwestern Utah and southern Idaho [north end of Big Pink Hill], Utah Geological and Mineral Survey Special Studies 59, p. 1-62, fig. 22. Scale: 17300

Latitude N: 414230 S: 414000 Longitude W: 1133030 E: 1132615

2131Miller, D.M.; Armstrong, R.L.; Compton, R.R.; Todd, V.R., 1983, in Gurgel, Klaus D., editor, Geologic excursions in the overthrust belt and metamorphic core complexes of the intermountain region, Geology of the Albion-Raft River-Grouse Creek Mountains area, northwestern Utah and southern Idaho [area south of Rosebud Creek], Utah Geological and Mineral Survey Special Studies 59, p. 1-62, fig. 16. Scale: 24000

Latitude N: 413400 S: 413345 Longitude W: 1133900 E: 1133800

Ref#

2134Miller, D.M.; Armstrong, R.L.; Compton, R.R.; Todd, V.R., 1983, in Gurgel, Klaus D., editor, Geologic excursions in tne overthrust belt and metamorphic core complexes of the intermountain region Geology of the Albion-Raft River-Grouse Creek Mountains area, northwestern Utah and southern Idaho [central Grouse Creek Mountains], Utah Geological and Mineral Survey Special Studies 59, p. 1-62, fig. 17. Scale: 122000

Latitude N: 414500 S: 413700 Longitude W: 1134700 E: 1133600

795Olesen, M.H., 1984, Structure and petrology of Tertiary volcanic rocks in parts of Toms Cabin Spring and Dairy Valley quadrangles (Box Elder County), Utah, Logan, Utah State University M.S. thesis 84 p.. Scale: 12000

Latitude N: 413325 S: 413118 Longitude W: 1140236 E: 1135412

2544Peterson, D.L., 1974, Bouguer gravity map of part of the northern Lake Bonneville Basin, Utah and Idaho, U.S. Geological Survey Miscellaneous Field Studies Map MF-627. Scale: 250000

Latitude N: 423000 S: 410000 Longitude W: 1131500 E: 1114500

864Peterson, V.E., 1941, A study of the geology and ore deposits of the Ashbrook silver mining district, Utah,

Chicago, Illinois, University of Chicago Ph.D. dissertation . Scale: 31680

Latitude N: 415900 S: 415540 Longitude W: 1134945 E: 1134915

971Peterson, V.E., 1942, A study of the geology and ore deposits of the Ashbrook silver mining district, Utah, Economic Geology v. 37, p. 466-502, fig. 1. Scale: 31680

Latitude N: 415900 S: 415540 Longitude W: 1134945 E: 1134915

1725Piper, A.M., 1923, Geology and water resources of the Goose Creek Basin, Cassia County, Idaho, Idaho Bureau of Mines and Geology Bulletin 6, pl. 1. Scale: 125000

Latitude N: 422600 S: 414030 Longitude W: 1143000 E: 1134000

1005Scarbrough, B.E., 1984, Structure and petrology of Tertiary volcanic rocks in parts of Toms Cabin Spring and Lucin NW quadrangles, Utah, Logan, Utah State University M.S. thesis 77 p.. Scale: 12000

Latitude N: 413200 S: 412630 Longitude W: 1140000 E: 1135530

638Smith, K.W., 1980, Structure and petrology of Tertiary volcanic rocks near Etna, Utah, Logan, Utah State University M.S. thesis 83 p.. Scale: 12000

Latitude N: 414203 S: 413847 Longitude W: 1140000 E: 1135603

1298Stanford University, 1965, Geologic map of the Raft River-Grouse Creek area, Utah and Idaho, Stanford, California, Stanford University unpublished map . Scale: 48000
Latitude N: 420000 S: 414500 Longitude W: 1135500 E: 1132800

1210Stanford University, 1967, Geologic map of the eastern part of the Raft River Mountains, Utah and Idaho, Stanford, California, Stanford University unpublished map . Scale: 24000
Latitude N: 420000 S: 415000 Longitude W: 1132300 E: 1131000

1192Stanford University, 1976, Geologic map of the southern part of the Grouse Creek Mountains, Box Elder County, Utah, Stanford, California, Stanford University unpublished map . Scale: 24000
Latitude N: 413730 S: 412230 Longitude W: 1135100 E: 1133730

2478Stanford University, 1976, Geologic map of the southern part of the Grouse Creek Mountains, Box Elder County, Utah, Stanford, California, Stanford University unpublished map . Scale: 24000

Latitude N: 413730 S: 412230 Longitude W: 1135100 E: 1133730

Ref#

622Stifel, P.B., 1964, Geology of the Terrace and Hogup Mountains, Box Elder County, Utah, Salt Lake City, University of Utah Ph.D. dissertation 173 p., pl. 1. Scale: 63360
Latitude N: 414630 S: 411130 Longitude W: 1131700 E: 1125830

838Stokes, W.L.; compiler, 1962, Geologic map of Utah (northwest quarter), Utah Geological and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000
Latitude N: 420000 S: 392230 Longitude W: 1140300 E: 1113730

2560Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000
Latitude N: 420000 S: 370000 Longitude W: 1140300 E: 1090300

618Todd, V.R., 1973, Geologic map of central Grouse Creek Mountains, Box Elder County, Utah, Stanford, California, Stanford University Ph.D. dissertation 373 p.. Scale: 31680

Latitude N: 414530 S: 413600 Longitude W: 1134730 E: 1133300

2412Wells, M.L., 1996, Interim geologic map of the Kelton Pass quadrangle, Box Elder County, Utah, and Cassia County, Idaho, Utah Geological Survey Open-File Report 342, 70 p.. Scale: 24000

Latitude N: 420000 S: 415230 Longitude W: 1131500 E: 1130730