

Cretaceous Mancos Shale, Uinta Basin, Utah: Resource Potential and Best Practices for an Emerging Shale-Gas Play

TASK #5: BIBLIOGRAPHY OF PUBLISHED STRATIGRAPHIC DEFINITION, PETROLOGIC, ROCK MECHANICS, GEOCHEMICAL, AND GEOCHRONOLOGY ANALYSIS

by
Stephanie Carney, Geologist
Utah Geological Survey



February 2012

Subcontract No. 09122-07

Wiley Wells, Contract/Procurement Manager
RPSEA
1650 Highway 6, Suite 300
Sugar Land, TX 77478

DISCLAIMER

Although this product represents the work of professional scientists, the Utah Department of Natural Resources, Utah Geological Survey, makes no warranty, expressed or implied, regarding its suitability for a particular use. The Utah Department of Natural Resources, Utah Geological Survey, shall not be liable under any circumstances for any direct, indirect, special, incidental, or consequential damages with respect to claims by users of this product.

OVERVIEW

This bibliography was compiled for Research Partnership to Secure Energy for America (RPSEA) subcontract No. 09122-07 titled “Cretaceous Mancos Shale, Uinta Basin, Utah: Resource Potential and Best Practices for an Emerging Shale-Gas Play”.

BIBLIOGRAPHY

- Abdullaay, E., 2009, Effect of well configuration on productivity index of gas well producing from shale: Morgantown, West Virginia University, M.S. thesis, 113 p.
- Adekoya, F., 2009, Production decline analysis of horizontal well in gas shale reservoirs: Morgantown, West Virginia University, M.S. thesis, 80 p.
- Ahmed, U., Thompson, T.W., Kelkar, S.M., Strawn, J.A., Veghte, R., and Hathaway, S., 1984, Optimizing hydraulic fracture designs in formations with poor containment, *in* Society of Petroleum Engineers Eastern Regional Meeting, Charleston, West Virginia, October 31-November 2, 1984: Society of Petroleum Engineers Paper no.13375, 4 p.
- Anders, D.E., 1992, Method for estimating a vitrinite reflectance equivalence from calorific value in Upper Cretaceous coals of northeast Utah: U.S. Geological Survey Open-File Report 92-190, 12 p.
- Anders, D.E., Palacas, J.C., and Johnson, R.C., 1992, Thermal maturity of rocks and hydrocarbon deposits, Uinta Basin, Utah, *in* Fouch, T.D., Nuccio, V.F., and Chidsey, T.C., Jr., editors, Hydrocarbon and mineral resources of the Uinta Basin, Utah and Colorado: Utah Geological Association Guidebook 20, p.53-76.
- Anderson, D.S., and Harris, N.B., 2006, Integrated sequence stratigraphic and geochemical resource characterization of the lower Mancos Shale, Uinta Basin, Utah: Utah Geological Survey Open-File Report 483, 130 p, compact disk.
- Anna, L.O., 2003, Groundwater flow associated with coalbed gas production, Ferron Sandstone, east-central Utah: International Journal of Coal Geology, v. 56, p. 69-95.
- Barker, C.E., 2004, Analyses of coal from the Ferron Sandstone member of the Mancos Shale near Emery, Utah: U.S. Geological Survey Open-File Report 1279, 5 p.
- Barton, M.D., 1994, Outcrop characterization of architecture and permeability structure in fluvial-deltaic sandstones, Cretaceous Ferron Sandstone, Utah: Austin, University of Texas at Austin, Ph.D. dissertation, 281 p.
- Boyles, J.M., and Scott, A.J., 1982, A model for migrating shelf-bar sandstones in Upper Mancos Shale (Campanian), northwestern Colorado: American Association of Petroleum Geologists Bulletin, v. 66, no. 5, p. 491-508.

- Bredehoeft, J., 2009, Maintaining high fluid pressures in older sedimentary basins: *Geofluids*, v. 9, p. 179-181.
- Carney, M.J., and Wieland, D.R., 1973, Stimulation of low permeability gas wells in the Rocky Mountain area, *in* Society of Petroleum Engineers Rocky Mountain Regional Meeting, Casper, Wyoming, May 15-16, 1973: Society of Petroleum Engineers Paper no. 4396, 12 p.
- Carter, W.D., 1957, Disconformity between Lower and Upper Cretaceous in western Colorado and eastern Utah: *Geological Society of America Bulletin*, v. 68, p. 307-314, 1 plate.
- Charvin, K., Hampson, G.J., Gallagher, K.L., and Labourdette, R., 2010, Intra-parasequence architecture of an interpreted asymmetrical wave-dominated delta: *Sedimentology*, v. 57, p. 760-785.
- Cobban, W.A., and Reeside, J.B., 1952, Correlation of the Cretaceous formations of the western interior of the United States: *Geological Society of America Bulletin*, v. 63, p. 1011-1044, 1 plate.
- Cole, R.D., Young, R.G., and Willis, G.C., 1997, The Prairie Canyon Member, a new unit of the Upper Cretaceous Mancos Shale, west-central Colorado and east-central Utah: *Utah Geological Survey Miscellaneous Publication 97-4*, 23 p.
- Condon, S.M., 2003, Fracture network of the Ferron Sandstone Member of the Mancos Shale, east-central Utah, USA: *International Journal of Coal Geology*, v. 56, p. 111-139.
- Cooper, M.R., 1977, Eustacy during the Cretaceous—Its implications and importance: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 22, p. 1-60.
- Dube, H.G., Christiansen, G.E., Frantz, J.H., Jr., Fairchild, N.R., Jr., Olszewski, A.J., Sawyer, W.K., and Williamson, J.R., 2000, The Lewis Shale, San Juan Basin—What we know now, *in* Society of Petroleum Engineers Annual Technical Conference and Exhibition, Dallas, Texas, October 1-4, 2000: Society of Petroleum Engineers Paper no. 63091, 24 p.
- Duke, W.L., 1985, Hummocky cross-stratification, tropical hurricanes, and intense winter storms: *Sedimentology*, v. 32, p. 167-194.
- Edwards, C.M., Hodgson, D.M., Flint, S.S., and Howell, J.A., 2005, Contrasting styles of shelf sediment transport and deposition in a ramp margin setting related to relative sea-level change and basin floor topography, Turonian (Cretaceous) western interior of central Utah, USA: *Sedimentary Geology*, v. 179, p. 117-152.

- Fam, M.A., and Dusseault, M.B., 1998, Dielectric permittivity of shales as a measure of their physico-chemical sensitivity, *in* Conference on Rock Mechanics in Petroleum Engineering, Trondheim, Norway, July 8-10, 1998: Society of Petroleum Engineers Paper no. 47363, p. 285-290.
- Fan, L., Harris, B.W., Jamaluddin, A., Kamath, J., Mott, R., Pope, G.A., Shandrygin, A., and Whitson, C.H., 2005, Understanding gas-condensate reservoirs: *Oilfield Review*, Winter 2005-2006, p. 14-27.
- Fenneman, N.M., and Gale, H.S., 1906, The Yampa Coal Field, Routt County, Colorado: U.S. Geological Survey Bulletin 297, p. 22.
- Finn, T.M., and Johnson, R.C., 2005, The Hilliard-Baxter-Mancos total petroleum system, southwestern Wyoming Province, *in* Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado: U.S. Geological Survey Digital Data Series-69-D, Chapter 7, 18 p., compact disk.
- Fisher, R., 2009, Stratigraphic geochemical and geomechanical analysis of the lower Mancos Shale, Douglas Creek Arch, northwestern Colorado: Golden, Colorado School of Mines, unpublished M.S. thesis, 164 p. with CD appendix.
- Fouch, T.D., Wandrey, C.J., Pitman, J.K., Nuccio, V.F., Schmoker, J.W., Rice, D.D., Johnson, R.C., Dolton, G.L., 1992, Natural gas accumulations in low-permeability Tertiary and Cretaceous (Campanian and Maastrichtian) rock, Uinta Basin, Utah: Final Report for U.S. Dept. of Energy, DOE/MC/20422-3051, 87 p.
- Godfrey, A.E., Everitt, B.L., and Martin Duque, J.F., 2008, Episodic sediment delivery and landscape connectivity in the Mancos Shale badlands and Fremont River system, Utah, USA: *Geomorphology*, v. 102, p. 242-251.
- Grand Junction Office, 2008, Final remedial action plan and site design for stabilization of Moab Title I uranium mill tailings at the Crescent Junction, Utah, Disposal Site, Attachment 2: Department of Energy, Office of Environmental Management, Grand Junction Office, Report, 18 p., 1 plate.
- Hampson, G.J., 2010, Sediment dispersal and quantitative stratigraphic architecture across an ancient shelf: *Sedimentology*, v. 57, p. 96-141.
- Hampson, G.J., and Storms, J.E.A., 2003, Geomorphological and sequence stratigraphic variability in wave-dominated, shoreface-shelf parasequences: *Sedimentology*, v. 50, p. 667-701.
- Hampson, G.J., Howell, J.A., and Flint, S.S., 1999, A sedimentological and sequence stratigraphic reinterpretation of the Upper Cretaceous Prairie Canyon Member ("Mancos B") and associated strata, Book Cliffs area, Utah, USA.: *Journal of Sedimentary Research*, v. 69, no. 2, p. 414-433.

- Hampson, G.J., 2004, Recent advances in shoreline-shelf stratigraphy: Society of Sedimentary Geology Research Conference, August 24-28, Field Guide, 61 p.
- Henry, M.E., and Finn, T.M., 2003, Evaluation of undiscovered natural gas in the Upper Cretaceous Ferron Coal/Wasatch Plateau Total Petroleum System, Wasatch Plateau and Castle Valley, Utah: *International Journal of Coal Geology*, v. 56, p. 3-37.
- Hettinger, R.D., and Kirschbaum, M.A., 2002, Stratigraphy of the Upper Cretaceous Mancos Shale (upper part) and Mesaverde Group in the southern part of the Uinta and Piceance Basins, Utah and Colorado: U.S. Geological Survey Geologic Investigations Series I-2764, 21 p.
- Holditch, S.A., Lin, Z-S., and Spivey, J.P., 1991, Estimating the recovery from an average well in a tight gas formation, *in* Society of Petroleum Engineers Gas Technology Symposium, Houston, Texas, January 22-24, 1991: Society of Petroleum Engineers Paper no. 21500, p. 201-210.
- Howe, D.M., 1989, Comparison of surface and subsurface vertical sequences in the Cretaceous Ferron Sandstone, Utah: Reno, University of Nevada, Ph.D. dissertation, 237 p.
- Hueni, G.B., Jones, R.E., Fitzgerald, K.M., and Kohihaas, C.A., 1990, The Gavilan Field – Inverse rate sensitivity in dual-porosity reservoirs, *in* Society of Petroleum Engineers Annual Technical Conference and Exhibition, New Orleans, Louisiana, September 23-26, 1990: Society of Petroleum Engineers Paper no. 20774, 13 p.
- Jacobi, D., Gladkikh, M., LeCompte, B., Hursan, G., Mendez, F., Longo, J., Ong, S., Bratovich, M., Patton, G., and Shoemaker, P., 2008, Integrated petrophysical evaluation of shale gas reservoirs, *in* Canadian International Petroleum Conference and Society of Petroleum Engineers Gas Technology Symposium 2008 Joint Conference, Calgary, Alberta, June 16-19 2008: Society of Petroleum Engineers Paper no.114925, 23 p.
- Johnson, R.C., and Nuccio, V.F., 1993, Surface vitrinite reflectance study of the Uinta and Piceance Basins and adjacent areas, eastern Utah and western Colorado – implications for the development of Laramide basins and uplifts: U.S. Geological Survey Bulletin 1787-DD, 42 p.
- Johnson, R.C., 2003, Depositional framework of the Upper Cretaceous Mancos Shale and the lower part of the Upper Cretaceous Mesaverde Group, western Colorado and eastern Utah, *in* Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado: U.S. Geological Survey Digital Data Series-69-B, Chapter 10, 29 p., 1 plate, compact disk.

- Jones, J.R., Scott, A.J., and Lake, L.W., 1987, The geologic aspects of reservoir characterization for numerical simulation—Mesaverde Meanderbelt Sandstone, northwestern Colorado: Society of Petroleum Engineers Formation Evaluation, March 1987, p. 97-107.
- Ketzer, J.M., and Morad, S., 2006, Predictive distribution of shallow marine, low-porosity (pseudomatrix-rich) sandstones in a sequence stratigraphic framework—example from the Ferron sandstone, Upper Cretaceous, USA: *Marine and Petroleum Geology*, v. 23, p. 29-36.
- Kirschbaum, M.A., 2003, Geologic assessment of undiscovered oil and gas resources of the Mancos/Mowry Total Petroleum System, Uinta-Piceance Province, Utah and Colorado, *in* Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado: U.S. Geological Survey Digital Data Series-69-B, Chapter 6, 46 p, compact disk.
- Kneedy, J.L., 2005, Stratigraphic and structural analysis of coal in the Ferron Sandstone Member of the Mancos Shale and Fruitland Formation – Relationship to coal reservoir permeability and coalbed methane production: Logan, Utah State University, M.S. thesis, 136 p.
- Kuzniak, K., 2009, New stratigraphic interpretations, geochemistry and petrophysics of the Lower Mancos Group, Douglas Creek Arch, northwestern Colorado, USA: Golden, Colorado School of Mines, M.S. thesis, 161 p., 11 appendices, 1 plate.
- Lamb, G.M., 1968, Stratigraphy of the Lower Mancos Shale in the San Juan Basin: *Geological Society of America Bulletin*, v. 79, p. 827-854.
- Law, B.E., and Dickinson, W.W., 1985, Conceptual model for origin of abnormally pressured gas accumulations in low-permeability reservoirs: *American Association of Petroleum Geologists Bulletin*, v. 69, no. 8, p. 1295-1304.
- Lawton, T.F. 1983, Tectonic and sedimentologic evolution of the Utah foreland basin: Tucson, University of Arizona, Ph.D. dissertation, 315 p.
- Leckie, R.M., Schmidt, M.G., Finkelstein, D., and Yuretich, R., 1991, Paleooceanographic and paleoclimatic interpretations of the Mancos Shale (Upper Cretaceous), Black Mesa Basin, Arizona: *Geological Society of America Special Paper* 260, p. 139-152.
- Leithold, E.L., 1994, Stratigraphic architecture at the muddy margin of the Cretaceous Western Interior Seaway, southern Utah: *Sedimentology*, v. 41, p. 521-542.
- Leythaeuser, D., 1973, Effects of weathering on organic matter in shales: *Geochimica et Cosmochimica Acta*, v. 37, p. 113-120.

- Li, W., Bhattacharya, J.P., Zhu, Y., Garza, D., and Blankenship, E., 2011, Evaluating delta asymmetry using three-dimensional facies architecture and ichnological analysis, Ferron "Notom Delta," Capitol Reef, Utah, USA: *Sedimentology*, v. 58, p. 478-507.
- Machent, P.G., Taylor, K.G., Macquaker, J.H.S., and Marshall, J.D., 2007, Patterns of early post-depositional and burial cementation in distal shallow-marine sandstones—Upper Cretaceous Kenilworth Member, Book Cliffs, Utah, USA: *Sedimentary Geology*, v. 198, p. 125-145.
- Macquaker, J.H.S., and Adams, A.E., 2003, Maximizing information from fine-grained sedimentary rocks—An inclusive nomenclature for mudstones: *Journal of Sedimentary Research*, v. 73, p. 735-744.
- Macquaker, J.H.S., and Bohacs, K.M., 2007, On the accumulation of mud: *Science*, v. 318, p. 1734-1735.
- Macquaker, J.H.S., Taylor, K.G., and Gawthorpe, R.L., 2007, High-resolution facies analyses of mudstones—Implications for paleoenvironmental and sequence stratigraphic interpretations of offshore ancient mud-dominated successions: *Journal of Sedimentary Research*, v. 77, p. 324-339.
- Macquaker, J.H.S., Keller, M.A., and Davies, S.J., 2010, Algal blooms and “marine snow”—mechanisms that enhance preservation of organic carbon in ancient fine-grained sediments: *Journal of Sedimentary Research*, v. 80, p. 934-942.
- Mathias, J.P., 1971, Successful stimulation of a thick, low-pressure, water-sensitive gas reservoir by pseudolimited entry: *Journal of Petroleum Technology*, v. 23, no. 2, p. 185-190.
- Mavor, M.J., Bereskin, S.R., Robinson, J.R., and Pratt, T.J., 2003, Lewis Shale gas resource and production potential: Gas Research Institute Final Report, GRI-03/0037, 281 p.
- McCracken, M.E., Fitz, D., and Ryan, T., 2008, Tight gas surveillance and characterization – Impact of production logging, *in* Society of Petroleum Engineers Unconventional Reservoirs Conference, Keystone, Colorado, February 10-12, 2008: Society of Petroleum Engineers Paper no. 114165, 7 p.
- McLennan, J.D., Roegiers, J-C., and Marx, W.P., 1983, The Mancos Formation – An evaluation of the interaction of the geological conditions, treatment characteristics and production, *in* Society of Petroleum Engineers and U.S. Department of Energy Low Permeability Gas Reservoirs Symposium, Denver, Colorado, March 14-16, 1983: Society of Petroleum Engineers Paper no. 11606, 10 p.

- McTavish, R.A., 1998, The role of overpressure in the retardation of organic matter maturation: *Journal of Petroleum Geology*, v. 21, no. 2, p. 153-186.
- Merewether, E.A., Sawyer, D.A., and Cobban, W.A., 2006, Molluscan fossils and stratigraphic descriptions from the Upper Cretaceous Mancos Shale, west-central Colorado: U.S. Geological Survey Open-File Report 2006-1326, 17 p.
- Middlebrook, M.L., Branagan, P.T., Hill, R.E., Kukal, G.C., Peterson, R.E., McDonald, T.S., and Aslakson, J.K., 1993, Reservoir evaluation and completion results from a horizontal well in the Mancos B, Douglas Creek Arch, northwest Colorado, *in* Society of Petroleum Engineers Low Permeability Reservoirs Symposium, Denver, Colorado, April 26-28, 1993: Society of Petroleum Engineers Paper no. 25924, p 767-780.
- Morita, N., Black, A.D., and Fuh, G.-F., 1996, Borehole breakdown pressure with drilling fluids—I. Empirical results: *International Journal of Rock Mechanics and Mining Science & Geomechanics Abstracts*, v. 33, no. 1, p. 39-51.
- Mossman, D.J., and Nagy, B., 1996, Solid bitumens—An assessment of their characteristics, genesis, and role in geological processes: *Terra Nova*, v. 8, p. 114-128.
- Mueller, E., and Philp, R.P., 1998, Extraction of high molecular weight hydrocarbons from source rock—An example from the Green River Formation, Uinta Basin, Utah: *Organic Geochemistry*, v. 28, no. 9/10, p. 625-631.
- Mukherjee, H., Paoll, B.F., McDonald, T., Cartaya, H., and Anderson, J.A., 1995, Successful control of fracture height growth by placement of artificial barrier: *Society of Petroleum Engineers Production, Facilities, and Construction*, v. 10, no. 2, p. 89-95.
- Nadeau, P.H., and Roberts Jr., R.C., 1981, Burial and contact metamorphism in the Mancos Shale: *Clays and Clay Minerals*, v. 29, no. 4, p. 249-259.
- Noe, D.C., 2010, New mapping of Mancos Shale in western Colorado [abs.]: Online, American Association of Petroleum Geologists Search and Discovery Article no. 30134, searchanddiscovery.com/documents/2010/30134noe/ndx_noe.pdf, accessed Mar. 19, 2012.
- Nuccio, V.F., and Roberts, L.N.R., 2003, Thermal maturity and oil and gas generation history of petroleum systems in the Uinta-Piceance Province, Utah and Colorado, *in* Petroleum systems and geologic assessment of oil and gas in the Uinta-Piceance Province, Utah and Colorado: U.S. Geological Survey Digital Data Series-69-B, Chapter 4, 35 p, compact disk.

- Nuccio, V.F., Schenk, C.J., and Daws, T.A., 1986, Summary of vitrinite reflectance and Rock-Eval pyrolysis data, Eagle Basin, northwestern Colorado: U.S. Geological Survey Open-File Report 86-360, 7 p.
- Nuccio, V.F., and Johnson R.C., 1988, Thermal maturity map of the lower part of the Upper Cretaceous Mesaverde group, Uinta, Piceance, and Eagle Basins area, Utah and Colorado: U.S. Geological Survey Miscellaneous Field Studies Map, MF 2008-B, 21 p., 1 plate.
- Pasley, M.A., 1991, Organic matter variation within depositional sequences—Stratigraphic significance and implication to petroleum source rock prediction: Baton Rouge, Louisiana State University, Ph.D. dissertation, 272 p.
- Pasley, M.A., Gregory, W.A., and Hart, G.F., 1991, Organic matter variations in transgressive and regressive shales: *Organic Geochemistry*, v. 17, no. 4, p. 483-509.
- Pasley, M.A., Riley, G.W., and Nummedal, D., 1993, Sequence stratigraphic significance of organic matter variations – Example from the Upper Cretaceous Mancos Shale of the San Juan Basin, New Mexico, *in* Katz, B.J., and Pratt, L.N., editors, *Source rocks in a sequence stratigraphic framework: American Association of Petroleum Geologists Studies in Geology*, v. 37, p. 221-241.
- Pattison, S.A.J., Ainsworth, R.B., and Hoffman, T.A., 2007, Evidence of across-shelf transport of fine-grained sediments – Turbidite-filled shelf channels in the Campanian Aberdeen Member, Book Cliffs, Utah, USA: *Sedimentology*, v. 54, p. 1033-1063.
- Pemper, R., Sommer, A., Guo, P., Jacobi, D., Longo, J., Bliven, S., Rodriguez, E., Mendez, F., and Han, X., 2006, A new pulsed neutron sonde for derivation of formation lithology and mineralogy, *in* Society of Petroleum Engineers Annual Technical Conference and Exhibition, San Antonio, Texas, September 24-27, 2006: Society of Petroleum Engineers Paper no.102770, 13 p.
- Perry, B.A., 2008, The character of coal-bearing strata of the Ferron Sandstone (Cretaceous), east-central Utah: Fort Worth, Texas Christian University, M.S. thesis, 168 p.
- Peterson, H.I., Bojesen-Koefoed, J.A., and Mathiesen, A., 2010, Variations in composition, petroleum potential and kinetics of Ordovician-Miocene Type I and Type I-II source rocks (oil shales)—Implications for hydrocarbon generation characteristics: *Journal of Petroleum Geology*, v. 33, no. 1, p. 19-42.
- Pitman, J.K., Anders, D.E., Fouch T.D., Nichols, D.J., 1986, Hydrocarbon potential of nonmarine Upper Cretaceous and lower Tertiary rocks, eastern Uinta Basin, Utah, *in* Spenser, C.W., and Mast, R.F., editors, *Geology of tight gas reservoirs: American Association of Petroleum Geologists Studies in Geology*, v. 24, p.235-252.

- Pitman, J.K., Franczyk, K.J., and Anders, D.E., 1987, Marine and nonmarine gas-bearing rocks in Upper Cretaceous Blackhawk and Neslen Formations, eastern Uinta Basin, Utah—Sedimentology, diagenesis, and source rock potential: *American Association of Petroleum Geologists Bulletin*, v. 71, no.1, p. 76-94.
- Pitman, J.K., Franczyk, K.J., Anders, D.E., 1988, Diagenesis and burial history of nonmarine Upper Cretaceous rocks in the central Uinta Basin, Utah: *U.S. Geological Survey Bulletin* 1787-D, 28 p.
- Price, L.C., 1983, Geologic time as a parameter in organic metamorphism and vitrinite reflectance as an absolute paleogeothermometer: *Journal of Petroleum Geology*, v. 6, no. 1, p. 5-38.
- Price, L.C., Daws, T., and Pawlewicz, M., 1986, Organic metamorphism in the Lower Mississippian-Upper Devonian Bakken Shales—Part 1—Rock-Eval pyrolysis and vitrinite reflectance: *Journal of Petroleum Geology*, v. 9, no. 2, p. 125-162.
- Quick, J.C., and Tabet, D.E., 2003, Suppressed vitrinite reflectance in the Ferron coalbed gas fairway, central Utah—Possible influence of overpressure: *International Journal of Coal Geology*, v. 56, p. 49-67.
- Rajappa, B., and Conley, J.T., 2007, In-situ stress profiling in the Agency Draw field, Utah, *in* Society of Petroleum Engineers Rocky Mountain Oil and Gas Technology Symposium, Denver, Colorado, April 16-18, 2007: Society of Petroleum Engineers Paper no. 107818, 10 p.
- Roehler, H.W., 1993, Coastal sedimentation along a segment of the Interior Seaway of North America, Upper Cretaceous Baxter Shale, and Blair and Rock Springs Formations, Rock Springs uplift, southwest Wyoming: *U.S. Geological Survey Bulletin* 2051, 31 p.
- Ruble, T.E., Bakel, A.J., and Philp, R.P., 1994, Compound specific isotopic variability in Uinta Basin native bitumens—Paleoenvironmental implications: *Organic Geochemistry*, v. 21, no. 6/7, p. 661-671.
- Ruble, T.E., Lewan, M.D., and Philp, R.P., 2001, New insights on the Green River petroleum system in the Uinta Basin from hydrous pyrolysis experiments: *American Association of Petroleum Geologists*, v. 85, no. 8, p. 1333-1371.
- Ryer, T.A., 1981, Deltaic coals of Ferron Sandstone Member of Mancos Shale—Predictive model for Cretaceous coal-bearing strata of Western Interior: *American Association of Petroleum Geologists Bulletin*, v. 65, no. 11, p. 2323-2340.
- Ryer, T.A., Phillips, R.E., Bohor, B.F., and Pollastro, R.M., 1980, Use of altered volcanic ash falls in stratigraphic studies of coal-bearing sequences—An example from the

Upper Cretaceous Ferron Sandstone Member of the Mancos Shale in central Utah: Geological Society of America Bulletin, v. 91, no. 10, p. 579-586.

Salazar, J., McVay, D.A., and Lee, W.J., 2007, Development of an improved methodology to assess potential unconventional gas resources, *in* Society of Petroleum Engineers Rocky Mountain Oil and Gas Technology Symposium, Denver, Colorado, April 16-18, 2007: Society of Petroleum Engineers Paper no. 107974, 18 p.

Sarmiento, R., 1957, Microfossil zonation of Mancos Group: American Association of Petroleum Geologists Bulletin, v. 41, no. 8, p. 1683-1693, 1 plate.

Schamel, S., 2005, Shale gas reservoirs of Utah—Survey of an unexploited potential energy resource: Utah Geological Survey Open-File Report 461, 114 p, compact disk.

Schamel, S., 2006, Shale gas resources of Utah—Assessment of previously undeveloped gas discoveries: Utah Geological Survey Open-File Report 499, 84 p, compact disk.

Schieber, J., Southard, J., and Thaisen, K., 2007, Accretion of mudstone beds from migrating floccule ripples: *Science*, v. 318, p. 1760-1763.

Schmoker, J.W., Nuccio, V.F., Pitman, J.K., 1992, Porosity trends in predominantly nonmarine sandstones of the Upper Cretaceous Mesaverde Group, Uinta and Piceance Basins, Utah and Colorado, *in* Fouch, T.D., Nuccio, V.F., and Chidsey, T.C., Jr., editors, Hydrocarbon and Mineral Resources of the Uinta Basin, Utah and Colorado: Utah Geological Association Guidebook 20, p.111-122.

Stright, D.H., Jr., and Gordon, J.I., 1983, Decline curve analysis in fractured low permeability gas wells in the Piceance Basin, *in* Society of Petroleum Engineers and U.S. Department of Energy Low Permeability Gas Reservoirs Symposium, Denver, Colorado, March 14-16, 1983: Society of Petroleum Engineers Paper no. 11640, 10 p.

Sweeney, J.J., 1987, Application of maturation indicators and oil reaction kinetics to put constraints on thermal history models for the Uinta Basin, Utah, USA: *Organic Geochemistry*, v. 13, no. 1-3, p. 199-205.

Sweeney, J.J., Burnham, A.K., and Braun, R.L., 1987, A model of hydrocarbon generation from type I kerogen—Application to Uinta Basin, Utah: *American Association of Petroleum Geologists Bulletin*, v. 71, no. 8, p. 967-985.

Swift, D.J.P., Hudelson, P.M., Brenner, R.L., and Thompson, P., 1987, Shelf construction in a foreland basin—storm beds, shelf sandbodies, and shelf-slope depositional sequences in the Upper Cretaceous Mesaverde Group, Book Cliffs, Utah: *Sedimentology*, v. 34, p. 423-457.

- Taylor, D.J., 2003, Imaging the Ferron Member of the Mancos Shale Formation using reprocessed high-resolution 2-D seismic reflection data—Emery County, Utah: *International Journal of Coal Geology*, v. 56, p. 171-201.
- Taylor, K.G., and Gawthorpe, R.L., 2003, Basin-scale dolomite cementation of shoreface sandstones in response to sea-level fall: *Geological Society of America Bulletin*, v. 115, no. 10, p. 1218-1229.
- Taylor, K.G., and Machent, P.G., 2010, Systematic sequence-scale controls on carbonate cementation in a siliclastic sedimentary basin—Examples from Upper Cretaceous shallow marine deposits of Utah and Colorado, USA: *Marine and Petroleum Geology*, v. 27, p. 1297-1310.
- Tissot, B., Deroo, D., and Hood, A., 1978, Geochemical study of the Uinta Basin—Formation of petroleum from the Green River Formation: *Geochimica et Cosmochimica Acta.*, v. 42, p. 1469-1485.
- Tuttle, M.L.W., Fahy, J., Grauch, R.I., Ball, B.A., Chong, G.W., Elliott, J.G., Kosovich, J.J., Livo, K.E., and Stillings, L.L., 2007, Results of chemical analyses of soil, shale, and soil/shale extract from the Mancos Shale Formation in the Gunnison Gorge National Conservation Area, southwestern Colorado, and at Hanksville, Utah: U.S. Geological Survey Open-File Report 2007-1002D, 24 p.
- Walser, D.W., and Pursell, D.A., 2007, Making mature shale gas plays commercial—Process vs. natural parameters, *in* Society of Petroleum Engineers Eastern Regional Meeting, Lexington, Kentucky, October 17-19, 2007: Society of Petroleum Engineers Paper no. 110127, 8 p.
- Warembourg, P.A., 1988, New analysis technology for determining fracture parameters from calibration treatments—Case histories, Rocky Mountain area, *in* Society of Petroleum Engineers Rocky Mountain Regional Meeting, Casper, Wyoming, May 11-13, 1988: Society of Petroleum Engineers Paper no. 17502, 15 p.
- Weiss, H.-J., and Lisboa, A.C.L., 2010, Oil Shale: Online, onlinelibrary.wiley.com/doi/10.1002/14356007.a18_101.pub2, accessed Jan., 2012.
- White, T., Furlong, K., and Arthur, M., 2002, Forebulge migration in the Cretaceous Western Interior basin of the central United States: *Basin Research*, v. 14, p. 43-54.
- Witherbee, L.J., Godfrey, R.D., and Dimelow, T.E., 1983, Predicting turbidite-contourite reservoir intervals in tight gas sands—A case study from the Mancos B sandstone, *in* Society of Petroleum Engineers and U.S. Department of Energy Low Permeability Gas Reservoirs Symposium, Denver, Colorado, March 14-16, 1983: Society of Petroleum Engineers Paper no. 11609, 8 p.

- Xu, C., 2007, Interpreting shoreline sands using borehole images: A case study of the Cretaceous Ferron Sandstone Member in Utah: *American Association of Petroleum Geologists Bulletin*, v. 91, no. 9, p. 1319-1338.
- Yoshida, S., Steel, R.J., and Dalrymple, R.W., 2007, Changes in depositional processes—An ingredient in a new generation of sequence-stratigraphic models: *Journal of Sedimentary Research*, v. 77, p. 447-460.
- Young, R.G., 1955, Sedimentary facies and intertonguing in the Upper Cretaceous of the Book Cliffs, Utah-Colorado: *Geological Society of America Bulletin*, v. 66, p. 177-202.
- Zhang, Y.-F., Yang, Y., and Arastoopour, H., 2004, Electrostatic effect on the flow behavior of a dilute gas/cohesive particle flow system: *American Institute of Chemical Engineers Journal*, v. 42, no. 6, p. 1590-1599.
- Zhang, Y., Person, M., Merino, E., and Szpakiewicz, M., 2005, Evaluation of soluble benzene migration in the Uinta Basin: *Geofluids*, v. 5, no. 2, p. 106-123.
- Zhang, Y., Gable, C.W., Zyvoloski, G.A., and Walter, L.M., 2009, Hydrogeochemistry and gas compositions of the Uinta Basin—A regional-scale overview: *American Association of Petroleum Geologists Bulletin*, v. 93, no. 8, p. 1087-1118.