

GEOTHERMAL BIBLIOGRAPHY OF UTAH — 2011

Stephanie Earls and Robert Blackett

Utah Geological Survey

December 2011

INTRODUCTION

This document contains bibliographic citations of geothermal-related information for Utah representing publications through 2010. The bibliography supports the American Association of State Geologists' initiative to build the National Geothermal Data System. A separate, digital version, available online through the National Geothermal Data System (www.stategeothermaldata.org), was created as a searchable index in spreadsheet format with links to other online sources. This bibliography is preceded by earlier efforts of Budding and Bugden (1986), which was later updated through 2000 in Blackett and Wakefield (2002). The citations listed here were extracted from Budding and Bugden (1986), Blackett and Wakefield (2002), and the following sources:

- WorldCat
- GeoRef
- Utah State Library
- Google/Google Scholar
- UGS Geology Bibliography of Utah
- US DOE Energy Database
- OSTI Geothermal Technologies Legacy Collection
- Annotated & Indexed Bibliography of Geothermal Phenomenon
- University of Utah Publications
- Brigham Young University Publications
- Utah State Publications
- U.S. Geological Survey Publications
- Utah Geological Survey Publications
- Graduate Thesis/Dissertations
- Geothermal Resources Council Publications
- Geothermal Energy Association
- International Geothermal Association
- Stanford University Geothermal Program
- Southern Methodist University Geothermal Program
- Private Industry

Terms used to search the resources listed above included: Utah, geothermal, hydrothermal, thermal springs, thermal wells, hot springs, Known Geothermal Resource Areas (KGRAs), geyser, geothermal gradient, thermal gradient, warm springs, heat flow province, and mineral waters. In addition, references to documents and maps related to locations of Quaternary volcanic centers and Quaternary faulting are also included.

AUTHOR INDEX

- Abou-sayed, A.S., Buchholdt, L.M., and Jones, A.H., 1977, Studies of geothermal reservoir stimulation by hydraulic fracturing, draft final report: Terra Tek Report TR 77-119, 78 p.
- Adams, M.C., Nash, G., 2004, Tracing Geothermal Fluids: U.S. Department of Energy, Office of Geothermal Technologies, Final Report, DOE Grant No. DE-FG07-00ID13893, Task 5, 39 p.
- Adhidjaja, J.I., 1981, Study of major geologic structures indicated by gravity data in the Richfield 1x2 degree quadrangle, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 77 p.
- Adhidjaja, J.I., Cook, K.L., and Serpa, L.F., 1981, Complete Bouguer gravity anomaly map of Jordan Valley, Utah: Utah Geological and Mineral Survey Open-File Report 39, scale 1:62,500.
- Aerial Surveys, 1978, Cove Fort-Sulphurdale KGRA residual aeromagnetic map covering 190 square miles in Dog Valley: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/ESL-1, scale 1:62,500.
- Aerial Surveys, 1978, Cove Fort-Sulphurdale KGRA residual aeromagnetic map covering 190 square miles in Dog Valley: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/ESL-2, scale 1:24,000, two sheets.
- Agrell, S. O., Chinner, G. A., and Rowley, P. D., 1999, The black skarns of Pine Canyon, Piute County, Utah: Geological Magazine, v. 136, no. 4, p. 343-359.
- Aleinikoff, J.N., Nielson, D.L., Hedge, C.E., and Evans, S.H., Jr., 1986, Geochronology of Precambrian and Tertiary rocks from the Mineral Mountains, south-central Utah, in Peterman, D.E., and Schnabel, D.C., editors, Shorter contributions to isotope research: U.S. Geological Survey Bulletin 1622, 221 p.
- Allen, E.G., Pera, E.M., Smedley, J.E., and Lutz, G.A., 1977, Leasable mineral and waterpower land classification map of the Ogden quadrangle, Utah: U.S. Geological Survey Open-File Report 77-604, scale 1:250,000.
- Allen, T.S., 1983, Roosevelt Hot Springs unit development [abs.]: American Association of Petroleum Geologists Bulletin, v. 67, no. 8, p. 1329.
- Allis, R.G., Moore, J., and White, S., 2004, Reactive Multiphase Behavior of CO₂ in Saline Aquifers Beneath the Colorado Plateau — quarterly technical report: University of Utah, Energy & Geoscience Institute, U.S. Department of Energy Award No. DE-FC26-00NT40926, 15 p.
- Allis, R.G., Moore, J., and White, S., 2005, Reactive Multiphase Behavior of CO₂ in Saline Aquifers Beneath the Colorado Plateau — quarterly technical report: University of Utah, Energy & Geoscience Institute, U.S. Department of Energy Award No. DE-FC26-00NT40926, 36 p.
- Allison, M.L., and Nielson, D.L., 1988, Application of borehole breakouts to geothermal exploration and development: an example from Cove Fort-Sulphurdale, Utah: Geothermal Resources Council Transactions, v. 12, p. 213-219.

- Allred, J., 2004, Bonneville SeaBase Tooele County, Utah: Quarterly Bulletin — Oregon Institute of Technology, Geo-Heat Center, v. 25, no.4, p. 32-33.
- Allred, J., 2004, Crystal Hot Springs—Salt Lake County: Quarterly Bulletin — Oregon Institute of Technology, Geo-Heat Center, v. 25, no. 4, p. 26-31.
- Allred, J., 2004, Milgro greenhouses Newcastle, Utah: Quarterly Bulletin — Oregon Institute of Technology, Geo-Heat Center, v. 25, no. 4, p. 34-39.
- Allred, J., 2005, Promoting Direct-Use Development of Utah's Low-Temperature Geothermal Resources: Utah Energy Office on-line document, 36 p.
- Ames, L.L., Jr., and Sand, L.B., 1959, Halloysite formed in a calcareous hot springs environment (Utah), in Swineford, Ada, editor, Clays and clay minerals: International Earth Science Monograph Series, v. 2, p. 378-385.
- The Antares Group, Inc., 2010, 2010 Geothermal Technology Program Peer Review Report: U.S. Department of Energy Geothermal Technologies Program report, 224 p.
- Anderson, R.E., 1978, Quaternary tectonics along the intermountain seismic belt south of Provo, Utah: Brigham Young University Geology Studies, v. 25, pt. 1, p. 1-10.
- Anderson, R.E., and Bucknam, R.C., 1979, Two areas of probable Holocene deformation in southwestern Utah, in Whitten, C.A. Green, Ronald, and Meade, B.K., editors, Recent crustal movements, 1977: Tectonophysics, v. 52, no. 1-4, p. 417-430.
- Anderson, R.E., Bucknam, R.C., and Hamblin, W.K., 1978, Road log to the Quaternary tectonics of the Intermountain seismic belt between Provo and Cedar City, Utah: Geological Society of America, Rocky Mountain Section Annual Meeting, Provo, Utah, Field Trip no. 8, 50 p.
- Anderson, R.E., and Christenson, G.E., 1989, Quaternary faults, folds, and selected volcanic features in the Cedar City 1° x 2° quadrangle, Utah: Utah Geological and Mineral Survey Miscellaneous Publication 89-6, 29 p., scale 1:25,000.
- Anderson, R.E., and Mehnert, H.H., 1979, Reinterpretation of the history of the Hurricane fault in Utah, in Newman, G.D., and Goode, H.D., editors, 1979 Basin and Range symposium and Great Basin field conference: Denver, Rocky Mountain Association of Geologists and Utah Geological and Mineral Survey, p. 145-165.
- Anno, G.H., Dore, M.A., Grijalon, R.L., Lang, G.D., and Thomas, F.J., 1978, Hybrid geothermal/fossil power plants: a site specific analysis: American Nuclear Society Transactions, v. 28, p. 15-16.
- Armstrong, P. A., Ehlers, T. A., Chapman, D. S., Farley, K. A., and Kamp, P. J. J., 2002, Exhumation of the central Wasatch Mountains, Utah: Patterns and timing of exhumation deduced from low-temperature thermochronology data: Journal of Geophysical Research, v. 108, no. B3, p. 2172.

- Armstrong, R.L., 1963, K-Ar ages of volcanics in southwestern Utah and adjacent Nevada, in Heylman, E.B., editor, *Geology of southeastern Utah: Intermountain Association of Petroleum Geologists Guidebook, 12th Annual Field Conference*, p. 79-80.
- Armstrong, R.L., 1970, *Geochronology of Tertiary igneous rocks, eastern Basin and Range Province, western Utah, eastern Nevada, and vicinity, U.S.A.: Geochimica et Cosmochimica Acta*, v. 34, p. 203-232.
- Ash, D.L., Dondanville, R.F., and Gulati, M.S., 1979, *Geothermal reservoir assessment, Cove Fort-Sulphurdale unit; final report for the period September, 1977 — July, 1979: U.S. Department of Energy Report DOE/ET/28405-1*, 34 p.
- Asten, M.W., 1983, *Discussion on Seismic array noise studies at Roosevelt Hot Springs, Utah geothermal area*, by E.J., Douze and S.J., *Laster: Geophysics*, v. 48, no. 11, p. 1560.
- Atkinson, D.J., 1981, *The Roosevelt field: new model and geochemical evaluation: Geothermal Resources Council, Transactions*, v. 5, p. 149-152.
- Atkinson, D.J., and Meyer, W.T., 1980, *Low cost airborne geochemical detection and evaluation of blind geothermal resources: Geothermal Resources Council, Transactions*, v. 4, p. 141-144.
- Aubrey, D.E., 1992, *Stratigraphy of Escalante and Tropic deep culinary wells*, in Harty, K.M., 1992, *Engineering and environmental geology of southwestern Utah: Utah Geological Association Publication 21*, p. 225-231.
- Austin, C.F., Austin, R.R., and Erskine, M.C., 2006, *Renaissance — a geothermal resource in northern Utah: Geothermal Resources Council Transactions*, v. 30, p. 853-858.
- Averitt, Paul, and Threet, R.L., 1973, *Geologic map of the Cedar City quadrangle, Iron County, Utah: U.S. Geological Survey Geologic Quadrangle Map GQ-1120, scale 1:24,000*.
- Baer, J.L., and Rigby, K.J., 1978, *Geology of the Crystal Geyser and environmental implications of its effluent, Grand County, Utah: Utah Geology*, v. 5, no. 2, p. 125-130.
- Baker, C.H., Jr., 1968, *Thermal springs near Midway, Utah*, in *Geological Survey research: U.S. Geological Survey Professional Paper 600-D*, p. D63-D70.
- Baker, C.H., Jr., 1969, *Hot pots near Midway, Utah [abs.]*: *Geological Society of America Abstracts with Programs*, pt. 5, p. 4.
- Baker, C.H., Jr., 1970, *Water resources of the Heber-Kamas-Park City area, north central Utah: Utah Department of Natural Resources Technical Publication 27*, 79 p.
- Baker, C.H., Jr., 1974, *Water resources of the Curlew Valley drainage basin, Utah and Idaho: Utah Department of Natural Resources Technical Publication no. 45*, 91 p.

- Ballantyne, G.H., 1978, Hydrothermal alteration at the Roosevelt Hot Springs thermal area, Utah: Characterization of rock types and alteration in Getty Oil Company well Utah State 52-21: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-12, 24 p.
- Ballantyne, J.M., 1978, Hydrothermal alteration at the Roosevelt Hot Springs thermal area, Utah: modal mineralogy, and geochemistry of sericite, chlorite, and feldspar from altered rocks, Thermal Power Company well Utah State 14-2: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-16, 42 p.
- Ballantyne, J.M., 1979, Geochemistry of hydrothermal sericite and chlorite [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 7, p. 382-383.
- Ballantyne, J.M., 1980, Geochemistry of sericite and chlorite in well 14-2, Roosevelt Hot Springs geothermal system and in mineralized hydrothermal systems: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-43, 101 p.
- Ballantyne, J.M., 2005, Geochemistry of sericite and chlorite in well 14-2 Roosevelt Hot Springs geothermal system and in mineralized hydrothermal systems: Salt Lake City, Utah, University of Utah, Department of Geology and Geophysics.
- Ballantyne, J.M., and Parry, W.T., 1978, Hydrothermal alteration at the Roosevelt Hot Springs thermal area, Utah: petrographic characterization of the alteration to two kilometers depth: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-1, 23 p.
- Bamford, R.W., 1978, Geochemistry of solid materials from two U.S. geothermal systems and its application to exploration: University of Utah, Department of Geology and Geophysics Final Report, v. 77-14, 196 p.
- Bamford, R.W., and Christensen, O.D., 1979, Multielement geochemical exploration data for the Cove Fort-Sulphurdale Known Geothermal Resource Area, Beaver and Millard Counties: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-28, unpaginated.
- Bamford, R.W., Christensen, O.D., and Capuano, R.M., 1980, Multielement geochemistry of solid materials in geothermal systems and its application, Part 1: The hot-water system at the Roosevelt Hot Springs KGRA, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/27002-7, 168 p.
- Barker, B.J., Sperry, T.L., Moore, J.N., and Ross, H.P., 2002, Progress of recent exploration at Cove Fort-Sulphurdale, Utah: Stanford Geothermal Workshop.
- Barosh, P.J., 1960, Beaver Lake Mountains, Beaver County, Utah-their geology and ore deposits: Utah Geological and Mineral Survey Bulletin 68, 89 p.; also, Geoscience Abstracts, v. 2, no. 10, p. 3 (2-2484).
- Bartlett, M.G., Chapman, D.S., and Harris, R.N., 2006, A decade of ground-air temperature tracking at emigrant pass observatory, Utah: Journal of Climate, v. 19, no. 15, p. 3722-3731 (doi: 10.1175/JCLI3808.1).

- Batty, J.C., Grenney, W.J., Kaliser, B.N., Pate, A.J., and Riley, J.P., 1975, Geothermal energy and water resources in Utah, in Impacts of energy development on Utah water resources: Third Annual Conference, American Water Resources Association, Utah Section, Proceedings, p. 223-241.
- Batzle, M.L., and Simmons, Gene, 1977, Geothermal systems — rocks, fluids, fractures, in Heacock, J.G., Keller, G.V., Oliver, J.E., and Simmons, Gene, editors, The Earth's crust — its nature and physical properties: Vail, Colorado, American Geophysical Union, Geophysical Monograph 20, p. 233-242.
- Bauer, M.S., 1985, Heat flow at the Upper Stillwater dam site, Uinta Mountains, Utah: Salt Lake City, University of Utah, Department of Geology and Geophysics M.S. thesis, 94 p.
- Becker, D.J., and Blackwell, D., 1993, Gravity and hydrothermal modeling of the Roosevelt Hot Springs area, southwestern Utah: Journal of Geophysical Research, v. 98, no. B10, p. 17,787 - 17,800.
- Bell, J., 1855, The mineral and thermal springs of the United States and Canada: Philadelphia, Parry and McMillan, p. 13-394.
- Benoit, W.R., and Butler, R.W., 1983, A review of high-temperature geothermal developments in the northern Basin and Range Province, in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 57-80.
- Bereskin, R.S., 2008, Hydrocarbon potential of Pennsylvanian black shale reservoirs, Paradox Basin, southeastern Utah: Utah Geological Survey Open-File Report 534, CD-ROM.
- Berge, C.W., Crosby, G.W., and Lenzer, R.C., 1976, Geothermal exploration of Roosevelt KGRA, Utah [abs.], in American Association of Petroleum Geologists and the Society of Economic Paleontologists Meeting: American Association of Petroleum Geologists Bulletin, v. 60, no. 8, p. 1390.
- Berge, C.W., Crosby, G.W., and Lenzer, R.C., 1977, Exploration and evaluation of Roosevelt KGRA, Utah [abs.], in American Association of Petroleum Geologists and the Society of Economic Paleontologists Meeting: American Association of Petroleum Geologists Bulletin, v. 61, no. 5, p. 766-767.
- Berge, C.W., Lund, J.W., Combs, J., and Anderson, D.N., 1981, Geothermal resources: American Association of Petroleum Geologists Bulletin, v. 65, no. 10. p. 2264-2273.
- Berry, G.W., Grim, P.J., and Ikelman, J.A., 1980, Thermal springs list for the United States, National Oceanic and Atmospheric Administration key to geophysical records documentation, no. 12: U.S. Department of Commerce National Oceanic and Atmospheric Administration, Code D64, 59 p.
- Berry, J., 2008, Energy News: Utah's energy renaissance: Geothermal energy development in Utah: in Utah Geological Survey Survey Notes v.40, no.3.
- Berry, J., 2009, Energy News: Utah's renewable energy zone assessment: in Utah Geological Survey Survey Notes v.41, no. 2.

- Berry, J., Simon, R.L., Hurlbut, D., Moore, J.N. and Blackett, R.E., 2009, Utah Renewable Energy Zone Task Force phase I report : renewable energy zone resource identification: Utah Geological Survey Miscellaneous Publication 09-1.
- Best, M., Barr, D., Christiansen, E., Gromme, S., Deino, A., and Tingey, D., 2009, The Great Basin Altiplano during the middle Cenozoic ignimbrite flareup — insights from volcanic rocks: *International Geology Review*, v. 51, no. 7-8, p. 589-633.
- Best, M.G., and Brimhall, W.H., 1974, Late Cenozoic alkalic basaltic magmas in the western Colorado Plateaus and the Basin and Range transition zone, U.S.A., and their bearing on mantle dynamics: *Geological Society of America Bulletin*, v. 85, no. 11, p. 1677-1690.
- Best, M.G., and Grant, S.K., 1987, Stratigraphy of the volcanic Oligocene Needles Range group in southwestern Utah, Chapter A, in Best, M.G., editor, Oligocene and Miocene volcanic rocks in the central Pioche-Marysvale igneous belt, western Utah and eastern Nevada: U.S. Geological Survey Professional Paper 1433 A and B, 47 p.
- Best, M.G., and Keith, J.D., 1983, Mid-Tertiary history of the central Pioche-Marysvale igneous belt, southwestern Utah, in *Geologic excursions in volcanology — eastern Snake River Plain (Idaho) and southwestern Utah*: Utah Geological and Mineral Survey Special Study 61, p. 35-55.
- Best, M.G., Mckee, E.H., and Damon, P.E., 1980, Space-time composition patterns of late Cenozoic mafic volcanism, southwestern Utah and adjoining areas: *American Journal of Science*, v. 280, no. 10, p. 1035-1050.
- Best, M.G., Mehnert, H.H., Keith, J.D., and Naeser, C.W., 1987, Miocene magmatism and tectonism in and near the southern Wah Wah Mountains, southwestern Utah — Chapter B, in Best, M.G., editor, Oligocene and Miocene volcanic rocks in the central Pioche-Marysvale igneous belt, western Utah and eastern Nevada: U.S. Geological Survey Professional Paper 1433 A and B, 47 p.
- Biek, R.F., Anderson, J.J., Rowley, and P.D., Maldonado, F., 2011, Interim geologic map of the west part of the Panguitch 30° x 60° quadrangle, Garfield, Iron and Kane counties, Utah — year 3 progress report: Utah Geological Survey Open-File Report 585., 109 p., map scale 1:65,000.
- Biek, R.F., and Hylland, M.D., 2007, Geologic map of the Cogswell Point quadrangle, Washington, Kane, and Iron Counties, Utah: Utah Geological Survey Map 221, 2 plates, scale 1:24,000.
- Biek, R.F., Maldonado, F., Moore, D.W., Anderson, J.J., Rowley, P.D., Williams, V.S., Nealey, D., and Sable, E.G., 2010, Interim geologic map of the west part of the Panguitch 30' x 60' quadrangle, Garfield, Iron, and Kane Counties, Utah — year 2 progress report: Utah Geological Survey Open-File Report 577, 88 p., map scale 1:100,000.
- Biek, R.F., Moore, D.W., and Nealey, L.D., 2007, Interim geologic map of the Henrie Knolls quadrangle, Garfield, Kane, and Iron Counties, Utah: Utah Geological Survey Open-File Report 502, 2 plates, scale 1:24,000.

- Biek, R.F., Rowley, P.D., Hayden, J.M., Hacker, D.B., Willis, G.C., Hintze, L.F., Anderson, R.E., and Brown, K.D., 2010, Geologic map of the St. George and east part of the Clover Mountains 30' x 60' quadrangles, Washington and Iron Counties, Utah: Utah Geological Survey Map 242DM.
- Bird, L., Hurlbut, D., Donohoo, P., Cory, K., and Kreycik, C., 2010, Examination of the Regional Supply and Demand Balance for Renewable Electricity in the United States through 2015 — Projecting from 2009 through 2015 (Revised): U.S. Department of Energy/National Renewable Energy Laboratory Technical Report NREL/TP-6A2-45041, 43 p.
- Birdseye, H.S., 1969, Geothermal power resources in the Southwest, in Exploration for mineral resources — 4th annual idea conference 1968: New Mexico Bureau of Mines and Mineral Resources Circular 101, p. 86-96.
- Bjorklund, L.J., 1967, Ground-water resources of northern Juab valley, Utah: Utah Department of Natural Resources Technical Publication 17, 69 p.
- Bjorklund, L.J., and McGreevy, L.J., 1973, Selected hydrologic data, lower Bear River drainage basin, Box Elder County, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 23, 22 p.
- Bjorklund, L.J., and McGreevy, L.J., 1974, Ground-water resources of the lower Bear River drainage basin, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 44.
- Bjorklund, L.J., Sumsion, C.T., and Sandberg, G.W., 1977, Selected hydrologic data, Parowan Valley and Cedar City Valley drainage basin, Iron County, Utah: U.S. Geological Survey Utah Basic-Data Release no. 28, 55 p.
- Black, B.D., Hecker, S., Jarva, J.L., Hylland, M.D., Christenson, G.E., and McDonald, G.N., 2003, Quaternary fault and fold database and map of Utah: Utah Geological Survey, unpublished Final Technical Report to the U.S. Geological Survey, National Earthquake Hazards Reduction Program, unpaginated, scale 1:500,000; also Utah Geological Survey Map 193DM.
- Blackett, R. E., 2011, Temperature profiles of water monitoring wells in Snake Valley, Tule Valley, and Fish Springs Flat, Millard and Juab counties, Utah: Utah Geological Survey Open-File report 578, p. 24.
- Blackett, R.E., 1993, A new geothermal database for Utah: Geothermal Resources Council Transactions, v. 17, p. 91-96.
- Blackett, R.E., 1994, Low-temperature geothermal water in Utah — A compilation of data for thermal wells and springs through 1993: Utah Geological Survey Open-File Report 311, 34 p., appendices.
- Blackett, R.E., 1994, Low-temperature geothermal water in Utah — A compilation of data for thermal wells and springs through 1993: Utah Geological Survey Open-File Report 311DF, 1 disk in Quattro Pro 4.0 for PC.
- Blackett, R.E., 2000, Development of geothermal resources in Utah: in Utah Geological Survey, Survey Notes v. 32, no. 3.

- Blackett, R.E., 2001, Energy News - Geothermal resources in Utah 2001 — a digital atlas for Utah's geothermal resources: in Utah Geological Survey Survey Notes, v.33, no.3.
- Blackett, R.E., 2004, Geothermal Gradient Data for Utah: Geothermal Resources Council Transactions, v. 28, p. 3-6.
- Blackett, R.E., 2004, Newcastle, Utah small-scale geothermal power development project — exploratory drilling: Utah Geological Survey Report of Investigation 252.
- Blackett, R.E., 2004, St. George Basin Geothermal Area: Geo-Heat Center Bulletin vol.25, no.4, p.52-53.
- Blackett, R.E., 2005, Geothermal Utah — geology, resources and development in the Beehive State: Bulletin - Geothermal Resources Council, v. 34, no. 2, p.78-83.
- Blackett, R.E., 2007, Geothermal resources and development in Utah: Abstracts with Programs - Geological Society of America, v. 39, no. 5, p.35.
- Blackett, R.E., 2007, Temperature-depth monitoring in the Newcastle geothermal system: Utah Geological Survey Report of Investigation 258, 8 p., seven appendices.
- Blackett, R.E., Jordan, J.L.J., Thomas, K., Wallace, J., and Biek, R.F., A concealed geothermal system near Corner Canyon, Salt Lake County, Utah: Utah Geological Association Publication 38, p. 235-249.
- Blackett, R.E., and Littleboy, N., 2001, Energy News — Geothermal development in Utah — new incentives and new projects; a digital atlas for Utah's geothermal resources: in Utah Geological Survey, Survey Notes v.38, no.1.
- Blackett, R.E., and Moore, J.N., editors, 1994, Cenozoic geology and geothermal systems of southwestern Utah: Utah Geological Association Publication 23, 215 p.
- Blackett, R.E., and Ross, H.P., 1992, Recent exploration and development of geothermal energy resources in the Escalante Desert region, southwestern Utah, in Harty, K.M., editor, 1992, Engineering and environmental geology of southwestern Utah: Utah Geological Association Publication 21, p. 261-279.
- Blackett, R.E., Ross, H.P., and Forster, C.B., 1997, Effect of geothermal drawdown on sustainable development, Newcastle area, Iron County, Utah: Utah Geological Survey Circular 97, 25 p., appendix.
- Blackett, R.E., and Shubat, M.A., 1992, A case study of the Newcastle geothermal system, Iron County, Utah: Utah Geological Survey Special Study 81, 30 p.
- Blackett, R.E., Shubat, M.A., Bishop, C.E., Chapman, D.S., Forster, C.B., and Schlinger, C.M., 1990, The Newcastle geothermal system, Iron County, Utah: Utah Geological Survey Open-File Report 189, 179 p. 3 pts.

- Blackett, R.E., Shubat, M.A., Chapman, D.S., Forster, C.B., and Schlinger, C.M., 1989, An assessment of geothermal resources at Newcastle Utah: Geothermal Resources Council Transactions, v. 13, p. 109-116.
- Blackett, R.E., Shubat, M.A., Chapman, D.S., Forster, C.B., Schlinger, C.M., and Bishop, C.E., 1990, The Newcastle geothermal system, Iron County, Utah: Utah Geological Survey Open-File Report no. 189, 179 p.
- Blackett, R.E., Sowards, G.M., and Trimmer, E., 2004, Utah's high temperature geothermal resource potential: analysis of selected sites, in Blackett, R.E., and Wakefield, S., 2004, Geothermal resources of Utah – 2004 – a digital atlas of Utah's geothermal resources: Utah Geological Survey Open-File Report 431, CD-ROM.
- Blackett, R.E., and Wakefield, S., 2002, Geothermal resources of Utah — a digital atlas of Utah's geothermal resources: Utah Geological Survey Open-File Report 397, compact disk.
- Blackett, R.E., and Wakefield, S., 2004, Geothermal resources of Utah, 2004 — a digital atlas of Utah's geothermal resources: Utah Geological Survey Open-File Report 431, compact disk.
- Blackwell, D.D., 1983, Heat flow in the northern Basin and Range Province, in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 81-92.
- Blackwell, D.D., and Chapman, D.S., 1977, Interpretation of geothermal gradient and heat flow data for Basin and Range geothermal systems: Geothermal Resources Council, Transactions, v. 1, p. 19-20.
- Blackwell, D., Wisian, K., Richards, M., Leidig, M., Smith, R., and McKenna, J., 2003, Geothermal Resource Analysis and Structure of Basin and Range Systems, Especially Dixie Valley Geothermal Field, Nevada: Southern Methodist University, U.S. Department of Energy DE-FG07-01ID13886, 62 p.
- Blair, K.C., 1980, Geothermal development of the Monroe KGRA, Utah, in Nielson, D.L., editor, Geothermal systems in central Utah: Salt Lake City, Utah, Geothermal Resources Council Annual Meeting Guidebook to Field Trip no. 7, p. 6-13.
- Blair, K.C., Harrison, R.F., Sakashita, Bruce, and Jones, A.H., 1980, The Monroe KGRA, in Commercial uses of geothermal heat: Geothermal Resources Council Special Report 9, p. 25-30.
- Blair, K.C., and Owen, L.B., 1981, Evaluation of the production potential of the Crystal Hot Spring geothermal resource, north central Utah: Geothermal Resources Council, Transactions, v. 5, p. 319-323.
- Blair, K.C., and Owen, L.B., 1982, Direct utilization of geothermal resources field experiments at Monroe, Utah — final report, July 14, 1978 - July 13, 1981: National Technical Information Service Report DOE/ET/27054-6, 231 p.; also, Terra Tek Report TR 82-73, 218 p.
- Blank, H.R., Jr., 1959, Geology of the Bull Valley district, Washington County, Utah: Seattle, University of Washington, Ph.D. dissertation, 177 p.

- Blank, H.R., Jr., 1993, Preliminary geologic map of the Enterprise quadrangle, Washington and Iron Counties, Utah: U.S. Geological Survey Open-File Report 93-203, 31 p., map scale 1:24,000.
- Bliss, J.D., 1983, Utah — basic data for thermal springs and wells as recorded in GEOTHERM: U.S. Geological Survey Open-File Report 83-437, 385 p.
- Bliss, J.D., and Rapport, Amy, 1983, GEOTHERM — the U.S. Geological Survey geothermal information system: Computers & Geosciences, v. 9, no. 1, p. 35-39.
- Bloomfield, K.K., and Moore, J.N., 2003, Modeling Hydrofluorocarbon Compounds as Geothermal Tracers and Design of a Two-Phase Tracer Test: Geothermics, v. 32, no. 3, p. 203-218.
- Bloomfield, K.K., and Moore, J.N., Adams, M.C., Sperry, T.L., Garg, S.K., and Hiriart, G., 2001, Tracer test design and sensitivity studies of the Cove Fort geothermal resource tracer test: Geothermal Resources Council Transactions, v. 25, p. 613-616.
- Bodell, J.M., 1981, Heat flow in the north-central Colorado Plateau: Salt Lake City, University of Utah, unpublished M.S. thesis, 134 p.
- Bodell, J.M., and Chapman, D.S., 1982, Heat flow in the north-central Colorado Plateau: Journal of Geophysical Research v. 87, no. B4, p. 2869-2884.
- Bolke, E.L., and Price, Don, 1972, Hydrologic reconnaissance of the Blue Creek Valley area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 37, 38 p.
- Bolke, E.L., and Waddell, K.M., 1972, Ground-water conditions in the East Shore area, Box Elder, Davis, and Weber Counties, Utah, 1960-1969: Utah Department of Natural Resources Technical Publication 35, 59 p.
- Bolke, E.L., and Waddell, K.M., 1972, Water quality data for the Flaming Gorge Reservoir area, Utah and Wyoming, 1969-1972: U.S. Geological Survey, Utah Basic-Data Release no., 24, 50 p.
- Bonny, S. M., and Jones, B., 2007, Diatom-mediated barite precipitation in microbial mats calcifying at Stinking Springs, a warm sulfur spring system in Northwestern Utah, USA: Sedimentary Geology, no. 194, p. 223-244.
- Bortz, L.C., 1983, Hydrocarbons in the northern Basin and Range, Nevada and Utah, in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 179-198.
- Bowen, R.G., 1975, Geothermal activity in 1974: Ore Bin, v. 37, no. 1, p. 9-10.
- Bowers, Dale, 1978, Potassium-argon age dating and petrology of the Mineral Mountains pluton, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 76 p.

- Bowman, J.R., 1979, Stable isotope investigation of fluids and water-rock interaction in the Roosevelt Hot Springs thermal area, Utah: University of Utah, Department of Geology and Geophysics Topical Report, v. 77-10, 18 p.
- Bowman, J.R., and Rohrs, D.T., 1981, Light stable isotope studies of spring and thermal waters from the Roosevelt Hot Springs and Cove Fort/Sulphurdale thermal areas and of clay minerals from the Roosevelt Hot Springs thermal area: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-44, 36 p.
- Bowman, J.R., Evans, S.H., Jr., Hohmann, G.W., Nash, W.P., Reynolds, G.R., Sill, W.R., Ward, S.H., Christensen, O.D., Forsberg, W.L., Glenn, W.E., Killpack, T.J., Moore, J.N., Nielson, D.L., and Wright, P.M., 1980, Management assistance for the development of hydrothermal energy in the Rocky Mountain/Basin and Range region: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-47, 41 p.
- Bowman, J.R., Evans, S.H., Jr., and Nash, W.P., 1982, Oxygen isotope geochemistry of Quaternary rhyolite from the Mineral Mountains, Utah, U.S.A.: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-61, 23 p.
- Boyd, T.L., 2002, Western states geothermal databases CD: Transactions - Geothermal Resources Council, v. 26, p. 605-609.
- Brook, C.A., Mariner, R.H., Mabey, D.R., Swanson, J.R., Guffanti, Marianne, and Muffler, L.J.P., 1979, Hydrothermal convection systems with reservoir temperatures greater than or equal to 90 degrees C, in Muffler, L.J.P., editor, Assessment of geothermal resources of the United States- 1978: U.S. Geological Survey Circular 790, p. 18-85.
- Brown, D.R., 1982, Geothermal energy development in Utah: Intersociety of Energy Conversion Engineering Conference, v. 5, p. 2179-2181.
- Brown, D.R., 1982, Milford geothermal no. 1, Roosevelt Hot Springs KGRA: Sixth Annual Geothermal Conference and Workshop, Proceedings, p. 3.27-3.29.
- Brown, D.R., 1983, Geothermal development activities — Roosevelt Hot Springs, Utah: Seventh Annual Geothermal Conference and Workshop, Proceedings, p. 2.13-2.19.
- Brown, D.R., 1987, Initial operating results Blundell geothermal 20 MW single flash plant: Electric Power Research Institute Proceedings, Ninth Annual Geothermal Conference and Second IIE/EPRI Joint Meeting, p. (6) 1-13.
- Brown, F.H., 1977, Attempt at paleomagnetic dating of opal, Roosevelt Hot Springs, KGRA: University of Utah, Department of Geology and Geophysics Report 77-1, 13 p.
- Brown, F.H., and Nash, W.P., 1978, Geothermal potential of the eastern margin of the Basin and Range Province in Utah [abs.]: U.S. Geological Survey Professional Paper P 1100, p. 205-206.
- Brown, G.L., and Mansure, A.J., 1981, A forecast of geothermal drilling activity: Geothermal Resources Council, Transactions, v. 5, p. 225-228.

- Brown, R.P., 1975, A regional gravity survey of the Sanpete-Sevier Valley and adjacent areas in Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 72 p.
- Brown, R.P., and Cook, K.L., 1982, A regional gravity survey of the Sanpete-Sevier Valleys and adjacent areas in Utah, in Nielson, D.L., editor, Overthrust belt of Utah, 1982 symposium and field conference: Utah Geological Association Publication 10, p. 121-135.
- Brumbaugh, W.D., 1978, Gravity survey of the Cove Fort-Sulphurdale KGRA and the north Mineral Mountains area, Millard and Beaver Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 131 p.
- Brumbaugh, W.D., and Cook, K.L., 1977, Gravity survey of the Cove Fort-Sulphurdale KGRA and the north Mineral Mountains area, Millard and Beaver Counties, Utah: University of Utah, Department of Geology and Geophysics Report 77-4, 131 p.
- Bryan, Kirk, 1919, Classification of springs: *Journal of Geology*, v. 27, p. 522-561.
- Bryant, N.L., 1977, Hydrothermal alteration at Roosevelt Hot Springs KGRA - DDH 1976-1: Salt Lake City, University of Utah, unpublished M.S. thesis, 87 p.
- Bryant, N.L., and Parry, W.T., 1977, Hydrothermal alteration at Roosevelt Hot Springs KGRA - DDH 1976-1: University of Utah, Department of Geology and Geophysics Technical Report, v. 77-5, 87 p.
- Bucher, R.L., 1971, Crustal and upper mantle structure beneath the Colorado Plateau and Basin and Range Provinces as determined from Rayleigh-wave dispersion: Salt Lake City, University of Utah, unpublished Ph.D. thesis, 106 p.
- Budding, K.E., and Bugden, M.H., 1986, Annotated geothermal bibliography of Utah: Utah Geological and Mineral Survey Bulletin 121, 82 p.
- Budding, K.E., and Bugden, M.H., 2002, Geothermal resources bibliography of Utah: updated to include publications to 2000, in Blackett, R.E., and Wakefield, S., 2002, Geothermal resources of Utah — a digital atlas of Utah's geothermal resources: Utah Geological Survey Open-File Report 397, compact disk.
- Budding, K.E., and Sommer, S.N., 1986, Low-temperature geothermal assessment of the Santa Clara and Virgin River Valleys, Washington County, Utah: Utah Geological and Mineral Survey Special Study 67, 34 p.
- Burbank City Public Service Department, 1977, Site-specific analysis of hybrid geothermal/fossil power plants, v. 1, Roosevelt Hot Springs KGRA: National Technical Information Service Report SAN-1311-T2, 73 p.
- Burt, D.M., Knauth, L.P., Wohletz, K.H., and Sheridan, M.F., 2008, Surge deposit misidentification at Spor Mountain, Utah and elsewhere: a cautionary message for Mars: *Journal of Volcanology and Geothermal Research*, v. 177, no. 4, p. 755-759 (doi: 10.1016/j.jvolgeores.2008.01.044).

- Butler, D.R., 1975, Geothermal energy on the Pacific Coast, in Weaver, D.W., Hornaday, G. R., Tipton, Ann, editors, Paleogene symposium and selected technical papers — conference on future energy horizons of the Pacific Coast: American Association of Petroleum Geologists Pacific Section, p. 99-120.
- Butz, J.R., 1980, A case study of two-phase flow at the Roosevelt Hot Springs, Utah KGRA: Geothermal Resources Council, Transactions, v. 4, p. 439-442.
- Butz, J.R., and Plooster, M.N., 1979, Subsurface investigations at the Roosevelt KGRA, Utah, well 14-2: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/DRI-2, 73 p.
- Cady, C.C., 1983, Hydrothermal alteration in the Corral Canyon shear zone, Mineral Mountains, Utah: with inferences for shearing: Salt Lake City, University of Utah, unpublished M.S. thesis, 92 p.
- Calkins, W.G., 1969, Magnetic and gravity study of Desert Mountain, Juab County, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 64 p.
- Callaghan, E., and Thomas, H.E., 1939, Manganese in a thermal spring in west-central Utah: Economic Geology, v. 34, no. 8, p. 905-920.
- Callender, J.F., Swanberg, C.A., Morgan, P., Stoyer, C.H., and Witcher, J.C., 1977, Appraisal study of the geothermal resources of Arizona and adjacent areas in New Mexico and Utah and their value for desalination and other uses: New Mexico Energy Institute Report NMEI-6-1, 99 p.
- Campbell, D.L., and Flanigan, V.J., 1982, Geophysical measurements in the Beaver Basin, west-central Utah: Part 11-Resistivity, IP, and seismic investigations: U.S. Geological Survey Open-File Report 82-420, 44 p.
- Campbell, D.L., Cunningham, C.G., Steven, T.A., Rowley, P.D., Glassgold, L.B., and Anderson, J.J., 1984, Aeromagnetic map on a geologic base map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map I- 1430D, scale 1:50,000.
- Capuano, R.M., and Bamford, R.W., 1978, Initial investigation of soil mercury geochemistry as an aid to drill site selection in geothermal systems: Earth Science Laboratory/University of Utah Research Institute Report IDO/78-1701.b.3.3, 32 p.
- Capuano, R.M., and Cole, D.R., 1982, Fluid-mineral equilibria in a hydrothermal system, Roosevelt Hot Springs, Utah: *Geochimica et Cosmochimica Acta*, v. 46, no. 8, p. 1353-1364; also, 1981, [abs.] *Geological Society of America Abstracts with Programs*, v. 13, no. 7, p. 422.
- Carlston, K.J., 1982, Electric field ratio telluric survey of the Roosevelt Hot Springs, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-26, 33 p.; also, Salt Lake City, University of Utah, unpublished M.S. thesis, 103 p.
- Carpenter, C.H., Robinson, G.B., and Bjorklund, L.J., 1964, Selected hydrologic data, upper Sevier River basin, Utah: U.S. Geological Survey, Utah Basic-Data Report no. 8, 29 p.

- Carpenter, C.H., and Young, R.A., 1962, Records of selected wells and springs, chemical analyses of ground water, water level measurements of selected wells, selected drillers' logs of wells, and logs of test holes, central Sevier Valley, Sanpete, Sevier, and Piute Counties, Utah: U.S. Geological Survey Open-File Report 62-26, 29 p.
- Carpenter, C.H., and Young, R.A., 1963, Records of selected wells and springs, chemical analyses of ground water, water level measurements of selected wells, selected drillers' logs of wells, and logs of test holes, central Sevier Valley, Sanpete, Sevier, and Piute Counties, Utah: U.S. Geological Survey Open-File Report 63-14, 29 p.
- Carpenter, Everett, 1913, Ground water in Box Elder and Tooele Counties, Utah: U.S. Geological Survey Water-Supply Paper 333, 87 p.
- Carrier, D.L., 1979, Gravity and heat flow studies at Twin Peaks: an area of late Tertiary silicic volcanism in Millard County, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 120 p.
- Carrier, D.L., and Chapman, D.S., 1979, Gravity and heat flow studies in the Cove Creek Dome area, Utah [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 6, p. 268.
- Carrier, D.L., and Chapman, D.S., 1980, Gravity and thermal models of the Twin Peaks magma system, west-central Utah: Geothermal Resources Council, Transactions, v. 4, p. 17-20.
- Carson, C.C., and Livesay, B.J., 1981, Well descriptions for geothermal drilling: Geothermal Resources Council, Transactions, v. 5, p. 229-232.
- Carter, J.A., 1978, Regional gravity and aeromagnetic surveys of the Mineral Mountains and vicinity, Millard and Beaver Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 178 p.
- Carter, J.A., and Cook, K.L., 1978, Regional gravity and aeromagnetic surveys of the Mineral Mountains and vicinity, Millard and Beaver Counties, Utah: University of Utah, Department of Geology and Geophysics Final Report, v. 77-11, 178 p.
- Carter, J.A., Cook, K.L., Brumbaugh, W.D., Ward, S.H., Crebs, T.J., and Thangsuphanich, Ittichai, 1977, Regional aeromagnetic and gravity surveys of the Roosevelt Hot Springs and Cove Fort-Sulphurdale KGRAS, Utah [abs.]: Geophysics, v. 42, no. 7, p. 1498.
- Case, R.W., 1977, A regional gravity survey of the Sevier Lake area, Millard and Beaver Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 95 p.
- Cashion, W.B., 1961, Geology and fuel resources of the Orderville-Glendale area, Kane County, Utah: U.S. Geological Survey Coal Investigations Map C-49, scale 1:62,500.
- Caskey, C.F., and Shuey, R.T., 1975, Mid-Tertiary volcanic stratigraphy, Sevier-Cove Fort area, central Utah: Utah Geology, v. 2, no. 1, p. 17-25.

- Cassel, T.A.V., Edelstein, R.H., and Blair, P.D., 1978, Geothermal investment analysis with site-specific applications to Roosevelt Hot Springs and Cove Fort-Sulphurdale, Utah: National Technical Information Service Report DOE/ET/28486-TI, 194 p.
- Cassel, T.A.V., Edelstein, R.H., Blair, P.D., and Amundsen, C.B., 1979, Geothermal investment and policy analysis with evaluation of California and Utah resources area: National Technical Information Service Report DOE/RA/4713-1, 160 p.
- Chapman, D.S., Blackwell, D.D., Parry, W.T., Sill, W.R., Ward, S.H., and Whelan, J.A., 1978, Regional heat flow and geochemical studies in southwest Utah: University of Utah, Department of Geology and Geophysics Final Report, v. 2, contract 14-08-0001 -G-341, 118 p.
- Chapman, D.S., Clement, M.D., and Mase, C.W., 1981, Thermal regime of the Escalante Desert, Utah, with an analysis of the Newcastle geothermal system: *Journal of Geophysical Research*, v. 86, no. B12, p. 11,735-11,746.
- Chapman, D.S., Harris, R.N., 2001, Mid-Latitude (30°-60° N) climatic warming inferred by combining borehole temperatures with surface air temperatures: *Geophysical Research Letters*, v. 28, no. 5, p. 747-750.
- Chapman, D.S., and Harrison, R.F., 1978, Monroe, Utah, hydrothermal system - results from drilling of test wells MCI and MC2: Earth Science Laboratory/University of Utah Research Institute Report IDO/76-1601-77-16, 26 p.
- Chapman, D.S., and Keho, Tim, 1982, A thermal resistance method for computing surface heat flow and subsurface temperatures with application to the Uinta Basin of northeastern Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/1 2079-79, 36 p.
- Chapman, D.S., Kilty, K.T., and Mase, C.W., 1978a, Characteristics of a fault controlled geothermal system [abs.]: *EOS Transactions, American Geophysical Union*, v. 59, no. 12, p. 1201.
- Chapman, D.S., Kilty, K.T., and Mase, C.W., 1978b, Temperatures and their dependence on groundwater flow in shallow geothermal systems: *Geothermal Resources Council, Transactions*, v. 2, p. 79-82.
- Chiasson, A., 2004, Electric power generation in the Roosevelt Hot Springs area; the Blundell Geothermal Power Plant: *Quarterly Bulletin — Oregon Institute of Technology, Geo-Heat Center*, v. 25, no. 4, p. 16-20.
- Chidsey, T., 2009, The Mississippian Leadville Limestone Exploration Play, Utah and Colorado- Exploration Techniques and Studies for Independents: Utah Geological Survey, Final report, 432 p.
- Childs, F.W., Jones, K.W., Nelson, L.B., Strawn, J.A., and Tucker, M.K., 1980, Progress in direct heat applications projects: *Geothermal Resources Council, Transactions*, v. 4, p. 549-552.
- Christensen, O.D., 1982, Multielement geochemistry of three geothermal wells, Cove Fort-Sulphurdale geothermal area, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-80, 51 p.

- Christensen, O.D., Capuano, R.A., and Moore, J.N., 1983, Trace-element distribution in an active hydrothermal system, Roosevelt Hot Springs thermal area, Utah: *Journal of Volcanology and Geothermal Research*, v. 16, no. 1/2, p. 99-129.
- Christensen, O.D., Moore, J.N., and Capuano, R.M., 1980, Trace element geochemical zoning in the Roosevelt Hot Springs thermal area, Utah: *Geothermal Resources Council, Transactions*, v. 4, p. 149-152.
- Christensen, S., and Morse, G.E., 1992, Maintenance of a multi-unit geothermal power plant: *Geothermal Resources Council Transactions*, v. 16, p. 545-546.
- Christensen, W., 2002, Development of high temperature fracture permeability in the Alta stock, Utah — constraints from thermal and isotopic evidence preserved in the contact aureole: Thesis (M.S.), Department of Geology and Geophysics, University of Utah, 129 p.
- Christiansen, R.L., and Lipman, P.W., 1972, Cenozoic volcanism and plate tectonic evolution of the western United States — II. Late Cenozoic: *Philosophical Transactions of the Royal Society of London, Series A: Mathematical and Physical Sciences*, 217 (1213), p. 249-284.
- Chu, J.J., 1980, Induced polarization data at Roosevelt Hot Springs geothermal area, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 85 p.
- Chu, J.J., Sill, W.R., and Ward, S.H., 1979, Induced polarization measurements at Roosevelt Hot Springs thermal area, Utah: *Earth Science Laboratory/University of Utah Research Institute Report IDO/78-1701.a.2.4.1*, 34 p.; also, 1980, [abs.], *Geophysics*, v. 45, no. 3, p. 587.
- Chukanov, N., Puschcharovsky, D.Y., Pasero, M., Merlina, S., Barinova, A.V., Mockel, St., Pekov, I.V., Zadov, A.E., and Dubinchuk, V.T. (n.d.), Larisite, $\text{Na}(\text{H}_3\text{O})(\text{UO}_2)_3(\text{SeO}_3)_2\text{O}_2 \cdot 4\text{H}_2\text{O}$, a new uranyl selenite mineral from Repete mine, San Juan County, Utah, U.S.A.: *European Journal of Mineralogy*, v. 16, p. 367-374.
- Ciancanelli, E.V., 1977, Geology and geophysics of the Roosevelt geothermal field, Utah: O'Brien-Thermal Power-AMAX application for an ERDA loan guarantee, 44 p.
- Ciancanelli, E.V., and Corman, F.D., 1978, Geology of the Roosevelt geothermal field, Beaver County, Utah: *Canadian Geothermal Resources Association Newsletter*, no. 2, p. 3.
- Clark, A.L., Calkins, J.A., Tongiorgi, Ezio, and Stefanelli, E., 1976, A report on the international geothermal information exchange program, 1974-1975: *United Nations symposium on the development and use of geothermal resources*, 2d, San Francisco, California, 1975, *Proceedings*, v. 1, p. 67-100.
- Clark, E.E., 1977, Late Cenozoic volcanic and tectonic activity along the eastern margin of the Great Basin, in the proximity of Cove Fort, Utah: *Brigham Young University Geology Studies*, v. 24, pt. 1, p. 87-114.
- Clark, E.E., 1977, Late Cenozoic volcanic and tectonic activity along the eastern margin of the Great Basin, in the proximity of Cove Fort, Utah: *Brigham Young University Geology Studies*, v. 24, pt. 1, p. 87-114.

- Clarke, F.W., 1914, Water analyses from the laboratory of the United States Geological Survey: U.S. Geological Survey Water-Supply Paper 364, 40 p.
- Cleary, M.D., 1978, Description and interpretation of geothermometry as applied to Utah spring and well waters: Salt Lake City, University of Utah, unpublished M.S. thesis, 73 p.
- Clement, M.D., 1981, Heat flow and geothermal assessment of the Escalante Desert, part of the Oligocene to Miocene volcanic belt in southwestern Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 118 p.
- Clement, M.D., and Chapman, D.S., 1981, Heat flow and geothermal assessment of the Escalante Desert, southwestern Utah, with emphasis on the Newcastle KGRA: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-28, 118 p.
- Cochrane, Frank, Tosaya, C.A., and Owen, J.L., 1988, Evaluation of a site specific commercial hot dry rock geothermal power prospect: Geothermal Resources Council Transactions, v. 12, p. 375-382.
- Cole, D.R., 1981, Isotopic and ion chemistry of waters in the east shore area, northern Utah: Geothermal Resources Council, Transactions, v. 5, p. 63-66.
- Cole, D.R., 1982, Chemical and sulfur isotope variations in a thermal spring system sampled through time: Geothermal Resources Council, Transactions, v. 6, p. 81-84.
- Cole, D.R., 1983, Chemical and isotopic investigation of warm springs associated with normal faults in Utah: Journal of Volcanology and Geothermal Research, v. 16, no. 1/2, p. 65-98.
- Combs, J., Berge, C.W., Lund, J.W., and Anderson, D.N., 1982, Developments in geothermal resources in 1981: American Association of Petroleum Geologists Bulletin, v. 66, no. 11, p. 2489-2499.
- Combs, J., Berge, C.W., Lund, J.W., Anderson, D.N., and Parmentier, P.P., 1983, Developments in geothermal resources in 1982: Geothermal Resources Council Bulletin, v. 12, no. 11, p. 4-13; also, Geothermal Resources Council Bulletin, v. 12, no. 11, p. 4-13.
- Condie, K.C., 1960, Petrogenesis of the Mineral Range pluton, southwest Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 92 p.
- Condie, K.C., and Barsky, C.K., 1972, Origin of Quaternary basalt from the Black Rock Desert region, Utah: Geological Society of America Bulletin, v. 83, no. 2, p. 333-352.
- Condie, K.C., and Barsky, C.K., 1970, The origin of Sr-depleted basalts [abs.]: EOS Transactions, American Geophysical Union, v. 51, no. 4, p. 443.
- Condie, K.C., and Barsky, C.K., 1972, Origin of Quaternary basalts from the Black Rock Desert region, Utah: Geological Society of America Bulletin. v. 83. no. 2, p. 333-352.
- Conrad, O.G., 1969, Tertiary volcanic rocks of Needles Range, western Utah: Utah Geological and Mineral Survey Special Studies 29, 28 p.

- Conroy, L.S., and Fields, F.K., 1977, Climatologic and hydrologic data, southeastern Uinta Basin, Utah and Colorado, Water Years 1975 and 1976: U.S. Geological Survey, Utah Basic-Data Release 29, 244 p.
- Cook, E.F., 1957, Geology of the Pine Valley Mountains: Utah Geological and Mineral Survey Bulletin 58, 119 p.
- Cook, K.L., Adhidjaja, J.I., and Gabbert, S.C., 1981, Complete Bouguer gravity anomaly and generalized geology map of Richfield 1x2 degree quadrangle, Utah: Utah Geological and Mineral Survey Map 59, scale 1:250,000.
- Cook, K.L., and Carter, J.A., 1978, Precision leveling and gravity studies at Roosevelt Hot Springs KGRA, Utah: University of Utah, Department of Geology and Geophysics Final Report, v. 77-9, 56 p.
- Cook, K.L., Halliday, M.E., Cunningham, C.G., Steven, T.A., Rowley, P.D., Glassgold, L.B., Anderson, J.J., and Coles, L.L., 1984, Complete Bouguer gravity anomaly map on a geologic base map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map I-1430C, scale 1:50,000.
- Cook, K.L., Montgomery, J.R., Smith, J.T., and Gray, E.F., 1975, Simple Bouguer gravity anomaly map of Utah: Utah Geological and Mineral Survey Map 37, scale 1:1,000,000.
- Cook, K.L., Serpa, L.F., and Pe, Win, 1980, Detailed gravity and aeromagnetic survey of the Cove Fort-Sulphurdale KGRA and vicinity, Millard and Beaver Counties, Utah: Earth Science Laboratory, University of Utah Research Institute Report DOE/ET/28392-30, 88 p.
- Cook, K.L., Serpa, L.F., Pe, Win, and Brumbaugh, W.D., 1980, Detailed gravity survey of the Cove Fort-Sulphurdale KGRA and vicinity, Millard and Beaver Counties, Utah [abs.]: Geological Society of America Abstracts with Programs, v. 12, no. 6, p. 270.
- Cordova, R.M., 1969, Selected hydrologic data in southern Utah and Goshen Valleys, Utah: Utah Department of Natural Resources Basic Data Release no. 16, 35 p.
- Cordova, R.M., and Mower, R.W., 1976, Fracturing and subsidence of the land surface caused by the withdrawal of ground water in the Milford area, Utah: U.S. Geological Survey Journal of Research, v. 4, no. 5, p. 505-510; also, 1975, [abs.], Geological Society of America Abstracts with Programs, v. 7, no. 7, p. 1039.
- Cordova, R.M., Sandberg, G.W., and McConkie, Wilson, 1972, Ground-water conditions in the central Virgin River basin, Utah: Utah Department of Natural Resources Technical Publication 40, 64 p.
- Corwin, R.F., and Hoover, D.B., 1979, The self-potential method in geothermal exploration: Geophysics, v. 44, no. 2, p. 226-245.
- Cosner, S.R., and Apps, J.A., 1978, Compilation of data on fluids from geothermal resources in the United States: Berkeley, University of California at Berkeley, Lawrence Berkeley Laboratory Report 5936, 108 p.

- Costain, J.K., 1973, Heat flow at Spor Mountain, Jordan Valley, Bingham, and La Sal, Utah: *Journal of Geophysical Research*, v. 78, no. 35, p. 8687-8698.
- Costain, J.K., and Wright, P.M., 1969, Heat flow and precision temperature measurements in boreholes: *Society of Professional Well Log Analysts Logging Symposium, 10th Annual, Houston, Texas, 1969, Transactions*, 121 p.
- Crebs, T.J., 1975, Gravity and ground magnetic surveys of the central Mineral Mountains, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 129 p.
- Crebs, T.J., and Cook, K.L., 1976, Gravity and ground magnetic surveys of the central Mineral Mountains, Utah: University of Utah, Department of Geology and Geophysics Final Report, v. 6, 129 p.
- Crebs, T.J., Cook, K.L., Thangsuphanich, I., Brumbaugh, W.D., and Ward, S.H., 1977, Gravity and magnetic surveys of the Mineral Mountains area, Utah including the Roosevelt Hot Springs KGRA [abs.]: *Geophysics*, v. 42, no. 1, p. 145.
- Crecraft, H.R., 1984, Silicic volcanism at Twin Peaks, west-central Utah — geology and petrology, chemical and physical evolution, oxygen and hydrogen isotope studies: Salt Lake City, University of Utah, unpublished Ph.D. thesis, 225 p.
- Crecraft, H.R., Nash, W.P., and Evans, S.H., Jr., 1980, Chemical and thermal evolution of the Twin Peaks magma system, west central Utah: *Geothermal Resources Council, Transactions*, v. 4, p. 117 -120.
- Crecraft, H.R., Nash, W.P., and Evans, S.H., Jr., 1980, Petrology, geochronology, and chemical evolution of the Twin Peaks rhyolite domes, Utah: *Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-4*, 211 p.
- Crecraft, H.R., Nash, W.P., and Evans, S.H., Jr., 1981, Late Cenozoic volcanism at Twin Peaks, Utah — geology and petrology: *Journal of Geophysical Research*, v. 86, no. B11, p. 10303-10320.
- Crecraft, H.R., Nash, W.P., and Evans, S.H., Jr., 1981, Late Cenozoic volcanism at Twin Peaks, Utah: geology and petrology: *Journal of Geophysical Research*, v. 86, no. B11, p. 10,303-10,320.
- Cremer, G.M., compiler, 1980, Hot dry rock geothermal energy development program: Los Alamos National Laboratory Report LA-8855-HDR, 211 p.
- Crittenden, M.D., Jr., 1951, Manganese deposits of western Utah: *U.S. Geological Survey Bulletin* 979-A, 62 p.
- Crook, J.K., 1899, *The mineral waters of the United States and their therapeutic uses*: New York and Philadelphia, Lea Brothers and Company, 588 p.
- Crosby, G.W., 1973, Regional structure in southwestern Utah, in Hintze, L.F., and Whelan, J.A., editors, *Geology of the Milford area*: Utah Geological Association, Publication 3, p. 27-33.
- Crosson, R.S., 1964, Regional gravity survey of parts of western Millard and Juab Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 32 p.

- Crowley, C.J., 1977, Developments in Four Corners intermountain area in 1976: American Association of Petroleum Geologists Bulletin, v. 61, no. 8, p. 1204-1207.
- Crowley, C.J., 1978, Developments in Four Corners intermountain area in 1977: American Association of Petroleum Geologists Bulletin, v. 62, no. 8, p. 1360-1363.
- Cui, X., Nabelek, P.I., and Liu, M., 1999, Controls of layered and transient permeability on the fluid flow and thermal structure in contact metamorphic aureoles: Abstracts with Programs - Geological Society of America, v. 31, no. 7, p. 101.
- Cunningham, C.G., 2005, Supergene destruction of a hydrothermal replacement alunite deposit at Big Rock Candy Mountain, Utah: Mineralogy, spectroscopic remote sensing, stable-isotope, and argon-age evidences: Chemical Geology, v. 215, no. 1-4 SPEC. ISS., p. 317-337 (doi: 10.1016/j.chemgeo.2004.06.055).
- Cunningham, C.G., Austin, G.W., Naeser, C.W., Rye, R.O., Ballantyne, G.H., Stamm, R.G., and Barker, C.E., 2009, Formation of a paleothermal anomaly and disseminated gold deposits associated with the Bingham Canyon porphyry Cu-Au-Mo system, Utah: Economic Geology, v. 99, no. 4, p. 789-806 (doi: 10.2113/99.4.789).
- Cunningham, C. G., Rasmussen, J. D., Steven, T. A., Rye, R. O., Rowley, P. D., Romberger, S. B., Selverstone, J., 1998, Hydrothermal uranium deposits containing molybdenum and fluorite in the Marysvale volcanic field, west-central Utah: Mineralium Deposita, v. 33, no. 5, p. 477.
- Cunningham, C. G., Rye, R. O., Rockwell, B. W., Kunk, M. J., and Councell, T. B. , 2005, Supergene destruction of a hydrothermal replacement alunite deposit at Big Rock Candy Mountain, Utah: mineralogy, spectroscopic remote sensing, stable-isotope, and argon-age evidences: Chemical Geology, v. 215, no. 1, 317 p.
- Cunningham, C.G., and Steven, T.A., 1979, Geologic map of the Monroe SW quadrangle, west-central Utah: U.S. Geological Survey Miscellaneous Field Studies Map MF- 1 140, scale 1:24,000.
- Cunningham, C.G., and Steven, T.A., 1979, Mount Belknap and Red Hills calderas and associated rocks, Marysvale volcanic field, west-central Utah: U.S. Geological Survey Bulletin 1468, 40 p.
- Cunningham, C.G., Steven, T.A., Campbell, D.L., Naeser, C.W., Pitkin, J.A., and Duval, J.S., 1984, Multiple episodes of igneous activity, mineralization, and alteration in the western Tushar Mountains, Utah, in Steven, T.A., editor, Igneous activity and related ore deposits in the western and southern Tushar Mountains, Marysvale volcanic field, west-central Utah: U.S. Geological Survey Professional Paper 1299A, p. 1-21.
- Cunningham, C.G., Steven, T.A., Rowley, P.D., Glassgold, L.B., and Anderson, J.J., 1983, Geologic map of the Tushar Mountains and adjoining areas, Marysvale volcanic field, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map 1-1430A, scale 1:50,000.
- Darling, R., and Chapman, D.S., 1979, Heat flow in western Utah [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 6, p. 269.

- Darton, N.H., 1920, Geothermal data of the United States, including many original determinations of underground temperature: U.S. Geological Survey Bulletin 701, 97 p.
- Davis, A.E., Enderlin, D.E., Blahnik, D.E., Jacobson, J.J., and Weakley, S.A., 1980, Assessment of geothermal energy as a power source for U.S. aluminum reduction plants: Geothermal Resources Council, Transactions, v. 4, p. 495-498.
- Davis, D.A., and Cook, K.L., 1983, Evaluation of low-temperature geothermal potential in Utah and Goshen Valleys and adjacent areas, Utah, Part 1 — Gravity survey: Utah Geological and Mineral Survey Report of Investigation 179, 138 p.
- Davis, M.C., 1984, Low-temperature geothermal potential in north-central Box Elder County, Utah: Utah Geological and Mineral Survey Open-File Report 47, 117 p.
- Davis, M.C., and Kolesar, P.T., 1984, Evaluation of low-temperature geothermal potential in north-central Box Elder County, Utah: Utah Geological and Mineral Survey Report of Investigation 192, 92 p.
- Davis, M.G., Chapman, D.S., Van Wagnoe, T.M., and Armstrong, P.A., Thermal conductivity anisotropy of metasedimentary and igneous rocks: Eos, Transactions, American Geophysical Union, v. 86, no. 53 Suppl.
- De Cicco, D.A., Pera, E.M., Allen, E.G., and Lutz, G.A., 1977, Leasable mineral and waterpower land classification map of the Moab quadrangle, Utah, Colorado: U.S. Geological Survey Open-File Report 77-612, scale 1:250,000.
- De Vries, J.L., 1982, Evaluation of low-temperature geothermal potential in Cache Valley, Utah: Logan, Utah State University unpublished M.S. thesis, 96 p.
- De Vries, J.L., 1982, Geothermal assessment of Cache Valley, Utah [abs.]: Geological Society of America Abstracts with Program, v. 14, no. 6, p. 309.
- De Vries, J.L., 1983, Evaluation of low-temperature geothermal potential of Cache Valley, Utah [abs.]: American Association of Petroleum Geologists Bulletin, v. 67, no. 8, p. 1334; also, 1982, Utah Geological and Mineral Survey Report of Investigation 174, 112 p.
- Dennis, P.E., Maxey, G.B., and Thomas, H.E., 1946, Ground water in Pahvant Valley, Millard County, Utah: Utah Department of Natural Resources Technical Publication 3, 96 p.
- Denton, E.H., 1976, Helium sniffer test, Newcastle, Utah 10-26 March 1976: U.S. Geological Survey Open-File Report 76-421, 4 p.
- Denton, E.H., 1977, Helium sniffer field test: Roosevelt Hot Springs, Utah, October 1975 and March 1976: U.S. Geological Survey Open-File Report 77-606, 6 p.

- Department of Geology and Geophysics University of Utah, 1979, Final report: geothermal exploration in Utah: Department of Geology and Geophysics, University of Utah, Salt Lake City, Report DOE/ID/01601, 67 p.
- Diazconti, C.C., 2000, Evaluation of the ground water system in Midway, Utah, with emphasis on the spring supplying the Midway Fish Hatchery: thesis (M.S.) — Brigham Young University, Department of Geology.
- Dickson, F.W., and Tunell, G., 1968, Mercury and antimony deposits associated with active hot springs in the western United States, in Ridge, J.D., editor, Ore deposits of the United States, 1933-1967: New York, American Institute of Mining and Metallurgical Engineers, v. 2, p. 1673-1701.
- Diehl, S.F., 2000, Channeled fluid flow and massive dissolution along low-angle normal faults, eastern Basin and Range: Colorado School of Mines, Ph.D. Dissertation.
- Diehl, S.F., Hofstra, A.H. Koenig, A.E., Christiansen, W., Johnson, C.A., Emsbo, P., and Lufkin, J., 2007, Brine migration and formation of hydrothermal zebra dolomite, sedex, and PB-ZN deposits along the paleozoic carbonate platform of the great basin, Nevada, and Utah: 2007 GSA Denver Annual Meeting, October 28-31, 2007.
- Diment, W.H., Urban, T.C., Sass, J.H., Marshall, B.V., Munroe, R.J., and Lachenbruch, A.H., 1975, Temperatures and heat contents based on conductive transport of heat, in White, D.E., and Williams, D.L., editors, Assessment of geothermal resources of the United States-1975: U.S. Geological Survey Circular 726, p. 84-103.
- Dipippo, Ronald, 1978, Geothermal power plants of the United States; a technical survey of existing and planned installations: National Technical Information Service Report COO-4051-20, 129 p.
- Dipippo, Ronald, 1984, Worldwide geothermal power development, 1984 overview and update: Geothermal Resources Council Bulletin, v. 13, no. 9, p. 3-12.
- Dipippo, Ronald, 1985, Geothermal electric power, the state of the world - 1985: Geothermal Resources Council Bulletin, v. 14, no. 9, p. 3-7.
- Doelling, H.H., 2008, Geologic map of the Kanab 30' x 60' quadrangle Kane and Washington Counties, Utah, and Coconino and Mohave Counties, Arizona: Utah Geological Survey Miscellaneous Publication 08-2DM, scale 1:100,000.
- Doelling, H.H., Campbell, J.A., Gwynn, J.W., and Perry J.I., 1980, Geology and mineral resources of Box Elder County, Utah: Utah Geological and Mineral Survey Bulletin 115, 251 p.
- Douze, E.J., and Laster, S.J., 1979, Seismic array noise studies at Roosevelt Hot Springs, Utah, geothermal area: Geophysics, v. 44, no. 9, p. 1570-1583.
- Doyuran, V., 1972, Geology and ground-water resources of Ogden Valley, Utah: Salt Lake City, University of Utah, Department of Geology and Geophysics, Ph. D. thesis, 135 p.

- Duffield, W.A., and Guffanti, M., 1981, The geothermal research program of the U.S. Geological Survey: U.S. Geological Survey Open-File Report 81-564, 108 p.; also, 1982, U.S. Geological Survey Circular 862, 15 p.
- Durham, Jon, 1977, Environmental analysis, prepared for six 3,000 +/- m (10,000 +/- ft) deep, geothermal exploratory test wells in the Roosevelt Hot Springs unit, Beaver County, Utah: U.S. Geological Survey Conservation Division Environmental Assessment Report 59, p. 7-9,13.
- Durham, Jon, and Hoops, R., 1977, Environmental analysis prepared for geothermal lease U-32256, Republic Geothermal, Incorporated; Thermo Hot Springs KGRA, Utah: U.S. Geological Survey Conservation Division, Office of the Area Geothermal Supervisor, Environmental Assessment 83, 50 p.
- Durrant, C., 2005, A conceptual model of groundwater flow at the Midway, Utah fish hatchery as constrained by geochemical, physical hydrogeological, and geophysical methods: Provo, Utah, Brigham Young University, M.S. thesis, 67 p.
- Dutson, S. J., 2005, Effects of Hurricane fault architecture on groundwater flow in the Timpoweap Canyon of southwestern Utah: Provo, Utah, Brigham Young University, M.S. thesis, 66 p.
- Earth Science Laboratory/University of Utah Research Institute, 1979, Quarterly, yearly, and cumulative epicenter maps for earthquakes — 38.250 - 38.750 degrees north latitude, 112.250 - 113.000 degrees west longitude (Roosevelt to Cove Fort-Sulphurdale area); 239 earthquakes for January 1, 1977 - December 31, 1978; hypocenter parameter listing: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/ESL-1, unpaginated.
- Earth Science Laboratory/University of Utah Research Institute, 1980, Reference list — Monroe Hot Springs area and vicinity, Sevier County, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/MHS/ESL-1, 4 p.
- East, J., 1981, Hot dry rock geothermal potential of Roosevelt Hot Springs area: review of data and recommendations: National Technical Information Service Report LA-8751-HDR, 46 p.
- Eaton, G.P., 1979, A plate tectonic model for late Cenozoic crustal spreading in the western United States, in Riecker, R.E., editor, Rio Grande Rift — Tectonics and Magmatism: American Geophysical Union, Washington, D.C., p. 7-32.
- Edmiston, R.C., 1979, Ore deposits as exploration models for geothermal reservoirs in carbonate rocks in the eastern Great Basin: Geothermal Resources Council, Transactions, v. 3, p. 181-184.
- Edmiston, R.C., 1982, A review and analysis of geothermal exploratory drilling results in the northern Basin and Range geologic province of the USA from 1974 through 1981: Geothermal Resources Council, Transactions, v. 6, p. 11-14.
- Edmiston, R.C., and Benoit, W.R., 1985, Characteristics of Basin and Range geothermal systems with fluid temperatures of 150 to 200C: Geothermal Resources Council Bulletin, v. 14, no. 4, p. 3-10.

- Ehlers, T. A., and Chapman, D. S., 2000, Normal fault thermal regimes — conductive and hydrothermal heat transfer surrounding the Wasatch fault, Utah: *Tectonophysics*, v. 312, no. 2, p. 217.
- Ehlers, T.A., and Chapman, D.S., 1999, Normal fault thermal regimes: conductive and hydrothermal heat transfer surrounding the Wasatch fault, Utah: *Tectonophysics*, v. 312, Issues 2-4, p. 217-234 (doi: doi:10.1016/S0040-1951(99)00203-6).
- Ehlers, T.A., Willett, S.D., Armstrong, P.A., and Chapman, D.S., 2002, Exhumation of the central Wasatch Mountains, Utah: 2, thermokinematic model of exhumation, erosion, and thermochronometer interpretation: *Journal of Geophysical Research*, v. 108, no. B3, p. 2173.
- Embree, G.L., 1970, Lateral and vertical variations in a Quaternary basalt flow—petrography and chemistry of the Gunlock flow, southwestern Utah: Provo, Utah, Brigham Young University Geology Studies, v. 17, part 1, p. 67-115.
- Energy Services, Incorporated (Idaho Falls), 1982, Floral-greenhouse geothermal-heating demonstration: final report, January 24, 1979 - September 30, 1982: National Technical Information Service Report DOE/ET/27056-5, 132 p.
- England, A.W., and Johnson, G.R., 1976, Thermal microwave detection of near-surface thermal anomalies: United Nations symposium on the development and use of geothermal resources, 2d, San Francisco, California, 1975, Proceedings, v. 2, p. 971-977.
- Erickson, M.P., 1973, Volcanic rocks of the Milford area, Beaver County, Utah, in *Geology of the Milford area: Utah Geological Association Publication 3*, p. 13-22.
- Erickson, M.P., and Dasch, E.J., 1963, Geology and hydrothermal alteration in northwestern Black Mountains and southern Shauntie Hills, Beaver and Iron Counties, Utah: *Utah Geological and Mineral Survey Special Studies 6*; also, 1964, *Geoscience Abstracts*, v. 6, no. 8, p. 15-16 (6-3238).
- Evans, S.H., Jr., 1978, *Studies in Basin and Range volcanism*: Salt Lake City, University of Utah, unpublished Ph.D. thesis, 119 p.
- Evans, S.H., Jr., 1979, Utah geothermal update: Third Annual Stanford Geothermal Conference and Workshop, Proceedings, p. 4.42-4.43.
- Evans, S.H., Jr., 1980, Summary of potassium/argon age dating - 1979: University of Utah, Department of Geology and Geophysics Report DOE/ET/28392-41, 30 p.
- Evans, S.H., Jr., 1982, Summary of potassium/argon dating - 1982: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-82, 8 p.
- Evans, S.H., Jr., compiler, 1977, Geologic map of the central and northern Mineral Mountains, Utah: University of Utah, Department of Geology and Geophysics Report 77-7, scale 1:24,000.
- Evans, S.H., Jr., and Brown, F.H., 1980, Summary of potassium/argon age dating - 1980: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-23, 27 p.

- Evans, S.H., Jr., and Brown, F.H., 1981, Summary of potassium/argon dating - 1981: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/I 2079-45, 29 p.
- Evans, S.H., Jr., Crecraft, H.R., and Nash, W.P., 1980, K/Ar dates of silicic volcanics in Twin Peaks/Cove Creek Dome area, southwestern Utah: *Isochron/West* 28, p. 21-24.
- Evans, S.H., Jr., and Nash, W.P., 1975, Low-temperature rhyolite from the Roosevelt geothermal area, Utah [abs.]: *Geological Society of America Abstracts with Programs*, v. 7, no. 7, p. 1070.
- Evans, S.H., Jr., and Nash, W.P., 1978, Quaternary rhyolite from the Mineral Mountains, Utah, U.S.A.: University of Utah, Department of Geology and Geophysics Final Report, v. 77-10, 59 p.
- Evans, S.H., Jr., and Nielson, D.L., 1982, Thermal and tectonic history of the Mineral Mountains intrusive complex: *Geothermal Resources Council, Transactions*, v. 6, p. 15-18.
- Evans, S.H., Jr., and Steven, T.A., 1982, Rhyolites in the Gillies Hill-Woodtick Hill area, Beaver County, Utah: *Geological Society of America Bulletin*, v. 93, no. 11, p. 1131-1141.
- Fairbanks, P.D., 1982, Chemical changes in ground water of northern Utah Valley, Utah: Logan, Utah State University, M.S. thesis, 92 p.
- Faulder, D.D., 1994, Long term flow test #1, Roosevelt Hot Springs, Utah: *Geothermal Resources Council Transactions*, v. 18, p. 583-590.
- Felmlee, J.K., and Cadigan, R.A., 1978, Determination of uranium in source rocks by using radium in Crystal Springs, Great Salt Lake area, Utah: U.S. Geological Survey Open-File Report 78-102, 35 p.; also, 1977, U.S. Geological Survey Circular 753, p. 48-50.
- Feltis, R.D., 1966, Water from bedrock in the Colorado Plateau of Utah: Utah Department of Natural Resources Technical Publication 15, 79 p.
- Feltis, R.D., 1967, Ground-water conditions in Cedar Valley, Utah: Utah Department of Natural Resources Technical Publication 16, 31 p.
- Feltis, R.D., and Goode, H.D., 1961, Production and use of fresh water from the Ashley Valley oil field, Uintah County, Utah, in *Geological Survey Research 1961: U.S. Geological Survey Professional Paper 424-C*, p. C90-C93.
- Fessenden, J.E., Stauffer, P.H., and Viswanathan, H.S., 2009, Natural analogs of geologic CO₂ sequestration — some general implications for engineered sequestration: *Geophysical Monograph*, v. 183, p. 135-146.
- Feth, J.H., and Barnes, I., 1979, Spring-deposited travertine in eleven western States: U.S. Geological Survey Water-Resources Investigations Report 79-35, 1 plate with text.
- Feth, J.H., Barker, D.A., Moore, L.G., Brown, R.J., and Veirs, C.E., 1966, Lake Bonneville, hydrology of the Weber Delta district, including Ogden, Utah: U.S. Geological Survey Professional Paper 518, 76 p.

- Finn, T.M., 2005, Geothermal gradient map of the southwestern Wyoming province, southwestern Wyoming, northwestern Colorado, and northeastern Utah: U.S. Geological Survey digital data series DDS-69-D.
- Fiore, J.N., 1980, Overview and status of the U.S. Department of Energy's industry-coupled geothermal reservoir assessment program: Geothermal Resources Council, Transactions, v. 4, p. 201-204.
- Fishman, H.S., 1976, Geologic structure and regional gravity of a portion of the High Plateaus of Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 134 p.
- FishPro, Inc., 2000, Utah warm water sportfish and native aquatic species hatchery siting study: An unpublished report prepared for the Utah Division of Wildlife Resources and the Utah Reclamation Mitigation and Conservation Commission, Salt Lake City, 131 p., appendices.
- FishPro, Inc., 2000, Utah warm water sportfish and native aquatic species hatchery siting study: An unpublished report prepared for the Utah Division of Wildlife Resources and the Utah Reclamation Mitigation and Conservation Commission, Salt Lake City, 131 p.
- Fitch, W.E., 1927, Mineral waters of the United States and American spas: Philadelphia and New York, Lea and Febiger, 799 p.
- Flanigan, V.J., and Campbell, D.L., 1981, Geophysical measurements in the Beaver Basin, west-central Utah: Part I — Slingram, magnetic and self-potential profiles: U.S. Geological Survey Open-File Report 81-199, 18 p.
- Fleck, R.J., Anderson, J.J., and Rowley, P.D., 1975, Chronology of mid-Tertiary volcanism in High Plateaus region of Utah, in Cenozoic geology of southwestern High Plateaus of Utah: Geological Society of America Special Paper 160, p. 53-61.
- Fleck, R.J., Anderson, J.J., and Rowley, P.D., 1975, Chronology of mid-Tertiary volcanism in the High Plateau region of Utah, in Anderson, J.J., Rowley, P.D., Fleck, R.J., and Nairn, A.E.M., Cenozoic geology of southwestern high plateaus of Utah: Geological Society of America Special Paper 160, p. 53-61.
- Fleischmann, D.J., 2006, Geothermal development needs in Utah: Geothermal Energy Association, 29 p.
- Fleischmann, D.J., 2008, Emerging markets for geothermal energy in the Western United States: an industry perspective on project initiation within current market trends: Geothermal Resources Council Transactions, v. 32, p. 499-504.
- Foley, D., 1982, Hydrothermal systems of central Utah; a regional perspective [abs.], in Program and abstracts for the Utah Geological Association, 1982 symposium on the overthrust belt of Utah: Utah Geological Association Publication 11, p. 18.
- Foley, D., 1984, U.S. Department of Energy state coupled resource assessment program - final report for FY 1983: Earth Science Laboratory University of Utah Research Institute Report DOE/ID/12079-115, 26 p.

- Foley, D., Brophy, G.P., Mink, L.L., and Blackett, R.E., 1980, The state coupled program - a new emphasis: Geothermal Resources Council, Transactions, v. 4, p. 779-782.
- Foley, D., and Dorscher, M., 1982, Tables of colocated geothermal sites and BLM wilderness study areas: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-88, 168 p.
- Foley, D., Wright, P.M., Struhsacker, D.W., Nichols, C.R., Mink, L.L., Brophy, G.P., Grim, P.J., and Berry, G.W., 1979, State coupled resource assessment program - an update: Geothermal Resources Council, Transactions, v. 3, p. 217-220.
- Ford, S.R., 2008, Isotropic sources and attenuation structure — nuclear tests, mine collapses, and Q: Department of Earth and Planetary Sciences, University of California, Berkley, unpublished Ph.D. dissertation, 161 p.
- Fornes, A.O., 1981, Direct-use geothermal district heating projects in the U.S. - a summary: Geoheat Center Quarterly Bulletin, v. 6, no. 3, p. 3-6.
- Forrest, R.J., 1980, Historical synopsis of the Roosevelt Hot Springs geothermal field, Utah, in Nielson, D.L., editor, Geothermal systems in central Utah: Geothermal Resources Council Annual Meeting, Salt Lake City, Guidebook to Field Trip, no. 7, p. 18-24.
- Forrest, R.J., 1994, Geothermal development at Roosevelt Hot Springs geothermal area, Beaver County, Utah 1972-1993, in Blackett, R.E., and Moore, J.N., editors, Cenozoic geology and geothermal systems of southwestern Utah: Utah Geological Association Publication 23, p. 37-44.
- Frangos, W.A., and Ward, S.H., 1980, Bipole-dipole survey at Roosevelt Hot Springs KGRA, Beaver County, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-15, 41 p.
- Friedman, Irving, and Obradovich, John, 1981, Obsidian hydration dating of volcanic events: Quaternary Research, v. 16, no. 1, p. 37-47.
- Fuchs, R.L., and Hutterer, G.W., 1975, Geothermal energy; slow-growing industry finally heats up: Engineering and Mining Journal, v. 176, no. 1, p. 89-93.
- Gabbert, S.C., 1980, Gravity survey of parts of Millard, Beaver, and Iron Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 107 p.
- Galyardt, G.L., and Rush, F.E., 1981, Geologic map of the Crater Springs Known Geothermal Area and vicinity, Juab and Millard Counties, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map I-1297, scale 1:24,000.
- Galyardt, G.L., and Rush, F.E., 1981, Geologic map of the Crater Springs known geothermal resources area and vicinity, Juab and Millard Counties, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map I-1297, scale 1:24,000.

- Gardner, S., Williams, J.M., and Hoover, D.B., 1976, Audio-magnetotelluric data log and station location map for Lund known geothermal resource area, Utah: U.S. Geological Survey Open-File Report 76-410, 4p.
- Gardner, S., Williams, J.M., and Long, C.L., 1976, Audio-magnetotelluric data log, and station location map for Thermo known geothermal resource area, Utah: U.S. Geological Survey Open-File Report 76-412, 5 p.
- Gardner, Susan, Williams, J.M., and Brougham, G.W., 1976, Audio-magnetotelluric data log and station location map for Monroe-Joseph KGRA, Utah: U.S. Geological Survey Open-File Report 76-411, 4 p.
- Gates, J.S., 1963, Selected hydrologic data, Tooele Valley, Tooele County, Utah: U.S. Geological Survey, Utah Basic-Data Report 7, 23 p.
- Gelman, R., Hummon, M., McLaren, J., and Doris, E., 2010, NREL's Clean Energy Policy Analyses Project: 2009 U.S. State Clean Energy Data Book, October 2010: U.S. Department of Energy/National Renewable Energy Laboratory, DOE/GO-102010-3139, on-line document , 172 p.
- Geonomics, Incorporated, 1976, A comparison of hydrothermal reservoirs of the western United States: Electric Power Research Institute Topical Report 3, EPRI ER-364, 170 p.
- Geonomics, Incorporated, 1976, Getty Oil Company surface geophysical surveys, Roosevelt Hot Springs: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GOC-1.1, unpaginated.
- Geothermal Power Corporation, 1978, Roosevelt Hot Springs thermal gradient data for hole number 15, temperature, water analysis, and wire line survey: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GPC-3, unpaginated.
- Geothermal Power Corporation, 1978, Shallow thermal gradient hole data for 14 holes near Roosevelt Hot Springs, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GPC-1, unpaginated.
- Geothermal Power Corporation, 1982, Geothermal reservoir assessment, Roosevelt Hot Springs: final report, October 1, 1977 - June 30, 1982: National Technical Information Service Report DOE/ET/28406-1, 81 p.
- Geothermal Resources Council Bulletin, 1980, Utah geothermal greenhouses produce large tomato crop: Geothermal Resources Council Bulletin, v. 9, no. 10, p. 17.
- Geothermal Resources Council Bulletin, 1980, Utah reinjection agreement signed: Geothermal Resources Council Bulletin, v. 9, no. 7, p. 10.
- Geothermal Resources Council Bulletin, 1980, Utah state lease sale results: Geothermal Resources Council Bulletin, v. 9, no. 9, p. 12.
- Geothermal Resources Council Bulletin, 1980, Wells completed at Utah prison site: Geothermal Resources Council Bulletin, v. 9, no. 11, p. 15.

Geothermal Resources Council Bulletin, 1981, Biphase unit installed at Roosevelt Hot Springs:
Geothermal Resources Council Bulletin, v. 10, no. 11, p. 13-14.

Geothermal Resources Council Bulletin, 1981, Environmental assessment released on first Utah
geothermal power plant: Geothermal Resources Council Bulletin, v. 10, no. 8, p. 8.

Geothermal Resources Council Bulletin, 1981, Geothermists participate in CATMECS meeting:
Geothermal Resources Council Bulletin, v. 10, no. 3, p. 13.

Geothermal Resources Council Bulletin, 1981, Roosevelt Hot Springs geothermal pact gets approval:
Geothermal Resources Council Bulletin, v. 10, no. 1, p. 16.

Geothermal Resources Council Bulletin, 1981, State may receive MX study money for geothermal:
Geothermal Resources Council Bulletin, v. 10, no. 2, p. 13.

Geothermal Resources Council Bulletin, 1981, Utah geothermal bill passes: Geothermal Resources
Council Bulletin, v. 10, no. 2, p. 13.

Geothermal Resources Council Bulletin, 1981, Utah geothermal unit approved: Geothermal Resources
Council Bulletin, v. 10, no. 9, p. 21.

Geothermal Resources Council Bulletin, 1981, Utah Legislature to consider geothermal bill: Geothermal
Resources Council Bulletin, v. 10, no. 1, p. 16.

Geothermal Resources Council Bulletin, 1981, Utah Prison exploration well completed: Geothermal
Resources Council Bulletin, v. 10, no. 2, p. 13.

Geothermal Resources Council Bulletin, 1981, Utah PUC gives approval to power plant: Geothermal
Resources Council Bulletin, v. 10, no. 3, p. 13-14.

Geothermal Resources Council Bulletin, 1981, Utah Roses holds geothermal operation open house:
Geothermal Resources Council Bulletin, v. 10, no. 2, p. 13.

Geothermal Resources Council Bulletin, 1982, Crystal Hot Springs water rights studied: Geothermal
Resources Council Bulletin, v. 11, no. 5, p. 16.

Geothermal Resources Council Bulletin, 1982, Drilling confirms Roosevelt Hot Springs geothermal
potential: Geothermal Resources Council Bulletin, v. 11, no. 10, p. 19.

Geothermal Resources Council Bulletin, 1982, Hunt bid tops Utah lease sale: Geothermal Resources
Council Bulletin, v. 11, no. 7, p. 19.

Geothermal Resources Council Bulletin, 1982, Hunt Oil plans four Utah wells: Geothermal Resources
Council Bulletin, v. 11, no. 8, p. 15.

Geothermal Resources Council Bulletin, 1982, Phillips plans Utah exploration: Geothermal Resources
Council Bulletin, v. 11, no. 4, p. 22.

Geothermal Resources Council Bulletin, 1982, Phillips to drill new Roosevelt Hot Springs well: Geothermal Resources Council Bulletin, v. 11, no. 5, p. 17.

Geothermal Resources Council Bulletin, 1982, Roosevelt Hot Springs produces power, Utah Power and Light customers get their first geothermally produced electricity: Geothermal Resources Council Bulletin, v. 11, no. 1, p. 3-4.

Geothermal Resources Council Bulletin, 1982, Union is sole bidder for Utah geothermal leases: Geothermal Resources Council Bulletin, v. 11, no. 5, p. 17.

Geothermal Resources Council Bulletin, 1982, Utah lease sale gets no bids; Geothermal Resources Council Bulletin, v. 11, no. 2, p. 23.

Geothermal Resources Council Bulletin, 1982, Utah State Prison well to be tested: Geothermal Resources Council Bulletin, v. 11, no. 8, p. 14-15.

Geothermal Resources Council Bulletin, 1982, WESTEC gets start-up contract: Geothermal Resources Council Bulletin, v. 11, no. 2, p. 23.

Geothermal Resources Council Bulletin, 1983, Geothermal to warm prisoners: Geothermal Resources Council Bulletin, v. 12, no. 10, p. 14-15.

Geothermal Resources Council Bulletin, 1983, Roosevelt Hot Spring activity update: Geothermal Resources Council Bulletin, v. 12, no. 2, p. 26.

Geothermal Resources Council Bulletin, 1983, Roosevelt Hot Springs power plant on target: Geothermal Resources Council Bulletin, v. 12, no. 1, p. 23.

Geothermal Resources Council Bulletin, 1984, Biphase turbine to operate for UP&L: Geothermal Resources Council Bulletin, v. 13, no. 6, p. 1.

Geothermal Resources Council Bulletin, 1984, Dry steam discovery/blow out: Geothermal Resources Council Bulletin, v. 13, no. 2, p. 21-22.

Geothermal Resources Council Bulletin, 1984, Dry steam discovery/blowout: Geothermal Resources Council Bulletin, v. 13, no. 1, p. 27-28.

Geothermal Resources Council Bulletin, 1984, Provo to purchase geothermal power: Geothermal Resources Council Bulletin, v. 13, no. 11, p. 24.

Geothermal Resources Council Bulletin, 1984, Roosevelt Hot Springs plant goes on line: Geothermal Resources Council Bulletin, v. 13, no. 11, p. 24.

Geothermal Resources Council Bulletin, 1984, Second well completed at Cove Fort: Geothermal Resources Council Bulletin, v. 13, no. 4, p. 26.

- Geothermal Resources Council Bulletin, 1984, Unidyne to acquire geothermal division of Amax:
Geothermal Resources Council Bulletin, v. 13, no. 4, p. 27.
- Geothermal Resources Council Bulletin, 1985, First power plant dedicated at Cove Fort, Utah:
Geothermal Resources Council Bulletin, v. 14, no. 10, p. 5-6.
- Geothermal Resources Council Bulletin, 1985, UP&L subsidiary organized to explore energy resources:
Geothermal Resources Council Bulletin, v. 14, no. 1, p. 22.
- Geothermal Resources Council Bulletin, 1985, UP&L wins award for energy innovation: Geothermal
Resources Council Bulletin, v. 14, no. 1, p. 21-22.
- Geothermex, Incorporated, 1977, Geothermal potential of the lands leased by Geothermal Power
Corporation in the Mineral Mountains, Beaver and Millard Counties: Earth Science
Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GPC-2, 43 p.
- Geotronics, Incorporated, 1976, Magnetotelluric resistivity cross sections - Roosevelt Hot Springs:
Geotronics Corporation, scale: 1:24,000.
- Gerner, S. J., 2006, Characterization of dissolved solids in water resources of agricultural lands near
Manila, Utah 2004-05: U.S. Geological Survey Scientific Investigations Reports 2006-5211, Version
2.0.
- Gertson, R.C., and Smith, R.B., 1979, Interpretation of a seismic refraction profile across the Roosevelt
Hot Springs, Utah and vicinity: Earth Science Laboratory/University of Utah Research Institute
Report DOE/ET/28392, 109 p.
- Getty Oil Company, 1978, Getty well 52-21, Roosevelt Hot Springs - water analysis: Earth Science
Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GOC-3, unpaginated.
- Getty Oil Company, 1978, Getty well 52-21, Roosevelt Hot Springs - well report: Earth Science
Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GOC-2, unpaginated.
- Gierlowski-Kordesch, E.H., Jacobson, A.D., Blum, J.D., and Valero Garces, B.L., 2008, Watershed
reconstruction of a Paleocene-Eocene lake basin using Sr isotopes in carbonate rocks: Bulletin of the
Geological Society of America, v. 120, no. 1-2, p. 85-95 (doi: 10.1130/B26070.1).
- Gilbert, G.K., 1890, Lake Bonneville: U.S. Geological Survey Monograph, v. 1, p. 332-335.
- Gleeson, S. A., Gleeson, S. A., Rusk, B. G., and Wassenaar, L. I., 2009, Cl/Br ratios and stable chlorine
isotope analysis of magmatic-hydrothermal fluid inclusions from Butte, Montana and Bingham
Canyon, Utah: Mineralium Deposita, v. 44, no. 8, p. 837-848.
- Glenn, W.E., and Hulen, J.B., 1979, A study of well logs from Roosevelt Hot Springs KGRA, Utah [abs.]:
Society of Petroleum Well Log Analysts, Transcripts, v. 2, paper no. ZZ, p. 1.

- Glenn, W.E., and Hulen, J.B., 1979, Interpretation of well log data from four drill holes at Roosevelt Hot Springs KGRA: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-27, 74 p.
- Glenn, W.E., and Ross, H.P., 1982, A study of well logs from Cove Fort-Sulphurdale KGRA, Millard and Beaver Counties, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/ 1 2079-62, 39 p.
- Glenn, W.E., Chapman, D.S., Foley, D., Capuano, R.M., Sibbett, B.S., Cole, D.R., and Ward, S.H., 1980, Geothermal exploration at Hill Air Force Base, Ogden, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-42, 89 p.; also, [abs.], Geological Society of America Abstracts with Programs, v. 12, no. 6, p. 274.
- Glenn, W.E., Hulen, J.B., and Nielson, D.L., 1980, A comprehensive study of LASL well C/T-2 (Phillips 9-1) Roosevelt Hot Springs KGRA, Utah, with applications to geothermal well logging: Los Alamos Scientific Laboratory Report LA-8686-MS, 175 p.
- Glenn, W.E., Ross, H.P., and Atwood, J.W., 1982, Review of well logging in the Basin and Range known geothermal resource areas: Journal of Petroleum Technology, v. 34, no. 5, p. 1104-1118.
- Gloyn, R.W., 2003, Energy, mineral, and ground-water resources of Carbon and Emery Counties, Utah: Utah Geological Survey Bulletin 132.
- Godwin, L.H., Haigier, L.B., Rioux, R.L., White, D.E., Muffler, L.J.P., and Wayland, R.G., 1971, Classification of public land valuable for geothermal steam and associated geothermal resources: U.S. Geological Survey Circular 647, 18 p.
- Goff, F.E., and Decker, E.R., 1982, Candidate sites for future hot dry rock development in the United States: Los Alamos National Laboratory report LA-9625-HDR, 39 p.
- Goff, F.E., Laughlin, W.A., Aldrich, J.M., Ander, M.E., Arney, Barbara, Decker, E.R, Gardner, J.N., Heiken, G.H., Kron, Andrea, LaDelfe, C.M., Pettitt, R.A, and Shannon, S.S, 1981, Hot dry rock geothermal prospects, 1981: Geothermal Resources Council, Transactions, v. 5, p. 173-176.
- Goff, F.E., and Waters, A.C., 1980, Continental scientific drilling program thermal regimes: comparative site assessment geology of five magma-hydrothermal systems: Los Alamos National Laboratory Report, no, LA-8550-OBES, 100 p.
- Goode, H.D., 1978, Thermal waters of Utah: Utah Geological and Mineral Survey Report of Investigation 129, 183 p.; also, Department of Energy Report DOE/ET/28393-7,176 p.
- Goode, H.D., 1979, Hot waters of western Utah: Rocky Mountain Association of Geologists Basin and Range Symposium, p. 371-380.
- Goode, H.D., 1985, Hot water from the Ashley Valley oil field, in Picard, M.D., editor, Geology and energy resources, Uinta Basin of Utah: Utah Geological Association, Publication 12, p. 295-299.

- Goode, H.D., and Feltis, R.D., 1962, Water production from oil wells of the Uinta Basin, Uintah and Duchesne Counties, Utah: Utah Water Resources Bulletin 1, 32 p.
- Gordon, W., 2004, Milgro Nursery Geothermal Greenhouses Newcastle, Utah: Geothermal Resources Council Transactions, v. 28, p. 91-94.
- Gornitz, V., 1979, Detection of hydrothermal alteration with 24-channel multispectral scanner data and quantitative analyses of linear features, Monroe geothermal area, Utah: International Symposium on Remote Sensing of Environment, 13th, Proceedings, v. 2, p. 825-834.
- Gouveia, F.J., Friedmann, S.J., 2006, Timing and prediction of CO₂ eruptions from Crystal Geysir, UT: Lawrence Livermore National Laboratory report UCRL-TR-221731, 7 p., appendices.
- Gouveia, F.J., Johnson, M.R., Leif, R.N., and Friedmann, S.J., 2005, Aerometric measurement and modeling of the mass of CO₂ emissions from Crystal Geysir, Utah: U.S. Department of Energy/Lawrence Livermore National Laboratory report UCRL-TR-211870, 22 p., seven appendices.
- Gouveia, F.J., Johnson, M.R., Leif, R.N., and Friedmann, S.J., 2005, Aerometric measurement and modeling of the mass of CO₂ emissions from Crystal Geysir, Utah: U.S. Department of Energy/Lawrence Livermore National Laboratory report UCRL-TR-211870, 22 p., seven appendices.
- Grant, S.K., and Best, M.G., 1979, Geologic map of the Lund quadrangle, Iron County, Utah: U.S. Geological Survey Open-File Report 79-1655, scale 1:24,000.
- Green, R.T., 1981, Gravity survey of the southwestern part of the southern Utah geothermal belt: Salt Lake City, University of Utah, unpublished M.S. thesis, 107 p.
- Green, R.T., and Cook, K.L., 1980, A gravity survey of the southwestern part of the southern Utah geothermal belt, Washington County, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/I 2079-18, 116 p.
- Green, R.T., and Cook, K.L., 1980, Principal facts for gravity stations for the southwestern part of the southern Utah geothermal belt, Washington County, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/UGB/GG-2, 22 p.
- Green, R.T., and Cook, K.L., 2005, Gravity survey of the southwestern part of the southern Utah geothermal belt: U.S. Department of Energy Contract No. AC07-79ID12079, Report DOE/ID/12079-18.
- Green, S., 1979, Developing geothermal legislation for Utah: Geothermal Resources Council, Transactions, v. 3, p. 279-282.
- Green, S., and Wagstaff, L.W., 1979, Utah geothermal commercialization planning: semi-annual progress report, January 1, 1979-June 30, 1979: Utah Division of Water Rights, 124 p.
- Green, S., and Wagstaff, L.W., 2006, Utah geothermal commercialization planning. Semi-annual progress report, January 1, 1979—June 30, 1979/02/10/201.

- Gregory, H.E., 1949, Geologic and geographic reconnaissance of the eastern Markagunt Plateau, Utah: Geological society of America bulletin, v. 60, no. 6, p. 969-998.
- Gregory, H.E., 1950, Geology of eastern Iron County, Utah: Utah Geological and Mineral Survey bulletin 37, 153 p.
- Greider, Robert, 1976, Geothermal energy Cordilleran hingeline - west, in Hill, J.G., editor, Symposium on geology of the Cordilleran hingeline: Denver, Rocky Mountain Association of Geologists, p. 351-362.
- Grim, P.J., Nichols, C.R., Wright, P.M., Berry G.W., and Swanson, J.R., 1978, State maps of low-temperature geothermal resources: Geothermal Resources Council, Transactions, v. 2, sec. 1, p. 233-234.
- Grose, L. T., 1975, Geothermal energy; geology, exploration, and developments; Part I., in Betz, F., Jr., editor, Environmental geology: Mineral Industries Bulletin, v. 14, no. 6, p. 1-14.
- Gruen, G., Heinrich, C.A., and Schroeder, K., 2010, The Bingham Canyon porphyry Cu-Mo-Au deposit. II. Veing geometry and ore shell formation by pressure-driven rock extension: Economic Geology, v. 105, no. 1, p. 69-90 (doi: 10.2113/gsecongeo.105.1.69).
- Guffanti, M., and Nathenson, M., 1980, Preliminary map of temperature gradients in the conterminous United States: Geothermal Resources Council, Transactions, v. 4, p. 53-56.
- Guffanti, M., and Nathenson, M., 1981, Temperature-depth data for selected deep drill holes in the United States obtained using maximum thermometers: U.S. Geological Survey Open-File Report 81-555, 100 p.
- Hahl, D.C., and Mundorff, J.C., 1968, An appraisal of the quality of surface water in the Sevier Lake basin, Utah, 1964: State of Utah, Department of Natural Resources Technical Publication 19, 44 p.
- Halliday, M.E., 1978, Gravity and ground magnetic surveys in the Monroe and Joseph known geothermal areas and surrounding region, south-central Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 164 p.
- Halliday, M.E., and Cook, K.L., 1978, Gravity and ground magnetic surveys in the Monroe and Joseph KGRA's and surrounding region, south-central Utah: University of Utah, Department of Geology and Geophysics Final Report, v. 77-7, 164 p.
- Halliday, M.E., Cook, K.L., and Sontag, R.J., 1978, Gravity and magnetic surveys as an aid to geothermal exploration in the Monroe-Marysvale area and vicinity, Utah [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 5, p. 217.
- Hallin, J.S., 1973, Heat flow and radioactivity studies in Colorado and Utah: Laramie, Wyoming, University of Wyoming, unpublished M.S. thesis, 107 p.

- Hamblin, W.K., 1963, Late Cenozoic basalts of the St. George Basin, Utah, in Heylman, E.B., editor, Guidebook to the geology of southwestern Utah: Intermountain Association of Petroleum Geologists Twelfth Annual Field Conference, P. 84-89.
- Hamblin, W.K., 1970, Late Cenozoic basalt flows of the western Grand Canyon region, in Hamblin, W.K., and Best, M.G., editors, The western Grand Canyon district: Utah Geological Society, Guidebook to the Geology of Utah Number 23, p. 21-37.
- Hamblin, W.K., 1987, Late Cenozoic volcanism in the St. George Basin, Utah, in Beus, S.S., editor, Centennial field guide, volume 2, Rocky Mountain Section of the Geological Society of America: Geological Society of America, p. 291-294.
- Hamblin, W.K., Damon, P.E., and Bull, W.B., 1981, Estimates of vertical crustal strain rates along the western margins of the Colorado Plateau: *Geology*, v. 9, no. 7, p. 293-298.
- Hanny, J.A., and Lunis, B.C., editors, 1979, Utah hydrothermal commercialization baseline: EG&G-Idaho Operations Office, 86 p.
- Harrison, R.F., 1980, Direct utilization of geothermal resources field experiments at Monroe, Utah: Terra Tek Report TR 80-14, Preliminary Draft, 144 p.
- Harrison, R.F., Blair, C.K., and Chapman, D.S., 1979, Development and testing of a small, moderate temperature geothermal system, in Ramey, H.J., and Kruger, P., editors, Proceedings, fifth workshop, geothermal reservoir engineering: Stanford University, Interdisciplinary Research in Engineering and Earth Sciences, Geothermal Program Report SGP-TR-40, p 125-129.
- Harrison, R.F., Blair, C.K., Sakashita, B., and Jones, A.H., 1980, Monroe City KGRA: Terra Tek Report TR 80-30, 17 p.
- Hatcher, R.D., 2004, Properties of thrusts and upper bounds for the size of thrust sheets: *AAPG Memoir*, v. 82, p. 18-29.
- Hattori, K.H., and Keith, J.D., 2001, Contribution of mafic melt to porphyry copper mineralization: Evidence from Mount Pinatubo, Philippines, and Bingham Canyon, Utah, USA: *Mineralium Deposita*, v. 36, no. 8, p. 799-806 (doi: 10.1007/s001260100209).
- Haugh, G.R., 1978, A preliminary geologic map of the Wildcat Creek area, eastern Beaver County, Utah: *Utah Geology*, v. 5, no. 1, p. 33-35.
- Haugh, G.R., 1978, Late Cenozoic, cauldron-related silicic volcanism in the Twin Peaks area, Utah: Provo, Utah, Brigham Young University, unpublished M.S. thesis, 53 p.
- Hausel, W.D., and Nash, W.P., 1977, Petrology of Tertiary and Quaternary volcanic rocks, Washington County, southwestern Utah: *Geological Society of America Bulletin*, v. 88, no. 12, p. 1831-1842.
- Hecker, S., 1993, Quaternary tectonics of Utah with emphasis on earthquake-hazard characterization: *Utah Geological Survey Bulletin* 127, 157 p., appendices.

- Heiken, Grant, Goff, F.E., and Cremer, G.M., 1982, Hot dry rock geothermal resource 1980: Los Alamos National Laboratory Report LA-9295-HDR, 113 p.
- Helton Engineering and Geological Services, Incorporated, 1978, Geothermal Power Corporation well 15, section 18, township 27 south, range 9 west, Beaver County, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GPC-3, unpaginated.
- Hely, A.G., Mower, R.W., and Horr, C.A., 1967, Hydrologic and climatologic data, 1966, Salt Lake County, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 13, 85 p.
- Hely, A.G., Mower, R.W., and Horr, C.A., 1968, Hydrologic and climatologic data, 1967, Salt Lake County, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 15, 74 p.
- Hendrickson, R.R., Green, S.J., Jones, A.H., and Winzenreid, R.W., 1978, Full-scale laboratory testing of experimental geothermal rock bits: Geothermal Resources Council, Transactions, v. 2, p. 267-270.
- Henrikson, A., 2000, New heat flow determinations from oil and gas wells in the Colorado Plateau and Basin and Range of Utah: University of Utah, Department of Geology and Geophysics M.S. thesis, 70 p.
- Henrikson, A., and Chapman, D.S., 2002, Terrestrial Heat Flow in Utah: University of Utah Department of Geology and Geophysics report available on-line at <http://geology.utah.gov/emp/geothermal/pdf/terrestrialhf.pdf>, 46 p.
- Hewitt, W.P., Stowe, C.H., and Stromberg, R.R., 1972, Utah's geothermal resources-location, potential, and administrative agencies, in Geothermal overviews of the western United States: Geothermal Resources Council Special Report 1, p. 149-160.
- Heyl, A.V., 1978, Unusual concentrations of elements in Monroe, Utah hot springs aprons: Utah Geological Association Publication 7, p. 71.
- Heylman, E.B., Jr., 1966, Geothermal power potential in Utah: Utah Geological and Mineral Survey Special Studies 14, 28 p.
- Higgins, J.M., 2002, Interim geologic map of the Veyo quadrangle, Washington County, Utah: Utah Geological Survey Open-File Report 401, 17 p., 1 plate, scale 1:24,000.
- Hinkle, M.E., 1980, Survey of helium in soils and soil gases and mercury in soils at Roosevelt Hot Springs known geothermal resource area, Utah: U.S. Geological Survey Open-File Report 80-613, 34 p.
- Hinkle, M.E., 1981, Helium and mercury concentrations in the Roosevelt Hot Springs area, Utah [abs.], in Geological Survey Research 1981: U.S. Geological Survey Professional Paper 1275, p. 19.
- Hinkle, M.E., Denton, E.H., and Bigelow, R.C., 1978, Helium in soil gases of the Roosevelt Hot Springs known geothermal resource area, Beaver County, Utah: U.S. Geological Survey Journal of Research, v. 6, no. 5, p. 563-569.

- Hinkle, M.E., and Harms, T.F., 1978, CS₂ and COS in soil gases of the Roosevelt Hot Springs known geothermal resource area, Beaver County, Utah: U.S. Geological Survey Journal of Research, v. 6, no. 5, p. 571-573.
- Hintze, L.F., Davis, F.D., Rowley, P.D., Cunningham, C.G., Steven, T.A., and Willis, G.C., 2003, Geologic map of the Richfield 30' x 60' quadrangle, southeast Millard County and parts of Beaver, Piute and Sevier Counties, Utah: Utah Geological Survey Map 195, scale 1:100,000.
- Hintze, L.F., Willis, G.C., Laes, D.Y.M., Sprinkel, D.A., and Brown, K.D., 2000, Digital Geologic Map of Utah: Utah Geological Survey Map 179DM, CD-ROM.
- Hogg, N.C., 1972, High potassium calc-alkaline volcanic rocks from the eastern Great Basin [abs.]: Geological Society of America Abstracts with Programs, v. 4, no. 6, p. 382.
- Hogg, N.C., 1972, Shoshonitic lavas in west central Utah: Brigham Young University Geology Studies, v. 19, pt. 2, p. 133-184.
- Holmes, R.D., 1979, Thermoluminescence dating of Quaternary basalts; continental basalts from the eastern margin of the Basin and Range Province, Utah and northern Arizona: Brigham Young University Geology Studies, v. 26, pt. 2, p. 51-64.
- Hood, J.W., 1971, Hydrologic reconnaissance of the Park Valley area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 30, 51 p.
- Hood, J.W., 1972, Hydrologic reconnaissance of the Promontory Mountains area, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication no. 38, 42 p.
- Hood, J.W., Mundorff, J.C., and Price, D., 1976, Selected hydrologic data, Uinta Basin area, Utah and Colorado: U.S. Geological Survey, Utah Basic Data Release no. 26, 321 p.
- Hood, J.W., and Price, D., 1970, Hydrologic reconnaissance of Grouse Creek Valley, Box Elder County, Utah: Utah Department of Natural Resources Technical Publication 29, 54 p.
- Hood, J.W., Price, D., and Waddell, K.H., 1969, Hydrologic reconnaissance of Rush Valley, Tooele County, Utah: Utah Department of Natural Resources Technical Publication 23, 63 p.
- Hood, J.W., and Rush, F.E., 1965, Water-resources appraisal of the Snake Valley area, Utah and Nevada: Utah Department of Natural Resources Technical Publication 14, 40 p.
- Hood, J.W., and Waddell, K.M., 1968, Hydrologic reconnaissance of Skull Valley, Tooele County, Utah: Utah Department of Natural Resources Technical Publication 18, 57 p.
- Hoover, J.D., 1974, Periodic Quaternary volcanism in the Black Rock Desert, Utah: Brigham Young University Geology Studies, v. 21, pt. 1, p. 3-72.
- Hoover, D.B., and Pierce H.A., 1987, Audio-magnetotelluric data release for the Newcastle, Utah, geothermal area: U.S. Geological Survey Open-File Report 87-69, 6 p. \

- Huertas, Fernando, 1979, In situ stress measurements in the Rocky and Star Ranges, Beaver County, Utah [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 6, p. 275.
- Hughes, E.E., 1983, Geothermal rotary separator turbine: wellhead power system tests at Milford, Utah: Intersociety Energy Conversion Engineering Conference, Proceedings, v. 1, p. 280-285.
- Hulen, J.B., 1978, Stratigraphy and alteration, 15 shallow thermal gradient holes, Roosevelt Hot Springs KGRA and vicinity, Millard and Beaver Counties, Utah: Earth Science Laboratory/University of Utah Research Institute Report IDO/78-1701.b.1.1.1, 67 p.
- Hulen, J.B., 2006, The Role of Active and Ancient Geothermal Processes in the Generation, Migration, and Entrapment of Oil in the Basin and Range Province, Western USA - Final Technical Summary for Grant No. DE-FG02-90ER14133 1997-06: University of Utah Energy and Geoscience Institute.
- Hulen, J.B., and Langton, D.R., 2001, The EGI Geothermal Sample Laboratory: A Western U.S. and International Geothermal Research Collection and Study Center, Inventory and Index: University of Utah Energy and Geoscience Institute.
- Hulen, J.B., and Sandberg, S.M., 1981, Exploration case history of the Monroe KGRA, Sevier County, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/I 2079-22, 82 p.
- Hulen, J.B., and Sibbett, B.S., 1981, Interpretation of drill cuttings from geothermal wells: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-36, 21 p.
- Hulen, J.B., and Wright, P.M., 2001, Geothermal energy: clean sustainable energy for the benefit of humanity and the environment: Energy & Geoscience Institute, University of Utah.
- Huttrer, G.W., 1992, Geothermal exploration at Cove Fort-Sulphurdale, Utah 1972-1992, Geothermal Resources Council Transactions, v. 16, p. 89-95.
- Huttrer, G.W., 1994, Geothermal exploration at Cove Fort-Sulphurdale, Utah 1972-1992, in Blackett, R.E., and Moore, J.N., editors, Cenozoic geology and geothermal systems of southwestern Utah: Utah Geological Association publication 23, p. 61-68.
- Iorns, W.V., Mower, R.W., and Horr, C.A., 1966, Hydrologic and climatologic data 1965, Salt Lake County, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 12, 84 p.
- Iorns, W.V., Mower, R.W., and Horr, C.A., 1966, Hydrologic and climatologic data collected through 1964, Salt Lake County, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 11, 91 p.
- Isherwood, W.F., 1967, Regional gravity survey of parts of Millard, Juab, and Sevier Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 31 p.
- Ismat, Z., 2002, Mechanisms of folding by cataclastic flow, and its role in the evolution of the Canyon Range Thrust Sheet, Sevier fold-thrust belt, West-Central Utah: University of Rochester, Department of Earth and Environmental Sciences, Ph.D. Dissertation.

- Ismat, Z., and Mitra, G., 2005, Fold-thrust belt evolution expressed in an internal thrust sheet, Sevier orogen: The role of cataclastic flow: *Bulletin of the Geological Society of America*, v. 117, no. 5-6, p. 764-782 (doi: 10.1130/B25514.1).
- Isselhardt, C.F., Matlick, J.S., and Smith, J.L., 1977, Summary of 1976 geothermal drilling - western United States: *Geothermal Energy*, v. 5, no. 5, p. 8-17.
- Ives, R.L., 1946, The Fish Springs area, Utah: *Rocks and Minerals*, v. 21, no. 9, p. 555-560.
- Ives, R.L., 1947, Fumarole Butte, Utah: *Rocks and Minerals*, v. 22, no. 10, p. 903-909.
- Iyer, H.M., 1980, Magma chambers and geothermal energy: Technical Program, Abstracts, and Biographies, Fiftieth Annual International Meeting and Exposition, Society of Exploration Geophysicists, p. 111.
- Iyer, M., Robinson, R., and Evans, J.R., 1980, P-wave delays at two geothermal areas [abs.], in *Geological Survey Research 1980: U.S. Geological Survey Professional Paper 1175*, p. 215.
- Jamin, M.E., 1982, Mobile laboratory; chemical analysis at geothermal sites (contract RP741-1): Sixth Annual Stanford Geothermal Conference and Workshop, Proceedings, p. 5.45-5.53.
- Jensen, M.L., and Qidwai, H.A., 1980, Surface evidence of geothermal sites by mercury soil-gas collecting: Utah Geological and Mineral Survey unpublished report, 23 p.
- Johnson, B. W., and Geology & Geophysics, College of Mines & Earth Sciences, University of Utah, 2009, Oxygen isotope, cathodoluminescence, and titanium in quartz geothermometry in the Alta Stock, UT: geothermical insights into pluton assembly and early cooling history, University of Utah.
- Johnson, E.H., 1975, Resistivity and induced polarization survey of a basalt flow in a geothermal environment, western Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 69 p.
- Johnson, R.L., Smith, E.I., and Biek, R.F., 2010, Subalkaline volcanism in the Black Rock Desert and Markagunt Plateau volcanic fields of south-central Utah, in Carney, S.M., Tabet, D.E., and Johnson, C.L., editors, *Geology and geologic resources of south-central Utah: Utah Geological Association Guidebook 39*, p. 109-150.
- Johnston, R., and Yin, A., 2001, Kinematics of the Uinta Fault System (Southern Wyoming and Northern Utah) during the Laramide Orogeny: *International Geology Review*, v. 43, no. 1, p. 52-68.
- Jordan, B. R., 1999, The nature and formation of carbonate nodules at Blue Lake Warm Spring, Tooele County, Utah: Provo, Utah, Brigham Young University, University scholar project.
- Kaczynski, V.W., Wert, M.A., and LaBar, D.J., 1981, Utilization of geothermal effluents to create waterfowl wetlands: *Geothermal Resources Council, Transactions*, v. 5, p. 603-606.
- Kaliser, B.N., and Grey, D.C., 1970, Sulfur isotope determinations as a geohydrologic tool: *Engineering Geology and Soils Engineering, Eighth Annual Symposium*, p. 55-63.

- Karlsson, T., 1984, Geothermal heating system for the Children's Museum of Utah: National Technical Information Service Report DOE/ID/12478-T2, 31 p.
- Katz, Lewis, 1977, Seismic emissions study Roosevelt Hot Springs, Milford, Utah (for Union Oil Company): Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/SEI-1, unpaginated.
- Katzenstein, A.M., and Jacobson, J.J., 1976, A dipole-dipole resistivity survey of the Roosevelt Hot Springs prospect, Beaver County, Utah: Getty Oil Company Project, no. 76.120, 18 p.
- Keith, J.D., Nelson, S.T., Thompson, T.J., Dorais, M.J., Olcott, J., Deurichen, E., and Constenius, K.N., The genesis of fibrous calcite and shale-hosted emerald in a non-magmatic hydrothermal system, Uinta Mountains, Utah: Geological Society of America Rocky Mountain Section 54th Annual Meeting, May 7-9, 2002.
- Kellogg, W.C., and Cook, K.L., 1979, Discussion and reply to discussion on: A summary of the geology, geochemistry, and geophysics of the Roosevelt Hot Springs thermal area, Utah: Geophysics, v. 44, no. 12, p. 2007-2011.
- Kennedy, B.M., and van Soest, M.C., 2006, Systematic regional trend in helium isotopes across the northern basin and range province, Western North America: Geothermal Resources Council Transactions, v. 30, p. 429 – 433.
- Kenney, T. A., 2006, Ground-water movement and water quality in Lake Point, Tooele County, Utah, 1999-2003: U.S. Geological Survey Scientific Investigations Report 2006-5124, 13 p.
- Keys, W.S., 1979, Geothermal well logged at Roosevelt Hot Springs in Utah [abs.], in Geological Survey research 1979, 1980: U.S. Geological Survey Professional Paper 1150, p. 197-198.
- Khattab, M.M., 1969, Gravity and magnetic surveys of the Grouse Creek Mountains and the Raft River Mountains area and vicinity, Utah and Idaho: Salt Lake City, University of Utah, unpublished Ph.D. thesis, 195 p.
- Kilty, K.T., 1978, Aspects of forced convective heat transfer in geothermal systems: Salt Lake City, University of Utah, unpublished M.S. thesis, 61 p.
- Kilty, K.T., 1980, Deformation of the western United States and its thermal consequences [abs.]: EOS Transactions, American Geophysical Union, v. 61, no. 46, p. 1124.
- Kilty, K.T., Chapman, D.S., and Mase, C.W., 1978, Aspects of forced convective heat transfer in geothermal systems: Earth Science Laboratory/University of Utah Research Institute Report IDO/78-1701.a.6.4.1, 62 p.
- Kilty, K.T., Chapman, D.S., and Mase, C.W., 1979, Forced convective heat transfer in the Monroe Hot Springs geothermal system: Journal of Volcanology and Geothermal Research, v. 6, no. 3-4, p. 257-277.

- Klauk, R.H., 1982, Geothermal energy, another of Utah's abundant resources: Utah Geological and Mineral Survey, Survey Notes, v. 16, no. 4, p. 1-8.
- Klauk, R.H., 1985, Summary of low-temperature geothermal studies conducted by the Utah Geological and Mineral Survey from July 1, 1977 to December 31, 1984: Utah Geological and Mineral Survey Report of Investigation 193, 16 p.
- Klauk, R.H., and Budding, K.E., 1984, Geothermal assessment of the lower Bear River drainage and northern East Shore ground-water areas, Box Elder County, Utah: Utah Geological and Mineral Survey Report of Investigation 186, 98 p.
- Klauk, R.H., and Darling, R., 1984, Low-temperature geothermal assessment of the Jordan Valley, Salt Lake County, Utah: Utah Geological and Mineral Survey Report of Investigation 185, 160 p.
- Klauk, R.H., Darling, R., Davis, D.A., Gwynn, J.W., and Murphy, P.J., 1981, Progress report on the geothermal assessment of the Jordan Valley, Salt Lake County, Utah, in Ruscetta, C.A., and Foley, Duncan, editors, Geothermal direct heat program Glenwood Springs technical conference proceedings; State Coupled Geothermal Assessment Program: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-39, v. 1, Papers Presented, p. 271-296.
- Klauk, R.H., and Davis, D.A., 1984, Evaluation of low-temperature geothermal potential in Utah and Goshen Valleys and adjacent areas, Utah County, Utah, Part 11: water temperature and chemistry: Utah Geological and Mineral Survey Report of Investigation 191, 45 p.
- Klauk, R.H., Foreman, M.B., and Gourley, C., 1982, Geothermal reconnaissance of a portion of the Escalante Valley, Utah, in Ruscetta, C.A., editor, Geothermal direct heat program roundup technical conference proceedings; State Coupled Resource Assessment Program: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-71, v. 1, Papers Presented, p. 240-272.
- Klauk, R.H., and Gourley, C., 1983, Geothermal assessment of a portion of the Escalante Valley, Utah: Utah Geological and Mineral Survey Special Studies 63, 57 p.
- Klauk, R.H., and Gourley, C., 1983, Geothermal assessment of a portion of the MX deployment area, Escalante Valley, Utah [abs.]: Geological Society of America Abstracts with Programs, v. 15, no. 5, p. 416.
- Klauk, R.H., and Prawl, C.A., 1984, Geothermal assessment of part of the East Shore area, Davis and Weber Counties, Utah: Utah Geological and Mineral Survey Report of Investigation 183, 46 p.
- Klusman, R.W., and LeRoy, M.P., 1996, Potential for use of gas flux measurements in surface exploration for geothermal resources: Geothermal Resources Council Transactions, v. 20, p. 331-338.
- Klusman, R.W., Moore, J.N., and LeRoy, M., 2000, Potential for surface gas flux measurements in exploration and surface evaluation of geothermal resources: Geothermics, v. 29, no. 6, p. 637-670 (doi: 10.1016/S0375-6505(00)00036-5).

- Klusman, R.W., Moore, J.N., and Sperry, T., 1999, Seasonal variations in soil gas carbon dioxide fluxes from the Cove Fort geothermal area, Utah: Transactions, Geothermal Resources Council, v. 23, p. 313-317.
- Knauf, K.E., 1981, National estimate for direct use: Geothermal Resources Council, Transactions, v. 5, p. 527-530.
- Koenig, J.B., 1971, Geothermal exploration in the western United States, in Proceedings of the United Nations Symposium on the development and utilization of geothermal resources: Geothermics Special Issue 2, 1970, v. 2, pt. 1, p. 1-13.
- Koenig, J.B., Anderson, D.N., and Hutterer, G.W., 1976, Exploration and development of geothermal resources in the United States, 1968-1975: United Nations symposium on the development and use of geothermal resources, 2d, San Francisco, California, 1975, Proceedings, v. 1, p. 139-142.
- Koenig, J.B., and McNitt, J.R., 1983, Controls on the location and intensity of magmatic and non-magmatic geothermal systems in the Basin and Range Province [abs.], in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 93.
- Koenig, J.B., and Petersen, C.A., 1977, Opportunities for development of geothermal power at Roosevelt Hot Springs, Utah: GeothermEx Incorporated, 36 p.
- Kohler, J.F., 1979, Geology, characteristics, and resource potential of the low-temperature geothermal system near Midway, Wasatch County, Utah: Utah Geological and Mineral Survey Report of Investigation 142, 64 p.
- Kohler, J.F., and Kolesar, P.T., 1979, Evaluation of geothermal potential in the area of Midway, Wasatch County, Utah: Geothermal Resources Council, Transactions, v. 3, p. 349-352.
- Kolesar, P.T., and Degraff, J.V., 1977, Comparison of the silica and Na-K-Ca geothermometers for thermal springs in Utah: Geothermics, v. 6, no. 3-4, p. 221-226.
- Kron, A., and Heiken, G., 1980, Geothermal gradient map of the United States: Geothermal Resources Council, Transactions, v. 4, p. 69-72.
- Kron, A., and Stix, J., 1982, Geothermal gradient map of the United States exclusive of Alaska and Hawaii: Map produced by the National Oceanic and Atmospheric Administration for the Los Alamos National Laboratory, scale 1:2,500,000; also, Geothermal Resources Council, Transactions, v. 6, p. 35-38.
- Kruger, P., and Semprini, L., 1983, Radon startup analysis at a Roosevelt Hot Springs, Utah geothermal well: Seventh Annual Stanford Geothermal Conference and Workshop, Proceedings, p. 5.87-5.93.
- Kunze, J.F., and Gould, R.W., 1981, Case studies of developing low-temperature geothermal wells: Geothermal Resources Council, Transactions, v. 5, p. 251-252.

- Kunze, J.F., and Stoker, R.C., 1979, Floral greenhouse heating; semi-annual technical report: National Technical Information Service Report DOE-27056-2, 57 p.
- Kunze, J.F., Gould, R.W., and Gertsch, W.D., 1980, Utah Roses floral greenhouse geothermal project: semiannual technical report, August 1979 - April 1980: U.S. Department of Energy Report DOE/ET/27056/3, 43 p.
- Kutscher, C., 2001, Small-Scale Geothermal Power Plant Field Verification Projects: Geothermal Resources Council Transactions, v. 25.
- Lachenbruch, A.H., 1978, Heat flow in the Basin and Range Province and thermal effects of tectonic extension, in Rybach, Ladislaus, and Stegena, Lajos, editors, Geothermics and geothermal energy: Pure and Applied Geophysics, v. 117, p. 34-50.
- Lachenbruch, A.H., 1980, Regional thermal structure in the western U.S. [abs.]: EOS Transactions, American Geophysical Union, v. 61, no. 46, p. 1144.
- Lachenbruch, A.H., and Sass, J.H., 1977, Heat flow in the United States and the thermal regime of the crust, in Heacock, J.G., editor, The earth's crust: Geophysical Monograph Series, v. 20, American Geophysical Union, Washington, D.C., p. 626-675.
- Lachenbruch, A.H., and Sass, J.H., 1978, Models of an extending lithosphere and heat flow in the Basin and Range Province, in Smith, R.B., and Eaton, G.P., editors, Geological Society of America Memoir 152, p. 209-250.
- Ladd, T.A., 1980, Institutional problems related to development of geothermal resources located within Department of Defense land holdings: Geothermal Resources Council, Transactions, v. 4, p. 803-806.
- Laine, M.D., and Dempser, T., 2005, The Utah Core Research Center; Utah's largest publicly available collection of geological specimens, well core and data for thesis work, academic research, workshops and classroom studies: Proceedings — Geoscience Information Society, v. 36, p. 119.
- Landtwing, M.R., 2004, Fluid evolution and ore mineral precipitation at the Bingham porphyry copper-gold-molybdenum deposit, Utah, deduced from cathodoluminescence imaging and LA-ICPMS microanalysis of fluid inclusions: Switzerland, Eidgenössische Technische Hochschule Zuerich, Ph.D. Dissertation.
- Landtwing, M.R., Furrer, C., Redmond, P.B., Pettke, T., Guillong, M., and Heinrich, C.A., 2010, The Bingham Canyon porphyry Cu-Mo-Au deposit. III. Zoned copper-gold ore deposition by magmatic vapor expansion: Economic Geology, v. 105, no. 1, p. 91-118 (doi: 10.2113/gsecongeo.105.1.91).
- Landtwing, M.R., Pettke, T., Halter, W.E., Heinrich, C.A., Redmond, P.B., Einaude, M.T., and Kunze, K., 2005, Copper deposition during quartz dissolution by cooling magmatic-hydrothermal fluids: The Bingham porphyry: Earth and Planetary Science Letters, v. 235, no. 1-2, p. 229-243 (doi: 10.1016/j.epsl.2005.02.046).
- Laney, P., and Brizzee, J., 2003, Utah geothermal resources (map): Idaho National Engineering and Environmental Laboratory Publication, No. INEEL/MIS-2002-1617 Rev. 1.

- Lange, A.L., 1976, Application of heatflux transducers to geothermal exploration: Symposium on Rock Mechanics, 17, Proceedings, p. 3B2.1-3B2.6.
- Langenheim, V.E., Grauch, V.J.S., and Anonymous, Insights into geometry and evolution of extensional basins in the Western U.S. from comparison of geologically-and geophysically-defined locations of basin-bounding faults: Abstracts with Programs - Geological Society of America, v. 37, no.7, p. 495.
- Laster, S.J., and Douze, E.J., 1978, Geothermal ground noise measurements at Roosevelt Hot Springs and Cove Fort, Utah-final report: National Technical Information Service Report DOE/TIC-1 1062, 94 p.
- Laster, S.J., and Douze, E.J., 2005, Geothermal ground noise measurements at Roosevelt Hot Springs and Cove Fort, Utah, Final report: Office of Scientific and Technical Information report OSTI 5429007, p. 15 – 70.
- Lee, W.T., 1907, Sulphur and pyrite-The Cove Creek sulphur beds, Utah: U.S. Geological Survey Bulletin 315-Q, p. Q485-Q489.
- Lee, W.T., 1908, Water resources of Beaver Valley, Utah: U.S. Geological Survey Water-Supply Paper 217, 57 p.
- Leeman, W.P., and Rogers, J.J.W., 1970, Late Cenozoic alkali-olivine basalts of the Basin and Range Province, U.S.A.: Contributions to Mineralogy and Petrology, v. 25, p. 1-24.
- Leitner, Phillip, 1978, Overview of environmental issues: Roosevelt Hot Springs KGRA, Utah geothermal noise effects: National Technical Information Service Report UCRL-13995, 11 p.
- Lenzer, R.C., Crosby, G.W., and Berge, C.W., 1976, Geothermal exploration of Roosevelt KGRA, Utah: U.S. Symposium on Rock Mechanics, no. 17, Site Characterization, University of Utah Engineering Experimental Station, p. 3BI-1.
- Lewis, W.E., and Ralph, M., 2002, A DOE-Funded design study for pioneer baseload application of an advanced geothermal binary cycle at a utility plant in Western Utah: Geothermal Resources Council Transactions, no. 26, p. 695-700.
- Liaw, A.L., and Suyenaga, W., 1982, Microtremor studies in Roosevelt and Beowawe geothermal areas [abs.], in Circum-Pacific energy and mineral resources conference: American Association of Petroleum Geologists Bulletin, v. 66, no. 7, p. 975.
- Liaw, A.L., and Suyenaga, W., 1983, Detection of geothermal microtremors using seismic arrays [abs.]: Geophysics, v. 48, no. 4, p. 479.
- Lienau, P.J., and Ross, H.P., 1994, Low-temperature resource assessment program: U.S. Department of Energy, Geothermal Division Program Review XI.
- Liese, H.C., 1957, Geology of the northern Mineral Range, Millard and Beaver Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 88 p.

- Lin, Y.T., 1981, The impact of bit performance on geothermal well cost: Geothermal Resources Council, Transactions, v. 5, p. 253-256.
- Lines, G.C., 1978, Selected ground-water data, Bonneville Salt Flats and Pilot Valley, Western Utah: U.S. Geological Survey, Utah Basic-Data Release no. 30, 14 p.
- Lipman, P.W., 1979, Cenozoic volcanism in the western United States: implications for continental tectonics, in Continental Tectonics/geophysics study committee, geophysics research board, assembly of mathematical and physical sciences, National Research Council: National Academy of Science, Washington D.C., 1980, p. 1-14.
- Lipman, P.W., Prostka, H.J., and Christiansen, R.L., 1972, Cenozoic volcanism and plate-tectonic evolution of the western United States: Philosophical Transactions of the Royal Society of London, s. A 271, p. 217-248.
- Lipman, P.W., Rowley, P.D., Mehnert, H.H., Evans, S.H., Jr., Nash, W.P., and Brown F.H., 1978, Pleistocene rhyolite of the Mineral Mountains, Utah; geothermal and archaeological significance: U.S. Geological Survey Journal of Research, v. 6, no. 1, p. 133-147.
- Lipman, P.W., Rowley, P.D., Mehnert, H.H., Evans, S.H., Jr., Nash, W.P., and Brown, F.H., 1978, Pleistocene rhyolite of the Mineral Mountains, Utah – geothermal and archeological significance: U.S. Geological Survey Journal of Research, v. 6, no. 1, p. 133-147.
- Lipman, P.W., Rowley, P.D., and Pallister, J.S., 1975, Pleistocene rhyolite of the Mineral Range, Utah geothermal and archeological significance [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 7, p. 1173.
- Loring, A.K., 1972, Temporal and spatial distribution of Basin-Range faulting in Nevada and Utah: Los Angeles, California, University of Southern California, unpublished M.S. thesis, 163 p.
- Lovell, J.S., Meyer, W.T., and Atkinson, D.J., no date, Geology and surface geochemistry of the Roosevelt springs known geothermal resource area, Utah: National Technical Information Service Report, no DOE/ID/12062-TI, 550 p.
- Lovering, T.S., 1965, Some problems in geothermal exploration: Society of Mining Engineers, Transactions, v. 232, no. 3, p. 274-281; also, (excerpts) Mining Engineering, v. 17, no. 9, p. 95-99.
- Lovering, T.S., and Goode, H.D., 1963, Measuring geothermal gradients in drill holes less than 60 feet deep, East Tintic district, Utah: U.S. Geological Survey Bulletin 1172, 48 p.
- Lovering, T.S., and Morris, H.T., 1965, Underground temperatures and heat flow in the East Tintic district, Utah: U.S. Geologic Survey Professional Paper 504-F, p. F1-F28.
- Lowder, G.G., 1973, Late Cenozoic transitional alkali olivine-tholeiitic basalt and andesite from the margin of the Great Basin, southwest Utah: Geological Society of America Bulletin, v. 84, no. 9, p. 2993-3012.

- Luedke, R.G., and Smith, R.L., 1978, Map showing distribution, composition and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming: U.S. Geological Survey Miscellaneous Investigations Series Map I-1091-B, scale 1:1,000,000.
- Lund, J.W., 2004, Geothermal resources and utilization in Utah: Quarterly Bulletin - Oregon Institute of Technology. Geo-Heat Center, v. 25, no. 4, p. 1.
- Lunis, B.C., and Toth, W.J., 1982, State geothermal commercialization programs in seven Rocky Mountain states: semiannual progress report, January-July 1981: National Technical Information Service Report DOE/ID/1 2101-4, 226 p.
- Luth, W.C., and Hardee, H.C., 1980, Comparative assessment of five potential sites for hydrothermal-magma systems; summary: Department of Energy Report DOE/TIC-1 1303, 51 p.
- Lutz, S.J., 2004, Cleaned up and cleaned out - ruined hot spring resorts of Utah: GHC Bulletin v. 25, no. 4.
- Lynch, W.C., and Nash, W.P., 1980, Chemical trends in the Ice Springs basalt, Black Rock Desert, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-12, 96 p.
- Lynne, B. Y., Campbell, K. A., Moore, J. N., and Browne, P. R., 2005, Diagenesis of 1900-year-old siliceous sinter (opal-A to quartz) at Opal Mound, Roosevelt Hot Springs, Utah, U.S.A.: *Sedimentary Geology*, v. 179, no. 3, 249 p.
- Lynne, B.Y., Campbell, K.A., James, B.J., Browne, P.R.L., and Moore, J., 2006, Siliceous sinter diagenesis; order among the randomness: *Proceedings of the New Zealand Geothermal Workshop*, v. 28.
- Lynne, B.Y., Campbell, K.A., James, B.J., Browne, P.R.L., and Moore, J., 2007, Tracking crystallinity in siliceous hot-spring deposits: *American Journal of Science*, v. 307, no. 3, p. 612-641.
- Lynne, B.Y., Campbell, K.A., Moore, J., and Browne, P.R.L., 2004, Siliceous sinter diagenesis at the opal mound, Roosevelt Hot Springs, Utah, USA: *Proceedings of the 26th New Zealand Geothermal Workshop*, p. 12 - 17.
- Lyons, K., 2003, Regulatory guide to geothermal direct use development, Utah: Washington State University Cooperative Extension Energy Program, 15 p.
- Mabey, D.R., and Budding, K.E., 1987, High-temperature geothermal resources of Utah: *Utah Geological and Mineral Survey Bulletin* 123, 64 p.
- Mabey, D.R., and Budding, K.E., 1994, Geothermal resources of southwestern Utah, in Blackett, R.E., and Moore, J.N., editors, *Cenozoic geology and geothermal systems of southwestern Utah*: Utah Geological Association publication 23, p. 1-23.
- Mabey, D.R., Oliver, H.W., and Hildenbrand, T.G., 1983, Regional gravity and magnetic anomalies in the northern Basin and Range Province, in Geothermal Resources Council, compilers, *The role of heat in the development of energy and mineral resources in the northern Basin and Range Province*: Geothermal Resources Council Special Report 13, p. 307-316.

- Mabey, D.R., and Virgin, V., 1980, Composite aeromagnetic map of the Richfield 1x2 degree quadrangle, Utah: U.S. Geological Survey Open-File Report 80-242, scale 1:250,000.
- Mabey, D.R., Zietz, I., Eaton, G.P., and Kleinkopf, M.D., 1978, Regional magnetic patterns in part of the Cordillera in the western United States, in Smith, R.B., and Eaton, G.P., editors, Cenozoic tectonics and regional geophysics of the western Cordillera: Geological Society of America Memoir 152, p. 93-106.
- Machette, M.N., 1982, Guidebook to the late Cenozoic geology of the Beaver basin, south-central Utah: U.S. Geological Survey Open-File Report 82-850, 42 p.
- Machette, M.N., Steven, T.A., Cunningham, C.G., and Anderson, J.J., 1984, Geologic map of the Beaver quadrangle, Beaver and Piute Counties, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map I-1520, scale 1:50,000.
- Mackin, J.H., 1960, Eruptive tectonic hypothesis for origin of Basin-Range structure [abs.]: Geological Society of America Bulletin, v. 71, no. 12, pt. 2, p. 1921.
- Mackin, J.H., 1960, Structural significance of the Tertiary volcanic rocks in southwestern Utah: American Journal of Science, v. 258, no. 2, p. 81-131.
- Mainzer, G.F., 1978, Gravity and aeromagnetic patterns in the Basin and Range-Colorado Plateau transition in southwestern Utah and northwestern Arizona Salt Lake City, University of Utah, unpublished M.S. thesis, 161 p.
- Maldonado, F., and Moore, R.C., 1995, Geologic map of the Parowan quadrangle, Iron County, Utah: U.S. Geological Survey Geologic Quadrangle Map 1762, 1 plate, scale 1:24,000.
- Maldonado, F., Sable, E.G., and Nealey, D.L., 1997, Cenozoic low-angle faults, thrust faults, and anatomosing high-angle faults, western Markagunt Plateau, southwestern Utah, in Maldonado, F. and Nealey, L.D., editors, Geologic studies in the Basin and Range-Colorado Plateau transition zone in southeastern Nevada, southwestern Utah, and northwestern Arizona, 1995: U.S. Geological Survey Bulletin 2153, p. 151-176.
- Marine, I.W., 1960, Geology and ground-water resources of Jordan Valley, Utah: Salt Lake City, University of Utah Department of Geology and Geophysics, Ph. D. thesis, 202 p.
- Marine, I.W., and Price, D., 1963, Selected hydrologic data, Jordan Valley, Salt Lake County, Utah: U.S. Geological Survey, Utah Basic-Data Report no. 4, 30 p.
- Mariner, R.H., Brook, C.A., Reed, M.J., Bliss, J.D., Rapport, A.L., and Lieb, R.J., 1983, Low-temperature geothermal resources in the western United States, in Reed, M.J., editor, Assessment of low-temperature geothermal resources of the United States-1982: U.S. Geological Survey Circular 892, p. 31-50.
- Mariner, R.H., Brook, C.A., Swanson, J.R., and Mabey, D.R., 1978, Selected data for hydrothermal convection systems in the United States with estimated temperatures greater than or equal to 90

degrees C: back-up data for U.S. Geological Survey Circular 790: U.S. Geological Survey Open-File Report 78-858, 493 p.

Mariner, R.H., Presser, T.S., and Evans, W.C., 1977, Chemical, isotopic, and gas compositions of selected thermal springs in Arizona, New Mexico, and Utah: U.S. Geological Survey Open-File Report 77-654, 42 p.

Mariner, R.H., Presser, T.S., and Evans, W.C., 1983, Geochemistry of active geothermal systems in the northern Basin and Range Province, in, Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 95-120.

Marsell, R.E., 1951, Groundwater contamination by saline thermal waters [abs.]: Geological Society of America Bulletin, v. 62, no. 12, pt. 2, p. 1506-1507.

Mase, C.W., 1979, Geophysical study of the Monroe-Red Hill geothermal system: Salt Lake City, University of Utah, unpublished M.S. thesis, 108 p.

Mase, C. W., and Chapman, D. S., 1978, Geophysical study of the Monroe, Utah geothermal system [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 5, p. 233.

Mase, C.W., Chapman, D.S., and Ward, S.H., 1978, Geophysical study of the Monroe-Red Hill geothermal system: University of Utah, Department of Geology and Geophysics Report 77-8, 89 p.

Mathews, M.A., 1979, Log responses from the geothermal calibration test well C/T2: Society of Petroleum Well-Log Analysts, 20th Annual Symposium, Paper 20, v. 2, p. SS1.

Mathews, M.A., and LaDelfe, C.M., 1981, Log comparison and quantification: Transactions of the CWLS Formation Evaluation Symposium, 8th, p. 16.

Matlick, J.S., and Shiraki, M., 1981, Evaluation of the mercury soil mapping geothermal exploration technique: Geothermal Resources Council, Transactions, v. 5, p. 95-98.

Matlick, J.S., and Smith, J.L., 1976, Summary of 1975 geothermal drilling, western United States: Geothermal Energy, v. 4, no. 6, p. 28-31.

Mattson, E.D., Plummer, M., Palmer, C., Hull, L., Miller, C., and Nye, R., 2011, Comparison of Three Tracer Tests at the Raft River Geothermal Site: Prodedings of the Thirty-Sixth Workshop on Geothermal Reservoir Engineering Stanford University, Stanford, California, January 31 - February 2, 2011 SGP-TR-191.

McGreevy, L.J., and Bjorkland, L.J., 1970, Selected hydrologic data, Cache Valley, Utah and Idaho: U.S. Geological Survey, Utah Basic-Data Release no. 21, 51 p.

McHugh, J.B., and Miller, W.R., 1981, Analytical results for 50 water samples from Milford basin, Utah: U.S. Geological Survey Open-File Report 81-729, 15 p.

- McHugh, J.B., and Miller, W.R., 1982, Radon survey of ground waters from Beaver and Milford basins, Utah: U.S. Geological Survey Open-File Report 82-382, 13 p.
- McHugh, J.B., Ficklin, W.H., and Miller, W.R., 1980, Analytical results for 50 water samples from Beaver Valley, Utah: U.S. Geological Survey Open-File Report 80-517, 15 p.
- McHugh, J.B., Ficklin, W.H., and Miller, W.R., 1981, Analytical results for 30 water samples from Mineral Mountains, Utah: U.S. Geological Survey Open-File Report 81-96, 8 p.
- McHugh, J.B., Ficklin, W.H., Miller, W.R., and Preston, D.J., 1981, Analytical and statistical results for 486 water samples from the Richfield 1 x2 degree quadrangle, Utah: U.S. Geological Survey Open-File Report 81-731, 31 p.
- McHugh, J.B., Miller, W.R., and Ficklin, W.H., 1984, Map showing distribution of pH, copper, zinc, fluoride, uranium, molybdenum, arsenic, and sulfate in water, Richfield 1x2 degree quadrangle, Utah: U.S. Geological Survey Miscellaneous Field Studies Map MF-1246-L, scale 1:500,000.
- McHugh, J.B., Motooka, J.M., and Tucker, R.E., 1980, Analytical results for 122 water samples from Mount Belknap Caldera, Utah: U.S. Geological Survey Open-File Report 80-820, 21 p.
- McKinney, D.B., 1978, Annotated bibliography of the geology of the Roosevelt Hot Springs known geothermal area and the adjacent Mineral Mountains, March 1978: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-10, 15 p.
- McNitt, J.R., 1965, Review of geothermal resources (in terrestrial heat flow): American Geophysical Union, Geophysical Monograph Series, no. 8, ch. 9, p. 240-266.
- McPherson, B.J., and Bredehoeft, J.D., 1995, Analysis of over-pressure mechanisms in the Uinta basin, Utah: Proceedings of the TOUGH Workshop '95, Earth Sciences Division, Lawrence Berkeley Laboratory, University of California, Berkeley, California March 20-22, p. 157-162.
- Mehnert, H.H., Rowley, P.D., and Lipman, P.W., 1978, K-Ar ages and geothermal implications of young rhyolites in west-central Utah: Isochron/West, no. 21, p. 3-7.
- Meidav, H.T., and Sanyal, S.K., 1976, Comparison of hydrothermal reservoirs of the western United States, topical report 3: National Technical Information Service Report EPRI-ER-364 (12-76), 174 p.
- Meiji Resource Consultants, 1983, Gravity based interpretive bedrock geology of the Jordan Valley, Salt Lake County, Utah: Utah Geological and Mineral Survey Open-File Report 38, 22 p.
- Meinzer, O.E., 1911, Ground water in Juab, Millard, and Iron Counties, Utah: U.S. Geological Survey Water-Supply Paper no. 227, 162 p.
- Meinzer, O.E., 1924, Origin of the thermal springs of Nevada, Utah, and southern Idaho: Journal of Geology, v. 32, no. 4, p. 295-303.

- Meyer, R.T., and Bronder, L.D., 1980, Evaluation of state taxes and tax incentives and their impact on the development of geothermal energy in western states: Geothermal Resources Council, Transactions, v. 4, p. 739-742.
- Meyer, R.T., Watson L.D., Nasr, L.H., and Gertsch, W.D., 1979, Small business participation in geothermal energy development: recommendations for the geothermal omnibus bill: Geothermal Resources Council, Transactions, v. 3, p. 453-456.
- Micro Geophysics, 1977, Refraction shooting near Roosevelt Hot Springs - data: University of Utah, Department of Geology and Geophysics Report 77-4, 56 p.
- Mifflin, M.D., 1983, Regional hydrology in the northern Basin and Range Province [abs.], in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 9.
- Miller Floral Company, 1977, A demonstration project for geothermal heating of greenhouses, Utah: Utah Roses Incorporated, 16 p.
- Miller, B.M., 1975, The application of trend surface analysis to geothermal and geopressure data in petroleum exploration [abs.]: American Association of Petroleum Geologists and Society of Economic Paleontologists and Mineralogists, Annual Meeting, Abstracts, v. 2, p. 51.
- Miller, C.D., 1976, Alteration and geochemistry of the Monroe known geothermal resource area: Salt Lake City, University of Utah, unpublished M.S. thesis, 120 p.
- Milligan, J.H., 1967, Mineralized springs and their effect on Utah's groundwater supplies, in Groundwater development in arid basins - a symposium: Utah State University, Proceedings, p. 43-50.
- Milligan, J.H., Marsell, R.E., and Bagley, J.M., 1966, Mineralized springs in Utah and their effect on manageable water supplies: Utah State University, Utah Water Research Laboratory Report WG23-6, 50 p.
- Monette, J., Stock, R., and Smith, W., 1991, Prevention of downhole scaling at intermountain geothermal: Geothermal Resources Council Transactions, v. 15 p. 387-390.
- Monroe City, Utah - Municipality, 1977, Proposal for direct utilization of geothermal resources field experiments at Monroe, Utah: Monroe City, P.O. Box A, Monroe, Utah 84754, v. 1 Technical Proposal and v. 2 Business Proposal, 117 p.
- Montgomery, J.R., 1973, Regional gravity study of western Utah: Salt Lake City, University of Utah, unpublished Ph.D. thesis, 142 p.
- Moore, D.W., Nealey, L.D., Rowley, P.D., Hatfield, S.C., Maxwell, D.J., and Mitchell, Eric, 2004, Geologic map of the Navajo Lake quadrangle, Kane and Iron Counties, Utah: Utah Geological Survey Map 199, scale 1:24,000.

- Moore, J.N., 1980, A summary of the geochemistry of the Roosevelt Hot Springs geothermal system, in Nielson, D.L., editor, Geothermal systems in central Utah: Geothermal Resources Council Annual Meeting, Salt Lake City, Utah, Guidebook to Field Trip, no. 7, p 30-35.
- Moore, J.N., 1980, Geology of the Cove Fort-Sulphurdale KGRA, in Nielson, D.L., editor, Geothermal systems in central Utah: Geothermal Resources Council Annual Meeting, Salt Lake City, Utah, Guidebook to Field Trip, no. 7, p. 14-17.
- Moore, J.N., Adams, M.C., Sperry, T.L., Bloomfield, K.K., and Kunzman, R., 2000, Preliminary results of geochemical monitoring and tracer tests at the cove fort-sulphurdale geothermal system, Utah, Proceedings: Twenty-fifth workshop on geothermal reservoir engineering, Stanford University, Stanford, California, January 24-26, 2000.
- Moore, J.N., Capuano, R.M., and Christensen, O.D., 1983, Geochemical indicators of a high-temperature geothermal system [abs.]: Journal of Geochemical Exploration, v. 19, p. 347-348.
- Moore, J.N., and Nielson, D.L., 1994, An overview of the geology and geochemistry of the Roosevelt Hot Springs geothermal system, in Blackett, R.E., and Moore, J.N., editors, Cenozoic geology and geothermal systems of southwestern Utah: Utah Geological Association publication 23, p. 25-37.
- Moore, J.N., Samberg, S.M., and Sibbett, B.S., 1979, Geology of the Cove Fort-Sulphurdale KGRA: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-27, 44 p.
- Morris, H.T., 1978, Preliminary geologic map of Delta two degree quadrangle, west-central Utah: U.S. Geological Survey Open-File Report 78-705, scale 1:250,000.
- Morrison-Knudson, 1982, Utah state prison geothermal well test: Morrison-Knudson Company, Inc., 55 p.
- Mower, R.W., 1963, Selected hydrologic data, Pavant Valley, Millard County, Utah: U.S. Geological Survey, Utah Basic-Data Report no. 5, 20 p.
- Mower, R.W., 1978, Hydrology of the Beaver Valley area, Beaver County, Utah, with emphasis on ground water: Utah Department of Natural Resources Technical Publication 63, 90 p.
- Mower, R.W., and Cordova, R.M., 1973, Ground water in the Milford area, Utah, in Hintze, L.F., and Whelan, J.A., Geology of the Milford area: Utah Geological Association Publication 3, p. 63-71.
- Mower, R.W., and Cordova, R.M., 1974, Water resources of the Milford area, Utah, with emphasis on ground water: Utah Department of Natural Resources, Division of Water Rights, Technical Publication 43, 106 p.
- Mower, R.W., and Feltis, R.D., 1964, Ground-water data, Sevier Desert, Utah: U.S. Geological Survey, Utah Basic-Data Report no. 9, 34 p.
- Mudgett, C.D., 1964, Regional gravity survey of parts of Beaver and Millard Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 19 p.

- Muffler, L.J.P., 1976, Tectonic and hydrologic control of the nature and distribution of geothermal resources: United Nations symposium on the development and use of geothermal resources, 2d, San Francisco, California, 1975, Proceedings, v. 1, p. 499-508.
- Muffler, L.J.P., editor, 1979, Assessment of geothermal resources of the United States — 1978: U.S. Geological Survey Circular 790, 163 p.
- Mundorff, J.C., 1970, Major thermal springs of Utah: Utah Geological and Mineral Survey Water Resources Bulletin 13, 60 p.
- Murillo, M.S.M., 2009, Hydrothermal alteration characterization and stable isotope geochemistry as vectors towards ore near Stockton, Utah: Socorro, New Mexico Institute of Mining and Technology unpublished MS thesis, 91 p., 5 appendices.
- Murphy, Mary, and Entingh, D.J., 1981, Geothermal electric power plant status: Geothermal Resources Council, Transactions, v. 5, p. 607-610.
- Murphy, P.J., 1978, Environmental assessment of proposed shallow temperature gradient holes, northern Utah sites, 1978: Utah Geological and Mineral Survey Open-File Report 26, 17 p.
- Murphy, P.J., 1981, The geologic and hydrogeologic setting of Crystal Hot Springs, a Wasatch Front geothermal system: Geothermal Resources Council, Transactions, v. 5, p. 553-556.
- Murphy, P.J., and Gwynn, J.W., 1979, Geothermal investigation of the Warm Springs fault geothermal system, Salt Lake County, Utah: Utah Geological and Mineral Survey Report of Investigation 140, 33 p.
- Murphy, P.J., and Gwynn, J.W., 1979, Geothermal investigations at Crystal Hot Springs, Salt Lake County, Utah: Utah Geological and Mineral Survey Report of Investigation 139, 91 p.
- Murphy, P.J., and Gwynn, J.W., 1979, Geothermal investigations at selected thermal systems of the northern Wasatch Front, Weber and Box Elder Counties, Utah: Utah Geological and Mineral Survey Report of Investigation 141, 50 p.
- Musslewhite, B., Brown, T., Wendt, G., Johnston, C., and Vance, 2009, Simulated Weathering of Saline and Sodic Mine soils from the Four Corners Region, USA: Arid Land Research and Management, v. 23, no. 1, p. 67-84.
- Nabelek, P.I., 2009, Numerical simulation of kinetically-controlled calc-silicate reactions and fluid flow with transient permeability around crystallizing plutons: American Journal of Science, v. 309, no.7, p. 517-548.
- Nahnybida, T.J., 2006, Halogen and stable chlorine isotope analysis of quartz hosted fluid inclusions from porphyry Cu deposits: University of Alberta, Department of Earth and Atmospheric Sciences, M.S. Dissertation.

- Nahnybida, T, Gleeson, S.A., Rusk, B.G., and Wassenaar, L.I., 2009, C1/Br ratios and stable chlorine isotope analysis of magmatic-hydrothermal fluid inclusions from Butte, Montana and Bingham Canyon, Utah: *Mineralium Deposita*, v. 44, no. 8, p. 837-848 (doi: DOI: 10.1007/s00126-009-0248-0).
- Nash, G., Burberry, C., Moore, J., and Dudley-Murphy, E., 2010, Geothermal Exploration Economic Zone Modeling Utah's Geothermal Corridor Resource Potential: University of Utah Energy and Geoscience Institute.
- Nash, G., and Wright, P.M., 1996, Remote Sensing and Geographic Information Systems (GIS) - Tools for Geothermal Exploration in the Great Basin, U.S.A.: University of Utah Energy and Geoscience Institute.
- Nash, G., Moore, J., Burberry, C., and Dudley-Murphy, E., 2011, Modeling Utah's Geothermal Corridor Resource Potential: University of Utah Energy and Geoscience Institute.
- Nash, G.D., Moore, J.N., and Sperry, T., 2003, Vegetal-spectral anomaly detection at the Cove Fort-Sulphurdale thermal anomaly, Utah, USA: Implications for use in geothermal exploration: *Geothermics*, v. 32, no. 2, p. 109-130 (doi: 10.1016/S0375-6505(03)00012-9).
- Nash, W.P., 1976, Petrology of Quaternary volcanics of the Roosevelt KGRA, and adjoining area, Utah: University of Utah, Publications Board Report 261 549/OST, 99 p.
- Nash, W.P., 1981, Topical report: geologic map of the south Twin Peak-Cove Creek area, west-central Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-38, 5 p., scale 1:24,000.
- Nash, W.P., 1986, Distribution, lithology, and ages of late Cenozoic volcanism on the eastern margin of the Great Basin, west-central Utah: Salt Lake City, University of Utah Research Institute, Earth Science Laboratory Final Report for U.S. Department of Energy, contract DEAC0780 ID12079, DOE/ID/12079-131, 82 p.
- Nash, W.P., and Crecraft, H.R., 1982, Evolution of the Quaternary magmatic system, Mineral Mountains, Utah; interpretations from chemical and experimental modeling: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-74, 50 p.
- Nash, W.P., Crecraft, H.R., and Evans, S.H., Jr., 1980, Volcanism of the Black Rock Desert and Twin Peaks areas, west-central Utah, in Nielson, D.L., editor, Geothermal systems in central Utah: Geothermal Resources Council Annual Meeting, Salt Lake City, Utah, Guidebook to Field Trip, no. 7, p. 36-43.
- Nash, W.P., and Evans, S.H., Jr., 1978, Fluid dynamic properties of rhyolitic magmas, Mineral Mountains, Utah; Part I: volatile content and flow characteristics; Part II: physical properties: University of Utah, Department of Geology and Geophysics Final Report, v. 77-13, 47 p.
- Nash, W.P., and Hausel, W.D., 1975, Mid- and late-Cenozoic volcanism in southwestern Utah [abs.]: *Geological Society of America Abstracts with Programs*, v. 7, no. 7, p. 1210-1211.

- Nash, W.P., Turley, C., Petersen, J., and Brown, F.H., 1978, Volcanism and the regional assessment of geothermal potential in west-central Utah: Geothermal Resources Council, Transactions, v. 2, sec. 2, p. 475-477.
- Nathenson, M., Guffanti, M., Sass, J.H., and Munroe, R.J., 1983, Regional heat flow and temperature gradients, in Reed, M.J., editor, Assessment of low-temperature geothermal resources of the United States-1982: U.S. Geological Survey Circular 892, p. 9-15.
- Nathenson, M., and Muffler, L.J.P., 1975, Geothermal resources in hydrothermal convection systems and conduction-dominated areas, in White, D.E., and Williams, D.L., editors, Assessment of geothermal resources of the United States-1975: U.S. Geological Survey Circular 726, p. 104-121.
- National Renewable Energy Laboratory, 2005, Geothermal Technologies Program - Utah: Washington, D.C, United States Department of Energy, Energy Efficiency and Renewable Energy on-line fact sheet, 2 p.
- Nehring, N.L., and Mariner, R.H., 1979, Sulfate-water isotopic equilibrium temperatures for thermal springs and wells of the Great Basin: Geothermal Resources Council, Transactions, v. 3, p. 485-488.
- Nehring, N.L., Mariner, R.H., White, L.D., Heubener, M.A., Roberts, E.D., Harmon, K.A., Bowen, P.S., and Tanner, L.R., 1979, Sulfate geothermometry of thermal waters in the western United States: U.S. Geological Survey Open-File Report 79-1135, 11 p.
- Nelson, M.G., and Bromfield, C.S., 1979, Annotated geologic bibliography for the Richfield 1x2 degree quadrangle, Utah: U.S. Geological Survey Open-File Report 79-1699, 214 p.
- Nelson, S.T., Mayo, A.L., Gilfillan, S., Dutson, S.J., Harris, R.A., Shipton, Z.K., and Tingey, D.G., 2008, Enhanced fracture permeability and accompanying fluid flow in the footwall of a normal fault: The Hurricane fault at Pah Tempe hot springs, Washington County, Utah: Geological Society of America Bulletin, v. 121, p. 236-246 (doi: 10.1130/B26285.1).
- Newman, G.A., 1983, Detection of conductive bodies in a layered earth using the magnetotelluric method: application to silicic magma bodies: Salt Lake City, University of Utah, unpublished M.S. thesis, 50 p.
- Newman, G.A., Wannamaker, P.E., and Hohmann, G.W., 1983, Detection of conductive bodies in a layered earth using the magnetotelluric method: application to silicic magma bodies: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/I 2079-96, 51 p.
- Nichols, W.D., 1979, Simulation analysis of the unconfined aquifer, Raft River geothermal area, Idaho-Utah: U.S. Geological Survey Water-Supply Paper 2060, 46 p.
- Nielson, D.L., 1978, Radon emanometry as a geothermal exploration technique: theory and an example from Roosevelt Hot Springs KGRA, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-18, 31 p.

- Nielson, D.L., 1979, Program review, geothermal exploration and assessment technology program (including a report of the reservoir engineering group): Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/27002-6, 128 p.
- Nielson, D.L., 1980, Summary of the geology of the Roosevelt Hot Springs geothermal system, Utah, in Nielson, D.L., editor, Geothermal systems in central Utah: Geothermal Resources Council Annual Meeting, Salt Lake City, Utah, Guidebook to Field Trip, no. 7, p. 25-29.
- Nielson, D.L., 2000, Fractured granite geothermal reservoirs: Annual Meeting Expanded Abstracts - American Association of Petroleum Geologists, v. 2000, p. 107.
- Nielson, D.L., Evans, S.H., Jr., and Sibbett, B.S., 1986, Magmatic, structural, and hydrothermal evolution of the Mineral Mountains intrusive complex, Utah: Geological Society of America Bulletin 97, no. 6, p. 765-777.
- Nielson, D.L., and Moore, J.N., 1979, The exploration significance of low-angle faults in the Roosevelt Hot Springs and Cove Fort-Sulphurdale geothermal systems, Utah: Geothermal Resources Council, Transactions, v. 3, p. 503-506.
- Nielson, D.L., Moore, J.N., and Forrest, R.J., 1980, Road log to geothermal systems in central Utah, in Nielson, D.L., editor, Geothermal systems in central Utah: Geothermal Resources Council Annual Meeting, Salt Lake City, Utah, Guidebook to Field Trip, no. 7, p. 44-54.
- Nielson, D.L., Sibbett, B.S., and McKinney, D.B., 1979, Geology and structural control of geothermal system at Roosevelt Hot Springs KGRA, Beaver County, Utah [abs.]: American Association of Petroleum Geologists Bulletin, v. 63, no. 5, p. 836.
- Nielson, D.L., Sibbett, B.S., McKinney, D.B., Hulen, J.B., Moore, J.N., and Samberg, S.M., 1978, Geology of Roosevelt Hot Springs KGRA, Beaver County, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-19, 120 p.
- Nielson, R.L., 1977, The geomorphic evolution of the Crater Hill volcanic field of Zion National Park: Brigham Young University Geology Studies, v. 24, part 1, p. 55-70, 1 plate, scale 1:47,000.
- Nimmons, J.T., Kotz, S., and Metzger, J., 1979, State-by-state analysis of public utility laws affecting geothermal direct heat applications: Energy Studies Project, The Earl Warren Legal Institute, University of California, Berkeley, California, 51 p.
- Noble, D.C., and McKee, E.H., 1972, Description and K-Ar ages of volcanic units of the Caliente volcanic field, Lincoln County, Nevada and Washington County, Utah: Isochron/West, no. 5, p. 17-24.
- O'Connell, M.F., and Kaufmann, R.F., 1976, Radioactivity associated with geothermal waters in the western United States: U.S. Environmental Protection Agency, Technical Note ORP/LV-75-8A, 25 p.
- Oldow, J. S., Geissman, J. W., and Stockli, D. F., 2008, Evolution and Strain Reorganization within Late Neogene Structural Stepovers Linking the Central Walker Lane and Northern Eastern California Shear Zone, Western Great Basin: International Geology Review, v. 50, no. 3, p. 270-290.

- Olson, T.L., 1976, Earthquake surveys of the Roosevelt Hot Springs and the Cove Fort areas, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 80 p.
- Olson, T.L., Sill, W.R., and Smith, R.B., 1976, Integrated geophysics, Roosevelt Hot Springs [abs.]: *Geophysics*, v. 41, no. 2, p. 368.
- Olson, T.L., and Smith, R.B., 1976, Earthquake surveys of the Roosevelt Hot Springs and the Cove Fort areas, Utah: University of Utah, Department of Geology and Geophysics Report, v. 4, 83 p.
- Olson, T.L., and Smith, R.B., 1977, Pleistocene volcanic ash deposits in Utah: *Utah Geology*, v. 4, no. 1, p. 35-42.
- Oregon Institute of Technology (Klamath Falls, Or.), 2004, Geo-Heat Center state geothermal databases Alaska, Arizona, California, Colorado, Idaho, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oregon, South Dakota, Texas, Utah, Washington, Wyoming: Geo-Heat Center, Oregon Institute of Technology, Western States Geothermal Databases CD.
- Orrell, A.C., Kora, A.R., Russo, B.J., Horner, J.A., Williamson, J.L., Weimar, M.R., Gorrissen, W.J., Nesse, R.J., and Dixon, D.R., 2010, Renewable Energy Opportunities at Dugway Proving Ground, Utah: U.S. Department of Energy/Pacific Northwest National Laboratory (PNNL) report PNNL-19436, 14 p., six appendices.
- Osmond, J.C., 1958, Tectonic history of the Basin and Range Province in Utah and Nevada [abs.]: *Mining Engineering*, v. 10, no. 11, p. 1132 and 1134; also, 1960, *Mining Engineering*, v. 12, no. 3, p. 251-265; also, 1960, *Geoscience Abstracts*, v. 2, no. 6, p. 14 (2-1394).
- Otte, Carel, 1980, Overview of geothermal energy developments [abs.]: *American Association of Petroleum Geologists Bulletin*, v. 64, no. 5, p. 761.
- Overton, H.L., and Hanold, R.J., 1977, Geothermal reservoir categorization and stimulation study: National Technical Information Service Report LA-6889-MS, 62 p.
- Oviatt, C.G., 1989, Quaternary geology of part of the Sevier Desert, Millard County, Utah: *Utah Geological and Mineral Survey Special Studies 70*, 41 p.
- Oviatt, C.G., 1991, Quaternary geology of the Black Rock Desert, Millard County, Utah: *Utah Geological and Mineral Survey Special Studies 73*, 23 p.
- Oviatt, C.G., and Nash, W.P., 1989, Late Pleistocene basaltic ash and volcanic eruptions in the Bonneville Basin, Utah: *Geological Society of America Bulletin*, v. 101, no. 2, p. 292-303.
- Pack, F.J., 1927, Structure of thermal springs on the Wasatch fault: *American Journal of Science*, v. 214 (5s, 14), p. 409-418; also, [abs.] *Geological Society of America Bulletin*, v. 38, no. 1, p. 161; also, [abs.], *PanAmerican Geology* 47, p. 155.
- Pack, F.J., and Carrington, A.C., 1921, Geologic and economic resources, Weber County, Utah: *Utah University Bulletin*, v. 11, no. 19, 61 p.

- Palmer, R.N., 2010, Challenges of change — proceedings of the World Environmental and Water Resources Congress 2010, May 16-20, Providence, Rhode Island: Reston, American Society of Civil Engineers, World Environmental and Water Resources Congress.
- Pampeyan, E.H., 1989, Geologic map of the Lynndyl 30- by 60-minute quadrangle, west-central Utah: U.S. Geological Survey Miscellaneous Investigations Series Map I-1830, scale 1:100,000.
- Pankow, K.L., Arabasz, W.J., Pechmann, J.C., and Nava, S.J., 2004, Triggered seismicity in Utah from the 3 November 2002 Denali fault earthquake: Bulletin of the Seismological Society of America, v. 94, no. 6 SUPPL. B., p. S332-S3457.
- Parry, W.T., 1978, Hydrothermal alteration at the Roosevelt Hot Springs thermal area, Utah: Part I. Mineralogy of the clay fraction from cuttings, Thermal Power Co. well Utah State 14-2; Part II. Chemical composition rocks, Thermal Power Co. well Utah State 14-2: University of Utah Department of Geology and Geophysics Technical Report IDO/78-1701-a.1.1.2, unpaginated.
- Parry, W.T., Ballantyne, J.M., and Bryant, N.L., 1980, Hydrothermal alteration enthalpy and heat flow in the Roosevelt Hot Springs thermal area, Utah: Journal of Geophysical Research, v. 85, no. B5, p. 2559-2566.
- Parry, W.T., Ballantyne, J.M., Bryant, N.L., and Dedolph, R.E., 1980, Geochemistry of hydrothermal alteration at the Roosevelt Hot Springs thermal area, Utah: *Geochimica et Cosmochimica acta*, v. 44, no. 1, p. 95-102.
- Parry, W.T., Benson, N.L., and Miller, C.D., 1976, Geochemistry and hydrothermal alteration at selected Utah hot springs: University of Utah, Department of Geology and Geophysics Final Report, v. 3, NSF Grant GI-43741, 131 p.; also, National Technical Information Service Report 264-415/1, 141 p.
- Parry, W.T., Benson, N.L., and Miller, C.D., 2005, Geochemistry and hydrothermal alteration at selected Utah hot springs, Final report: v. 3 (revised).
- Parry, W.T., Bryant, N.L., Dedolph, R.E., Ballantyne, J.M., Ballantyne, G.H., Rohrs, D.T., and Mason J.L., 1978, Hydrothermal alteration at the Roosevelt Hot Springs thermal area, Utah: University of Utah, Department of Geology and Geophysics Final Report IDO/78-1701.a.1.1, 29 p.
- Parry, W.T., and Cleary, M.D., 1978, Na-K-Ca and silica temperature estimates for Utah spring and well waters: University of Utah, Department of Geology and Geophysics Final Report, v. 78-1, 51 p.
- Parry, W.T., Nash, W.P., Bowman, J.R., Ward, S.H., Whelan, J.A., Bryant, N.L., Deodolph, R.E., Evans, S.H., Jr., and Bowers, Dale, 1977, Geology and geochemistry of the Roosevelt Hot Springs thermal area, Utah - Part I, a summary: University of Utah, Department of Geology and Geophysics Report 77-2, 12 p.
- Parry, W.T., Nash, W.P., and Ward, S.H., 1977, Part III - Roosevelt Hot Springs area field trip: Earth Science Laboratory/University of Utah Research Institute Report 77-2, 11 p.
- Pe, Win, 1980, Gravity survey of the Escalante Desert and vicinity, in Iron and Washington Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 151 p.

- Pe, Win, and Cook, K.L., 1980, Gravity survey of the Escalante Desert and vicinity, in Iron and Washington Counties, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-14, 169 p.
- Pe, Win, and Cook, K.L., 1980, Principal facts for gravity stations: Escalante Desert and vicinity, Iron and Washington Counties, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/ED/GG-1, 3 p.
- Peale, A.C., 1872, Report on minerals, rocks and thermal springs: U.S. Geologic and Geographic Survey Territory (Hayden) 5th Annual Report, p.165-168.
- Peale, A.C., 1886, List and analyses of the mineral springs of the United States (a preliminary study): U.S. Geological Survey Bulletin 32, p. 185-187.
- Penta, Francesco, 1960, Natural vapors (endogene forces), state of research and considerations (discussion): Bulletin of Volcanology, v. 23, set. 2, p. 219-235.
- Pera, E.M., 1978, Leasable mineral and waterpower land classification map of the Richfield 1 x 2 degree quadrangle, Utah: U.S. Geological Survey Miscellaneous Investigation Series Map 1-1 104, scale 1:250,000.
- Pera, E.M., 1978, Leasable mineral and waterpower land classification map of the Salt Lake City 1 x 2 degree quadrangle, Utah and Wyoming: U.S. Geological Survey Miscellaneous Investigation Series Map 1-1105, scale 1:250,000.
- Pera, E.M., Smedley, J.E., and Curtis, N.L., 1977, Leasable mineral and waterpower land classification map of the Tooele quadrangle, Utah: U.S. Geological Survey Open-File Report 77-602, scale 1:250,000.
- Pera, E.M., Smedley, J.E., and Flot, T.R., 1978, Leasable mineral and waterpower land classification map of the Brigham City quadrangle, Utah, Idaho: U.S. Geological Survey Open-File Report 78-337, scale 1:250,000.
- Pera, E.M., Smedley, J.E., Simpson, L.A., and Lutz, G.A., 1976, Leasable mineral and waterpower land classification map of the Cedar City quadrangle, Utah: U.S. Geological Survey Open-File Report 76-828, scale 1:250,000.
- Peters, Lisa, 2002, $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology results from the Veyo quadrangle and the Bull Valley Mountains: New Mexico Geochronology Research Laboratory internal report NMGRL-IR-284, 7 p.
- Petersen, C.A., 1973, Roosevelt and Thermal Hot Springs, Beaver County, Utah, in Hintze, L.F., and Whelan, J.A., Geology of the Milford area: Utah Geological Association Publication 3, p. 73-74.
- Petersen, C.A., 1975, Geology and geothermal potential of the Roosevelt Hot Springs area, Beaver County, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 50 p.

- Petersen, C.A., 1975, Geology of the Roosevelt Hot Springs area, Beaver County, Utah: Utah Geological and Mineral Survey, Utah Geology, v. 2, no. 2, p. 109-116.
- Peterson, D.L., 1972, Complete Bouguer gravity anomaly map of parts of Beaver, Iron, and Millard Counties, southwestern Utah: U.S. Geological Survey Open-File Report 72-297, scale 1:250,000.
- Peterson, D.L., 1974, Principal facts for gravity stations, in parts of Beaver, Iron, and Millard Counties: U.S. Geological Survey Open-File Report 74-298, 9 p.
- Peterson, J.B., 1979, Petrologic study of the Fumarole Butte volcanic complex Salt Lake City, University of Utah, unpublished M.S. thesis, 63 p.
- Peterson, J.B., and Nash, W.P., 1980, Studies in late Cenozoic volcanism in west-central Utah — Part 2, Geology and petrology of the Fumarole Butte volcanic complex, Utah: Utah Geological and Mineral Survey Special Studies 52, p. 34-58.
- Peterson, J.B., Turley, C.H., Nash, W.P., and Brown, F.H., 1978, Late Cenozoic basalt-rhyolite volcanism in west-central Utah [abs.]: Geological Society of America Abstracts with Programs, v. 10, no. 5, p. 236.
- Petrick, W.E., 1976, Test electromagnetic soundings, Roosevelt Hot Springs KGRA: University of Utah, Department of Geology and Geophysics Technical Report TR-74-1, NSF/RA-760367, 21 p.
- Phelps, P.L., Ermak, D.L., Anspaugh, L.R., Jackson, C.D., and Miller, L.A., 1978, Preliminary environmental assessments of known geothermal resource areas in the United States: Geothermal Resources Council, Transactions, v. 2, p. 523-526.
- Phillips Petroleum Company, 1976, Selected water analyses of Roosevelt KGRA: unpublished report, 1 p.
- Phillips Petroleum Company, 1979, Cove-Fort microearthquake survey-senturian telmo survey: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/STS, unpaginated.
- Phillips Petroleum Company, 1980, Plan of operation for Roosevelt Hot Springs geothermal project 20 MW (net) power plant, Beaver County, Utah: Phillips Petroleum Company Geothermal Operations, Salt Lake City, Utah, 122 p.
- Phoenix Geophysics, Incorporated, 1976, Report on the reconnaissance resistivity survey on the Cove Fort Prospect, Beaver and Millard Counties, Utah, for Union Oil Company of California: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-1.4, 7 p.
- Pollard, D.D., 1978, Pressurized fractures in hot rock: U.S. Geological Survey Professional Paper 1100, 199 p.
- Potter, R.W., II, Shaw, D.R., and Haas, J.L., Jr., 1975, Annotated bibliography of studies on the density and other volumetric properties for major components in geothermal waters 1928-1974: U.S. Geological Survey Bulletin 1417, 78 p.

- Price, D., 1980, Map showing general chemical quality of surface water in the Richfield quadrangle, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map 1-1234, scale 1:250,000.
- Price, D., 1981, Map showing general chemical quality of ground water in the Richfield quadrangle, Utah: U.S. Geological Survey Miscellaneous Investigations Series Map 1-1374, scale 1:250,000.
- Pringle, C. M. 2001, Hydrologic Connectivity and the Management of Biological Reserves: A Global Perspective, *Ecological Applications*, v. 11, no. 4, p. 981-998.
- Pritchett, J.W., 2004, Finding Hidden Geothermal Resources in the Basin and Range Using Electrical Survey Techniques: A Computational Feasibility Study: US. Department of Energy/Idaho National Laboratory (INL) .
- Pryfogle, P.A., 2005, Monitoring Biological Activity at Geothermal Power Plants: Idaho National Laboratory report INL/EXT-05-00803, 49 p.
- Pryfogle, P.A., Mines, G.L., Sperry, T.L., and Allred, R.G., 2002, Investigation of an electrochemical monitor for tracking biofilm development at the Bonnett Geothermal Plant, Cove Fort, Utah.
- Pushkar, Paul, and Condie, K.C., 1973, Origin of the Quaternary basalt from the Black Rock Desert region, Utah - strontium isotopic evidence: *Geological Society of America Bulletin*, v. 84, no. 3, p. 1053-1057.
- Putman, S.N., 2003, Analysis of air and ground temperatures for detecting climate change: Salt Lake City, Utah, University of Utah, Department of Geology and Geophysics, Ph.D. Dissertation.
- Randall, K. L., 2009, A geologic and hydrochemical investigation of the suitability of central Utah's Navajo Sandstone for the disposal of saline process water and CO₂, Logan, Utah: Utah State University Merrill-Cazier Library, M.S. thesis.
- Rasband, J.L., 1981, Summary of Utah Power and Light Company geothermal activities: Fifth Annual Stanford Geothermal Conference and Workshop, Proceedings, p. 3.3-3.7.
- Rasband, J.L., 1982, Wellhead geothermal development activities: Roosevelt Hot Springs geothermal reservoir: Sixth Annual Stanford Geothermal Conference and Workshop, Proceedings, p. 2.1-2.2.
- Rasband, J.L., 1983, Roosevelt Hot Springs, Utah: geothermal power developments: *Transactions of the American Nuclear Society*, v. 45, p. 10-11.
- Redmond, P.B., 2002, Magmatic-hydrothermal fluids and copper-gold ore formation at Bingham Canyon, Utah: Stanford University, Department of Geological and Environmental Sciences, Ph.D. Dissertaion.
- Redmond, P.B., and Einaudi, M.T., 2001, Temporal evolution of the intrusive-hydrothermal system at the Bingham Pophyry Cu-Au-Mo deposit, Utah, Proceedings of the Eleventh Annual V.M. Goldschmidt Conference, May 1, 2001.

- Redmond, P.B., Einaude, M.T., Inan, E.E., Landtwing, M.R., and Heinrich, C.A., 2004, Copper deposition by fluid cooling in intrusion-centered systems: New insights from the Bingham porphyry ore deposit, Utah: *Geology*, v. 32, no. 3, p. 217-220 (doi: 10.1130/G19986.1).
- Reed, M.J., 1977, Geochemical comparison of deep geothermal waters in North America [abs.]: *Geological Society of America Abstracts with Programs*, v. 9, no. 7, p. 1138.
- Reed, M.J., editor, 1983, Assessment of low-temperature geothermal resources of the United States — 1982: U.S. Geological Survey Circular 892, 73 p.
- Reed, M.J., Mariner, R.H., Brook, C.A., and Sorey, M.L., 1983, Selected data for low-temperature (less than 90 degrees C) geothermal systems in the United States; reference data for U.S. Geological Survey Circular 892: U.S. Geological Survey Open-File Report 83-250, 132 p.
- Reed, M.J., and Sorey, M.L., 1981, Low-temperature geothermal resource assessment of the United States - a progress report: *Geothermal Resources Council Bulletin*, v. 10, no. 6, p. 11-14.
- Reimer, G.M., 1979, Reconnaissance survey of helium in soil gas in the eastern half of Richfield 1 x 2 degree quadrangle, Utah: U.S. Geological Survey Open-File Report 79-1686, 8 p.
- Reimer, G.M., Roberts, A.A., and Denton, E.H., 1976, The use of helium detection to locate energy resources [abs.]: *Geological Society of America Abstracts with Programs*, v. 8, no. 6, p. 1063-1064.
- ReMillard, M.D., Herbert, L.R., Birdwell, G.A., and Lockner, T.K., 1992, Water resources data - Utah water year 1991: U.S. Geological Survey Water-Data Report UT-91-1, 375 p.
- Renner, J.L., and Galyardt, G.L., 1976, Hydrothermal convection systems in Utah, in Renner, J.L., editor, Selected geothermal resources data: hydrothermal convection systems in the states of Alaska, Arizona, California, Colorado, Hawaii, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, and Wyoming: National Technical Information Service Report PB 250-377, p. 324-334.
- Renner, J.L., White, D.E., and Williams, D.L., 1975, Hydrothermal convection systems, in White, D.E., and Williams, D.L., editors, Assessment of geothermal resources of the United States-1975: U.S. Geological Survey Circular 726, p. 5-57.
- Rey, K.A., Thompson, S.M., Curtis, B.Y., White, R.C., and Emerman, S.H., 2009, Arsenic and other heavy metals in swimming pools fed by hot springs in Utah Valley and the Wasatch Range: *Geological Society of America Abstracts with Programs*, v. 41, no. 6., p. 10.
- Richardson, G.B., 1906, Underground water in the valleys of Utah Lake and Jordan River, Utah: U.S. Geological Survey Water-Supply Paper 157, 81 p.
- Richardson, G.B., 1907, Underground water in Sanpete and central Sevier Valleys, Utah: U.S. Geological Survey Water-Supply Paper 199, 63 p.
- Ritzma, H.R., 1972, Six Utah hingeline wells, in Baer, J.L., and Callaghan, Eugene, editors, Plateau-Basin and Range transition zone, central Utah: Utah Geological Association, Publication 2, p. 75-80.

- Roberson-Tait, A., and Lovekin, J.W., 2000, Potential sites and experiments for enhanced geothermal systems in the Western United States: Transactions - Geothermal Resources Council, v. 24, p. 169-174.
- Robinson, G.B., Jr., 1968, Selected hydrologic data, San Pitch River drainage basin, Utah: U.S. Geological Survey, Utah Basic-Data Release no. 14, 44 p.
- Robinson, Russel, and Iyer, H.M., 1979, Evidence from teleseismic P-wave observations for a low velocity body under the Roosevelt Hot Springs Geothermal Area, Utah: Geothermal Resources Council, Transactions, v. 3, p. 585-586.
- Robinson, Russel, and Iyer, H.M., 1981, Delineation of a low-velocity body under the Roosevelt Hot Springs geothermal area, Utah, using teleseismic P-wave data: Geophysics, v. 46, no. 10, p. 1456-1466.
- Rockwell, B.W., Cunningham, C.G., Breit, G.N., and Rye, R.O., 2006, Spectroscopic mapping of the white horse alunite deposit, Marysville volcanic field, Utah: Evidence of a magmatic component: Economic Geology, v. 101, no. 7, p. 1377-1395 (doi: 10.2113/gsecongeo.101.7.1377).
- Rockwell, B.W., Cunningham, C.G., Charles, G., Rye, R.O., Kunk, M.J., and Councell, T.B., 2002, Mapping miocene hydrothermal systems and associated mine sites in the antelope range, Marysville Volcanic Field, Utah, using Aviris spectroscopic remote sensing, stable isotopes, argon dating, x-ray diffraction, and ICP-MS: Denver 2002 Annual Meeting, October 27-30, 2002.
- Rodriguez, E.L., 1960, Economic geology of the sulfur deposits at Sulphurdale, Utah, Salt Lake City, University of Utah, unpublished M.S. thesis, 74 p.
- Rogers, H.I., 1978, Financing and construction of a commercial geothermal power plant in Utah: Geothermal Resources Council Conference on Commercialization of Geothermal Resources, San Diego, California, p. 39-42.
- Rohrs, D.T., 1980, A light stable isotope study of the Roosevelt Hot Springs thermal area, southwestern Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 94 p.
- Rohrs, D.T., and Bowman, J.R., 1980, A light stable isotope study of the Roosevelt Hot Springs thermal area, southwestern Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-46, 89 p.
- Rohrs, D.T., and Parry, W.T., 1978, Hydrothermal alteration at the Roosevelt Hot Springs thermal area, Utah; Thermal Power Co. well Utah State 72-16: University of Utah, Department of Geology and Geophysics Topical Report IDO/ 78-1701.a. 1.1.3, 23 p.
- Ross, H.P., 1979, Numerical modeling and interpretation of dipole-dipole resistivity and IP profiles Cove Fort-Sulphurdale KGRA, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-37, 39 p.

- Ross, H.P., Blackett, R.E., and Shubat, M.A., 1991, Exploring for concealed hydrothermal resources using the self-potential method, Escalante Desert, Utah: Geothermal Resources Council Transactions, v. 15. p. 279-287.
- Ross, H.P., Blackett, R.E., and Shubat, M.A., 1991, Wood Ranch thermal anomaly, Iron County, Utah, self-potential survey and fluid chemistry: Utah Geological Survey Miscellaneous Publication 91-4, 21 p.
- Ross, H.P., Blackett, R.E., and Sperry, T.L., 1997, Self-potential and electrical resistivity studies of the Cove Fort-Sulphurdale geothermal system, Utah: Geothermal Resources Council Transactions, v.21, p.255-261.
- Ross, H.P., Blackett, R.E., and Witcher, J.C., 1995, The self-potential method - cost-effective exploration for moderate-temperature geothermal resources: Proceedings, World Geothermal Congress, 1995, Florence, Italy, v. 2, p. 875-879.
- Ross, H.P., Blackett, R.E., Forster, C.B., and Snelgrove, Stephen, 1994, A model for sustainable development - the Newcastle, Utah geothermal resource, in Blackett, R.E., and Moore, J.N., editors, Cenozoic geology and geothermal systems of southwestern Utah: Utah Geological Association publication 23, p. 69-79.
- Ross, H.P., Blackett, R.E., Forster, C.B., and Snelgrove, Stephen, 1994, A model for sustainable development the Newcastle, Utah geothermal resource: Geothermal Resources Council Transactions, v. 18, p. 631-640.
- Ross, H.P., Blackett, R.E., Shubat, M.A., and Gloyn, R.W., 1993, Self-potential and fluid chemistry studies of the Meadow-Hatton and Abraham Hot Springs, Utah: Geothermal Resources Council Transactions, v. 17, p. 167-174.
- Ross, H.P., Blackett, R.E., Shubat, M.A., and Mackelprang, C.E., 1990, Delineation of fluid up-flow and outflow plume with electrical resistivity and self-potential data, Newcastle geothermal area, Utah: Geothermal Resources Council Transactions, v. 14, p.1531-1536.
- Ross, H.P., and Moore, J.N., 1985, Geophysical investigations of the Cove Fort-Sulphurdale geothermal system, Utah, in Blackett, R.E., and Moore, J.N., editors, Cenozoic geology and geothermal systems of southwestern Utah: Utah Geological Association publication 23, p. 45-59.
- Ross, H.P., and Moore, J.N., 1985, Geophysical investigations of the Cove Fort-Sulphurdale geothermal system, Utah: Geophysics, v. 50, no. 11, p. 1732-1745.
- Ross, H.P., Moore, J.N., and Christensen, O.D., 1982, The Cove Fort-Sulphurdale KGRA, a geologic and geophysical case study: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/I 2079-64, 47 p.
- Ross, H.P., Nielson, D.L., and Glenn, W.E., 1981, Roosevelt Hot Springs, Utah geothermal resource; integrated case study [abs.]: American Association of Petroleum Geologists Bulletin, v. 65, no. 5, p. 982.

- Ross, H.P., Nielson, D.L., and Moore, J.N., 1982, Roosevelt Hot Springs geothermal system, Utah - case study: American Association of Petroleum Geologists Bulletin, v. 66, no. 7, p. 879-902.
- Rowan, L.C., Podwysoki, M.H., and Offield, T.W., 1983, Analysis of lineaments in the Great Basin - relationship to geothermal resources, in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 317-318.
- Rowley, P.D., 1978, Geologic map of the Thermo 15-minute quadrangle, Beaver and Iron Counties, Utah: U.S. Geological Survey, Geological Quadrangle Map GQ-1493, scale 1:62,500.
- Rowley, P.D., Anderson, J.J., and Williams, P.L., 1975, A summary of Tertiary volcanic stratigraphy of the southwestern High Plateaus and adjacent Great Basin, Utah: U.S. Geological Survey Bulletin 1405-B, 20 p.
- Rowley, P.D., Cunningham, C.G., and Kaplan, A.M., 1981, Geologic map of the Monroe SE quadrangle, Sevier and Piute Counties, Utah: U.S. Geological Survey Miscellaneous Field Studies Map MF-1331, scale 1:24,000.
- Rowley, P.D., Cunningham, C.G., Steven, R.A., Mehnert, H.H., and Naeser, C.W., 1985, Geologic map of the Antelope Range quadrangle, Sevier and Piute Counties, Utah: Utah Geological and Mineral Survey Open-File Report 81, 52 p., scale 1:24,000.
- Rowley, P.D., and Lipman, P.W., 1975, Geological setting of the Thermo KGRA (known geothermal resource area), Beaver County, Utah [abs.]: Geological Society of America Abstracts with Programs, v. 7, no. 7, p. 1254.
- Rowley, P.D., Lipman, P.W., Mehnert, H.H., Lindsey, D.A., and Anderson, J.J., 1978, Blue Ribbon lineament, an east-trending structural zone within the Pioche mineral belt of southwestern Utah and eastern Nevada: U.S. Geological Survey Journal of Research, v. 6, no. 2, p. 175-192.
- Rowley, P.D., Steven, T.A., and Kaplan, A.M., 1981, Geologic map of the Monroe NE quadrangle, Sevier County, Utah: U.S. Geological Survey Miscellaneous Field Studies Map MF-1330, scale 1:24,000.
- Rowley, P.D., Steven, T.A., and Mehnert, H.H., 1980, Pliocene rhyolite in the Sevier Plateau, Utah [abs.], in Geological Survey research 1979: U.S. Geological Survey Professional Paper 1150, p. 73.
- Rowley, P.D., Steven, T.A., and Mehnert, H.H., 1981, Origin and structural implications of Pliocene and upper Miocene rhyolite in Kingston Canyon, Piute County, Utah: Geological Society of America Bulletin, v. 92, no. 8, p. 590-602.
- Rowley, P.D., Steven, T.A., Anderson, J.J., and Cunningham, C.G., 1979, Cenozoic stratigraphic and structural framework of southwestern Utah: U.S. Geological Survey Professional Paper 1149, 22 p.
- Rowley, P.D., and Threet, R.L., 1976, Geologic map of the Enoch quadrangle, Iron County, Utah: U.S. Geological Survey Geologic Quadrangle Map GQ-1296, scale 1:24,000; modified by P.D. Rowley, 2003.

- Rowley, P.D., Vice, G.S., McDonald, R.E., Anderson, J.J., Machette, M.N., Maxwell, D.J., Ekren, E.B., Cunningham, C.G., Steven, T.A., and Wardlaw, B.R., 2005, Interim geologic map of the Beaver 30'x60' quadrangle, Beaver, Piute, Iron, and Garfield Counties, Utah: Utah Geological Survey Open-File Report 454, 27 p., 1 plate, scale 1:100,000.
- Rowley, P.D., Williams, V.S., Vice, G.S., Maxwell, D.J., Hacker, D.B., Snee, L.W., and Mackin, J.H., 2006, Interim geologic map of the Cedar City 30' x 60' quadrangle, Iron and Washington Counties, Utah: Utah Geological Survey Open-File Report 476DM.
- Roxlo, K.S., 1980, Uranium geochemistry of the Roosevelt Hot Springs thermal area, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 62 p.
- Ruble, T.E., Lewan, M.D., and Philp, R.P., 2001, New insights on the Green River petroleum system of the Uinta Basin from Hydrous pyrolysis experiments: American Association of Petroleum Geologists Bulletin, v. 85, no. 8, p. 1333-1371.
- Rudisill, J.M., 1978, Case history: the completion of a shallow, over-pressured geothermal well: Geothermal Resources Council, Transactions, v. 2, sec. 2, p. 587-590.
- Ruscetta, C.A., editor, 1982, Geothermal direct heat program, round up technical conference proceedings, volume II: Bibliography of publications: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-72, p. 60.
- Rush, F.E., 1977, Subsurface-temperature data for some wells in western Utah: U.S. Geological Survey Open-File Report 77-132, 36 p.
- Rush, F.E., 1983, Reconnaissance of the hydrothermal resources of Utah: U.S. Geological Survey Professional Paper 1044-H, p. HI-H49.
- Rush, F.E., Hart, I.M., Whitfield, M.S., Giles, T.F., and D'Epagnier, T.E., 1980, Results of hydraulic tests in wells DOE-1, 2, 3, Salt Valley, Grand County, Utah: U.S. Geological Survey Open-File Report 80-205, 38 p.
- Rye, R.O., 2000, A review of the stable isotope geochemistry of sulfate minerals in volcanic environments and related hydrothermal systems: Abstracts with Programs - Geological Society of America, v. 32, no. 7, p. 47-48.
- Sable, E.G., and Hereford, R., 2004, Geologic map of the Kanab 30' x 60' quadrangle, Utah and Arizona: U.S. Geological Survey Geologic Investigations Series I-2655, scale 1:100,000.
- Samberg, S.M., 1980, Geologic framework of the Monroe-Red Hill geothermal system, Utah, in Nielson, D.L., editor, Geothermal systems in central Utah: Geothermal Resources Council Annual Meeting, Salt Lake City, Utah, Guidebook to Field Trip, no. 7, p. 1-5.
- Sammel, E.A., 1979, Occurrence of low-temperature geothermal waters in the United States, in Muffler, L.J.P., editor, Assessment of geothermal resources of the United States-1978: U.S. Geological Survey Circular 790, p. 86-131.

- Sandberg, G.W., 1963, Ground-water data Beaver, Escalante, Cedar City, and Parowan Valleys parts of Washington, Iron, Beaver, and Millard Counties, Utah: U.S. Geological Survey, Utah Basic-Data Report no. 6, 26 p.
- Sandberg, S.K., 1980, Controlled-source audiomagnetotellurics in geothermal exploration: Salt Lake City, University of Utah, unpublished M.S. thesis, 85 p.
- Sandquist, G.M., Rogers, V.C., and Betts, J.F., 1972, Prospective nuclear-stimulated geothermal resources in Utah: American Nuclear Society, Transactions, v. 15, no. 2, p. 622-623.
- Sargent, K.A., and Bedinger, M.S., 1985, Geologic and hydrologic characterization and evaluation of the Basin and Range Province relative to the disposal of high-level radioactive waste, Part II, Geologic and hydrologic characterization: U.S. Geological Survey Circular 904-B, 30 p.
- Sargent, K.A., and Hansen, D.E., 1976, General geology and mineral resources of the coal area of south-central Utah: U.S. Geological Survey Open-File Report 76-811, 122 p.
- Sass, J.H., Blackwell, D.D., Chapman, D.S., Costain, J.K., Decker, E.R., Lawver, L.A., and Swanberg, C.A., 1981, Heat flow from the crust of the United States, in Touloukian, Y.S., Judd, W.R., and Roy, R.F., editors, Physical properties of rocks and minerals: New York, McGraw-Hill, p. 503-548.
- Sass, J.H., Diment, W.H., Lachenbruch, A.H., Marshall, B.V., Munroe, R.J., Moses, T.H., Jr., and Urban, T.C., 1976, A new heat-flow contour map of the conterminous United States: U.S. Geological Survey Open-File Report 76-756, 24 p.
- Sass, J.H., and Lachenbruch, A.H., 1979, Heat flow and conduction-dominated thermal regimes, in Muffler, L.J.P., editor, Assessment of geothermal resources of the United States-1978: U.S. Geological Survey Circular 790, p. 8-11.
- Sass, J.H., Lachenbruch, A.H., and Smith, E.P., 1983, Temperature profiles from Salt Valley, Utah, thermal conductivity of 10 samples from drill hole DOE 3, and preliminary estimates of heat flow: U.S. Geological Survey Open-File Report 83-455, 21 p.
- Sass, J.H., Lachenbruch, A.H., and Smith, E.P., 1983, Thermal data from well GD-1, Gibson Dome, Paradox Valley, Utah: U.S. Geological Survey Open-File Report 83-476, 15 p.
- Sass, J.H., Lachenbruch, A.H., Munroe, R.J., Greene, G.W., and Moses, T.H., Jr., 1971, Heat flow in the western United States: Journal of Geophysical Research, v. 76, no. 26, p. 6376-6413.
- Sass, J.H., and Munroe, R.J., 1974, Basic heat-flow data from the United States: U.S. Geological Survey Open-File Report 74-9, 426 p.
- Sass, J.H., and Walters, M.A., 1999, Thermal regime of the Great Basin and its implications for enhanced geothermal systems and off-grid power: Transactions - Geothermal Resources Council, v. 23, p. 211-218.

Savino, J.M., Rodi, W.L., and Masso, J.F., 1982, Inversion modeling of multiple geophysical data sets for geothermal exploration: application to Roosevelt Hot Springs area - final report: National Technical Information Service Report DOE/ID/12067-13, 119 p.

Sawyer, R.F., 1977, Gravity and ground magnetic surveys of the Thermo Hot Springs KGRA Region, Beaver County, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 142 p.

Sawyer, R.F., and Cook, K.L., 1977, Gravity and ground magnetic surveys of the Thermo Hot Springs KGRA region Beaver County, Utah: University of Utah, Department of Geology and Geophysics Technical Report, v. 77-6, 42 p.

Saxon, F.C., 1972, Water-resource evaluation of Morgan Valley, Morgan County, Utah: Salt Lake City, University of Utah unpublished M.S. thesis, 118 p.

Schaefer, D.H. Thiros, S.A., and Rosen, M.R., 2005, Ground-water quality in the carbonate-rock aquifer of the Great Basin, Nevada and Utah, 2003: Scientific Investigations Report, SIR 2005-5232.

Schaff, S.C., 1981, Seismic monitoring and potential for induced seismicity at Roosevelt Hot Springs, Utah and Raft River, Idaho [abs.], in Seismological Society of America, 76th annual meeting: Earthquake Notes, v. 52, no. 1, p. 30.

Schamel, S., 2009, Shallow, immobile oil resources of the Uinta Basin, Utah: Abstracts: annual Meeting - American Association of Petroleum Geologists, 2009.

Scheppy, R.A., Walker, J.D., Black, R.A., and Kamola, D.L., 1999, Mapping irregular canyon walls with GIS and GPS, Tuscher canyon, Utah: Abstracts with Programs - Geological Society of America, v. 31, no. 7, p. 192.

Schiefelbein, I.M., 2002, Fault segmentation, fault linkage, and hazards along the Sevier fault, southwestern Utah: Las Vegas, University of Nevada at Las Vegas, M.S. thesis, 134 p., 5 plates.

Schima, S., Wilt, M., and Ross, H., 1995, Modeling self-potential data in the Abraham and Meadow-Hatton geothermal systems — the search for upflow zones: Geothermal Resources Council Transactions, v. 19, p. 229.

Schmoker, J.W., 1972, Analysis of gravity and aeromagnetic data, San Francisco Mountains and vicinity, southwestern Utah: Utah Geological and Mineral Survey Bulletin 98, 24 p.

Scholz, C.H., Barazangi, M., and Sbar, M.L., 1971, Late Cenozoic evolution of the Great Basin, western United States, as an ensailic interarc basin: Geological Society of America Bulletin, v. 82, no. 11, p. 2979-2990.

Schubert, G., and Anderson, O.L., 1974, The earth's thermal gradient: Physics Today, v. 27, no. 3, p. 28-34.

Schufle, J.A., 1963, Minerals and energy sources in the west, in Hodge, Carle, editor, Aridity and man; the challenge of the arid lands in the United States: American Association for the Advancement of Science Publication 74, p. 173-213.

- Seismic Exploration Incorporated, 1977, Getty Oil Company surface geophysical surveys, Roosevelt Hot Springs: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/GOC-1.2, unpaginated.
- Selk, D.C., 1976, Crustal and upper-mantle structures in Utah as determined by gravity profiles: Salt Lake City, University of Utah unpublished Master thesis, 81 p.
- Senterfit, R.M., and Bedinger, G.M., 1976, Audiomagnetotelluric data log, station location map and skin depth pseudo-sections, Crater Hot Springs known geothermal resource area, Utah: U.S. Geological Survey Open-File Report 76-245, 3 p.
- Serpa, L.F., 1980, Detailed gravity and aeromagnetic surveys in the Black Rock Desert area, Utah, Salt Lake City, University of Utah, unpublished M.S. thesis, 210 p.
- Serpa, L.F., and Cook, K.L., 1979, Detailed gravity and aeromagnetic surveys in the Black Rock Desert area, Utah [abs.]: Society of Exploration Geophysicists, Annual International Meeting, Abstracts 49, p. 106-107; also, 1980, Earth Science Laboratory/University of Utah Research Institute Report IDO/DOE/ET/28392/39, 210 p.
- Shannon, S.S., Jr., Goff, F.E., Rowley, J.C., Pettitt, R.A., and Vuataz, F.D., 1983, Roosevelt Hot Springs/hot dry rock prospect and evaluation of the Acord 1-26 well: Geothermal Resources Council, Transactions, v. 7, p. 541-544.
- Shannon, S.S., Jr., Pettitt, R.A., Rowley, J.C., Goff, F.E., Mathews, M.A., and Jacobson, J.J., 1983, Acord 1-26 hot, dry well, Roosevelt Hot Springs hot dry rock prospect, Utah: Los Alamos National Laboratory Report LA-9857-HDR, 16 p.
- Shawe, D.R., 1972, Reconnaissance geology and mineral potential of Thomas, Keg, and Desert calderas, central Juab County, Utah: U.S. Geological Survey Professional Paper 800-B, p. B67-B77.
- Shirley, Kathy, 1984, Utah prison turns to geothermal: American Association of Petroleum Geologists Explorer, v. 5, no. 15, p. 28-29.
- Sibbett, B.S., and Nielson, D.L., 1980, Geology of the central Mineral Mountains, Beaver County, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-40, 42 p.
- Sibbett, B.S., and Nielson, D.L., 1980, Geology of the central Mineral Mountains, Beaver County, Utah: U.S. Department of Energy DOE/ET/28392-40, 42 p., scale 1:24,000.
- Siders, M.A., Rowley, P.D., Shubat, M.A., Christenson, G.E., and Galyardt, G.L., 1990, Geologic map of the Newcastle quadrangle, Iron County, Utah: U.S. Geological Survey Geologic Quadrangle Map GQ-1690, scale 1:24,000.
- Sidle, W.C., 1984, Carbon monoxide as a geothermal indicator at Meadow-Hatton KGRA, west-central Utah: Geothermal Resources Council Bulletin, v. 13, no. 6, p. 13-18.

- Sifford, Alex, 1981, Legal treatment of geothermal resources in BPA marketing area states: Geothermal Resources Council, Transactions, v. 5, p. 619-622.
- Sill, W.R., 1981, Extended self-potential survey, Roosevelt Hot Springs KGRA, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/ESL-2, 8 p.
- Sill, W.R., 1982, Diffusion coupled (electrochemical) self-potential effects in geothermal areas: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-73, 29 p.
- Sill, W.R., and Bodell, John, 1977, Thermal gradients and heat flow at Roosevelt Hot Springs: University of Utah, Department of Geology and Geophysics Report 77-3, 46 p.
- Sill, W.R., Bostick, F.X., Hohmann, G.W., Petrick, W., Phillips, R.J., Stodt, John, Swift, C.M., Jr., Tripp, A.C., and Ward, S.H., 1977, Resistivity structure in southwestern Utah based on magnetotelluric and deep resistivity measurements [abs.]: Geophysics, v. 42, no. 7, p. 1539.
- Sill, W.R., Chapman, D.S., Wilson, W.R., and Bodell, John, 1977, Thermal gradients and heat flow at Roosevelt Hot Springs KGRA: Geophysics, v. 42, no. 7, p. 1539.
- Sill, W.R., and Johng, D.S., 1979, Self-potential survey, Roosevelt Hot Springs, Utah: University of Utah Department of Geology and Geophysics Report DOE/ET/28392-21, 19 p.
- Sill, W.R., and Ward, S.H., 1978, Electrical energizing of well casings: University of Utah, Department of Geology and Geophysics Final Report, v. 77-8, 10 p.
- Sill, W.R., Ward, S.H., Parry, W.T., Tripp, A.C., and Swift, C.M., Jr., 1977, Electrical and geochemical models of the near-surface zone at Roosevelt Hot Springs KGRA, Utah [abs.]: Geophysics, v. 42, no. 1, p. 182.
- Sill, W.R., Wilson, W.R., Bodell, J., Ward, S.H., and Chapman, D.S., 1977, Heat flow measurements in southern Utah and the northern Basin and Range/Colorado Plateau transition [abs.]: EOS Transactions, American Geophysical Union, v. 58, no. 12, p. 1237-1238.
- Skalka, M., 1979, The Division of Geothermal Energy (U.S. Department of Energy) direct heat applications program: Geothermal Resources Council, Transactions, v. 3, p. 655-658.
- Smedley, J.E., Pera, E.M., and Lutz, G.A., 1976, Leasable mineral and waterpower land classification map of the Escalante quadrangle, Utah-Arizona: U.S. Geological Survey Open-File Report 76-827, scale 1:250,000.
- Smedley, J.E., Pera, E.M., and Lutz, G.A., 1977, Leasable mineral and waterpower land classification map, Salina quadrangle, Utah: U.S. Geological Survey Open-File Report 77-548, two sheets, scale 1:250,000.
- Smedley, J.E., Pera, E.M., Simpson, L.A., and Lutz, G.A., 1978, Leasable mineral and waterpower land classification map of the Price quadrangle, Utah: U.S. Geological Survey Open-File Report 78-338, scale 1:250,000.

- Smith, C., 1980, Aeromagnetic maps of Crystal Hot Springs: Earth Science Laboratory/University of Utah Research Institute, scale: 1:24,000.
- Smith, G.E., 1977, Roosevelt Hot Springs geothermal find: *Geothermal Energy*, v. 5, no. 1, p. 14-16.
- Smith, J.H., 1962, Geothermal energy: United Nations Symposium on New Sources of Energy, Rome, Italy, 1961, v. 2, p. 67-73.
- Smith, J.L., and Matlick, J.S., 1976, Summary of 1975 geothermal drilling, western United States: *Geothermal Energy*, v. 4, no. 6, p. 28-31.
- Smith, J.L., Isselhardt, C.F., Matlick, J.S., and Darwin, K.L., 1977, Summary of 1976 geothermal drilling, western United States, in *Geothermal world directory, 1977/78 edition*: Geothermal World Publications, p. 256-263; also, *Geothermal Energy*, v. 5, no. 5, p. 8-17.
- Smith, J.L., Issethardt, C.F., and Matlick, J.S., 1978, Summary of 1977 geothermal drilling; western United States: *Geothermal Energy*, v. 6, no. 5, p. 11-19.
- Smith, J.L., Matlick, J.S., and Ehni, W.J., 1980, Summary of 1979 geothermal drilling, western United States: *Geothermal Energy*, v. 8, no. 7, p. 3-14.
- Smith, J.L., Matlick, J.S., and Isselhardt, C.F., 1979, Summary of the 1978 geothermal drilling, western United States: *Geothermal Energy*, v. 7, no. 5, p. 25-34.
- Smith, L., and Chapman, D.S., 1982, The effects of regional ground water flow on the thermal regime of a basin: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-65, 68 p.
- Smith, Leslie, 1980, Model study of the regional hydrogeologic regime, Roosevelt Hot Springs, Utah: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/28392-44, 36 p.
- Smith, M.C., Nunz, G.J., and Wilson, M.G., compilers, 1985, Hot dry rock geothermal energy development program annual report fiscal year 1983: Los Alamos National Laboratory Report LA-10347-HDR, 91 p.
- Smith M.C., Nunz, G.J., and Ponder, G.M., 1982, Hot dry rock geothermal energy program: Los Alamos National Laboratory Report LA-9780-HDR, 127 p.
- Smith M.C., and Ponder, G.M., 1982, Hot dry rock geothermal energy development program annual report fiscal year 1981: Los Alamos National Laboratory Report LA-9287-HDR, 140 p.
- Smith, M.R., 1979, Utah mineral industry activity review 1979: Utah Geological and Mineral Survey Circular 68, p. 14-15.
- Smith, M.R., 1982, Utah synfuels update: Utah Geological and Mineral Survey, Survey Notes, v. 16, no. 3, p. 10.

- Smith, R.B., 1977, Long-term seismic monitoring of the Roosevelt-Cove Fort KGRAS: University of Utah, Department of Geology and Geophysics Report, no 77-3, 5 p.
- Smith, R.B., 1977, Seismicity in geothermal areas of the Intermountain Seismic Belt [abs.]: EOS Transactions, American Geophysical Union, v. 58, no. 12, p. 1187.
- Smith, R.B., and Sbar, M.L., 1974, Contemporary tectonics and seismicity of the western states with emphasis on the intermountain seismic belt: Geological Society of America Bulletin, v. 85, no. 8, p. 1205-1218.
- Smith, R.D., 1961, Records and water-level measurements of selected wells and chemical analyses of ground water, East Shore area, Davis, Weber and Box Elder Counties, Utah: U.S. Geological Survey, Utah basic-data report no. 1, 35 p.
- Smith, R.E., 1961, Records and water-level measurements of selected wells and chemical analyses of ground water, East Shore area, Davis, Weber and Box Elder Counties, Utah: U.S. Geological Survey, Utah basicdata report no. 1, 35 p.
- Smith, R.L., and Luedke, R.G., 1981, Potentially active volcanic lineaments and loci in the western conterminous United States [abs.]: EOS Transactions, American Geophysical Union, v. 62, no. 45, p. 1079.
- Smith, R.L., and Shaw, H.R., 1973, Volcanic rocks as geologic guides to geothermal exploration and evaluation [abs.]: EOS Transactions, American Geophysical Union, v. 54, no. 11, p. 1213.
- Smith, R.L., and Shaw, H.R., 1975, Igneous-related geothermal systems, in White, D.E., and Williams, D.L., editors, Assessment of geothermal resources of the United States-1975: U.S. Geological Survey Circular 726, p. 58-83.
- Smith, R.L., and Shaw, H.R., 1979, Igneous-related geothermal systems, in Muffler, L.J.P., editor, Assessment of geothermal resources of the United States-1978: U.S. Geological Survey Circular 790, p. 12-17.
- Smith, R.L., Shaw, H.R., Luedke, R.G., and Russell, S.L., 1978, Comprehensive tables giving physical data and thermal energy estimates for young igneous systems of the United States: U.S. Geological Survey Open-File Report 78-925, 28 p.
- Smith, T.B., 1974, Gravity study of the Fumarole Butte area, Juab and Millard Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 54 p.
- Smith, T.B., Cook, K.L., and Peeples, W.J., 1978, Gravity study of the Fumarole Butte area, Juab and Millard Counties, Utah: Utah Geology, v. 5, no. 1, p. 37-56.
- Smith, T.C., and Sharda, B.D., 1978, Geothermal environmental report socioeconomics: University of Utah Research Institute Environmental Studies Laboratory, Report, no UCRL-13955, v. 2, 9.5 p.
- Snow, J.H, 1978, Study of structural and tectonic patterns in south-central Utah as interpreted from gravity and aeromagnetic data: Salt Lake City, University of Utah, unpublished M.S. thesis, 245 p.

- Snyder, W.S., 2009, National Geothermal Data System: Abstracts with Programs - Geological Society of America, v. 41, no. 7, p. 555.
- Solum, J., Davatzes, N.C., and Lockner, D.A., 2005, Formation and rheological implications of clay-bearing fault rocks of the Moab fault system, Utah: Abstracts with Programs - Geological Society of America, v. 37, no. 7, p. 498.
- Sommer, S.N., and Budding, K.E., 1994, Low-temperature thermal water in the Santa Clara and Virgin River Valleys, Washington County, Utah, in Blakett, R.E., and Moore, J.N., editors, Cenozoic geology and geothermal systems of southwestern Utah: Utah Geological Association publication 23, p. 81-95.
- Sorey, M.L., 1975, Numerical modeling of liquid geothermal systems: U.S. Geological Survey Professional Paper 1044-D, 25 p.
- Sorey, M.L., Reed, M.J., Mariner, R.H., and Nathenson, Manuel, 1982, Assessment of low-temperature geothermal resources in the United States: Geothermal Resources Council, Transactions. v. 6, p. 479-482.
- Spicer, H.C., 1964, A compilation of deep earth temperature data: USA 1910-1945: U.S. Geological Survey Open-File Report 64-147, 74 p.
- Spicer, H.C., 1965, Geothermal gradients and heat flow in the Salt Valley anticline, Utah [abs.]: Geophysical Abstracts, no. 217, p. 137.
- Sprinkel, D.A., compiler, 1999, Digital geologic resources atlas of Utah: Utah Geological Survey Bulletin 129DF, 1 CD-ROM.
- Stanley, W.D., Boehl, J.E., Bostick, F.X., and Smith, H.W., 1977, Geothermal significance of magnetotelluric sounding in the eastern Snake River plain-Yellowstone region: Journal of Geophysical Research, v. 82, no. 17, p.2501-2514.
- Stearns, N.D., Stearns, H.T., and Waring, G.A., 1937, Thermal springs in the United States: U.S. Geological Survey Water-Supply Paper 679-B, p. B59-B206.
- Stephens, J.C., 1974, Hydrologic reconnaissance of the northern Great Salt Lake Desert and summary hydrologic reconnaissance of northwestern Utah: Utah Department of Natural Resources Technical Publication 42, 55 p.
- Stephens, J.C., 1974, Hydrologic Reconnaissance of the Wah Wah Valley drainage basin, Millard and Beaver Counties, Utah: Utah Department of Natural Resources Technical Publication 47, 53 p.
- Stephens, J.C., 1977, Hydrologic reconnaissance of the Tule Valley drainage basin, Juab and Millard Counties, Utah: Utah Department of Natural Resources Technical Publication 56, 37 p.
- Steven, T.A., 1979, Geologic map of the Monroe NW quadrangle, west-central Utah: U.S. Geological Survey Miscellaneous Field Studies Map MF-1107, scale 1:24,000.

- Steven, T.A., Cunningham, C.G., and Anderson, J.J., 1984, Geologic history and uranium potential of the Big John caldera, southern Tushar Mountains, in, Steven, T.A., editor, Igneous activity and related ore deposits in the western and southern Tushar Mountains, Marysvale volcanic field, west-central Utah: U.S. Geological Survey Professional Paper 1299B, p. 25-33.
- Steven, T.A., Cunningham, C.G., Naeser, C.W., and Mehnert, H.H., 1979, Revised stratigraphy and radiometric ages of volcanic rocks and mineral deposits in the Marysvale area, west-central Utah: U.S. Geological Survey Bulletin 1469, 40 p.
- Steven, T.A., and Morris, H.T., 1983, Geologic map of the Cove Fort quadrangle, west-central Utah: U.S. Geological Survey Miscellaneous Investigation Series Map I- 1481, scale 1:50,000.
- Steven, T.A., and Morris, H.T., 1983, Geology of the Richfield quadrangle, westcentral Utah: U.S. Geological Survey Open-File Report 83-583, scale 1:250,000.
- Steven, T.A., and Morris, H.T., 1984, Mineral resource potential of the Richfield 1x2 degree quadrangle, west-central Utah: U.S. Geological Survey Open-File Report 84-521, 53 p.
- Steven, T.A., Rowley, P.D., and Cunningham, C.G., 1978, Geology of the Marysvale volcanic field, westcentral Utah: Brigham Young University Geology Studies, v. 25, pt. 1, p. 67-70.
- Steven, T.A., Rowley, P.D., and Cunningham, C.G., 1984, Calderas of the Marysvale volcanic field west central Utah: Journal of Geophysical Research, v. 89, no. B10, p. 8751-8764.
- Stewart, J.H., 1971, Basin and Range structure: a system of horsts and grabens produced by deep-seated extension: Geological Society of America Bulletin, v. 82, no. 4, p. 1019-1044.
- Stewart, J.H., 1983, Cenozoic structure and tectonics of the northern Basin and Range Province, California, Nevada, and Utah, in, Geothermal Resources Council, compiler, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 25-40.
- Stewart, J.H., Moore, W.J., and Zietz, I., 1977, East-west patterns of Cenozoic igneous rocks, aeromagnetic anomalies, and mineral deposits, Nevada and Utah: Geological Society of America Bulletin, v. 88, no. 1, p. 67-77.
- Stockli, D.F., Linn, J.K., Douglas, W.J., and Dumitru, T.A., 2001, Miocene unroofing of the Canyon Range along the Sevier Desert Detachment, west central Utah: Tectonics, v. 20, no. 3, p. 289-307 (doi: 10.1029/2000TC001237).
- Stowe C.H., 1977, Utah mineral industry activity for 1976: Utah Geological and Mineral Survey, Survey Notes, v. 11, no. 2, p. 3-13.
- Stowell, S.L., 2006, Volcanology and petrogenesis of the Navajo Lake volcanic field: Las Vegas, University of Nevada, M.S. thesis, 87 p.

- Stringfellow, J.R., editor , 1982, The industry coupled case study program final report: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/1 2079-81, 108 p.
- Suarez, C. A., 2005, Rare earth element geochemistry and taphonomy of the Crystal Geyser Dinosaur Quarry, East-Central Utah: Philadelphia, PA, Temple University, M.S. thesis, 163 p.
- Suarez, C.A., Suarez, M.B., Terry, D.O., and Grandstaff, D.E., 2007, Rare earth element geochemistry and taphonomy of the early cretaceous crystal geyser dinosaur quarry, east-central Utah: *Palaios*, v. 22, no. 5, p. 500-512 (doi: 10.2110/palo.2005.p05-126r).
- Suarez, M.B., Suarez, C.A., Kirkland, J.I., Gonzalez, L.A., Grandstaff, D.E., and Terry, D.O., 2007, Sedimentology, stratigraphy, and depositional environment of the Crystal Geyser Dinosaur Quarry, east-central Utah: *Palaios*, v. 22, no. 5, p. 513-527 (doi: 10.2110/palo.2006.p06-014r).
- Subitsky, S., 1962, Records of selected wells and springs, selected drillers' logs of wells and chemical analyses of ground and surface waters, northern Utah Valley, Utah County, Utah: U.S. Geological Survey, Utah Basic-Data Report no. 2, 14 p.
- Sun, X., 2006, Thermal history of Prince of Wales Mine, Alta, Utah: Salt Lake City, Utah, University of Utah, M.S. thesis, 78 p.
- Sung, R., Houser, G., Strehler, D., and Scheyer, K., 1979, Sampling and analysis of potential geothermal sites: TRW Environmental Engineering Division, Contract 68-03-2560, Report T-5007, 167 p.
- Sung, R., Houser, G., Strehler, D., and Scheyer, K., 1981, Sampling and analysis of potential geothermal sites: Cincinnati, U.S. Environmental Protection Agency, Industrial Environmental Research Laboratory, Center for Environmental Research Information report EPA-600/S7-81-138, 10 p., 1 map, 28 cm.
- Swanberg, C.A., 1974, Application of the Na-K-Ca geothermometer to thermal areas of Utah and the Imperial Valley, California: *Geothermics*, v. 3, no. 2, p. 53-59.
- Swanberg, C.A., Morgan, P., Stoyer, C.H., and Witcher, J.C., 1977, An appraisal study of the geothermal resources of Arizona and adjacent areas in New Mexico and Utah and their value for desalination and other uses: New Mexico Energy Institute, Research Project, Technical Report 6-1, p. 1-88.
- Swanson, J.R., 1977, GEOTHERM user guide: U.S. Geological Survey Open-File Report 77-504, 53 p.
- Takashima, C., Okumura, T., Nishida, S., Shimamoto, T., Koike, H., Kano, A., 2011, Microbial control on lamina formation in a travertine of Crystal Geyser, Utah: *Lecture Notes in Earth Sciences*, v. 131, p. 123-133 (doi: 10.1007/978-3-642-10415-2_7).
- Talmage, S.B., 1929, Thermal springs near the Wasatch fault [abs.]: *Geological Society of America Bulletin*, v. 40, no. 1, p. 181.
- Terra Tek, 1980, Environmental report Utah state prison geothermal project: Terra Tek Report TR 80-25, 35 p.

- Terra Tek, 1980, Monroe KGRA, Monroe, Utah-background information for the Geothermal Resources Council field trip September 12-13, 1980: Terra Tek Report TR 80-31, 23 p.
- Teshin, V.N., Swanson, J.R., and Orris, G.J., 1979, GEOTHERM - GEOTHERM resources file: Geothermal Resources Council, Transactions, v. 3, p. 721-724.
- Thangsuphanich, I., 1976, Regional gravity survey of the southern Mineral Mountains, Beaver County, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 38 p.
- Theberge, A.E., Jr., 1980, The state geothermal mapping program: Geothermal Resources Council Bulletin, v. 9, no. 11, p. 3-4.
- Thermal Power Company, 1976, Well Utah State 14-2 ML-27536 Roosevelt field, Beaver County, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/TPC-1, unpaginated.
- Thermal Power Company, 1977, Well Utah State 14-2 ML-27536 Roosevelt field, Beaver County, Utah chemical analyses, flow test, geophysical logs: U.S. Geological Survey Water Resource Division Analytical Statement, Laboratory no. GT293AT76, unpaginated.
- Thermal Power Company, 1977, Well Utah State 72-16 ML25128 Roosevelt field, Beaver County, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/TPC-2, unpaginated.
- Thomaidis, N.D., 1974, Developments in Four Corners intermountain area in 1973: American Association of Petroleum Geologists Bulletin, v. 58, no. 8, p. 1581-1585.
- Tilton, 2001a, Geologic map of the Alton quadrangle, Kane County, Utah: Utah Geological Survey Miscellaneous Publication 01-4, 22 p., map scale 1:24,000.
- Tilton, 2001b, Geologic map of the Podunk Creek quadrangle, Kane County, Utah: Utah Geological Survey Miscellaneous Publication 01-3, 18 p., map scale 1:24,000.
- Tischler, M.S., Oesterling, W.A., and Bonham, H.F., Jr., 1964, Minerals for industry, summary of geological survey of 1955-1961, v. I - northern Nevada and northwestern Utah: Southern Pacific Company, San Francisco, California, 188 p.
- Toksoz, M.N., Zhang, H., Benson, T., and Rael, A., 2011, Geothermal resources exploration and assessment around the Cove Fort-Suphurdale geothermal field in Utah by multiple geophysical imaging: Transactions - Geothermal Resources Council, v. 34, p. 599-603.
- Tosaya, C.A., Findikakis, A.N., Cochrane, F., and Nicholson, R.W., 1988, Preliminary reservoir design and screening for a commercial hot dry rock geothermal prospect: Geothermal Resources Council Transactions, v. 12, p. 485-490.
- Tripp, A.C., 1978, Electromagnetic and Schlumberger sounding in the Roosevelt Hot Springs KGRA, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 110 p.; also, Geophysics, v. 43, no. 7, p. 1450-1469.

- Tripp, A.C., Ross, H.P., Stodt, J.A., and Wright, P.M., 1989, Surface to borehole electromagnetic experiment at Roosevelt Hot Springs: Geothermal Resources Council Transactions, v. 13, p. 289-293.
- Tripp, A.C., Ward, S.H., Sill, W.R., Swift, C.M., Jr., and Petrick, W.R., 1976, Electromagnetic and Schlumberger resistivity sounding in the Roosevelt KGRA, Utah [abs.]: Society of Exploration Geophysicists Annual International Meeting Abstracts, no. 46, p. 89-90.
- Truesdell, A.H., 1973, ENTHALP, a computer program for calculation of aquifer chemistry: U.S. Geological Survey National Technical Information Service Report PB 219-376, 74 p.
- Truesdell, A.H., 1976, GEOTERM, a geothermometric computer program for hot-spring systems: United Nations symposium on the development and use of geothermal resources, 2d, San Francisco, California, 1975, Proceedings, v. 1, p. 831-836.
- TRW Systems Group, 1975, A study of geothermal prospects in the western United States: Final Report: TRWSystems Corporation, Redondo Beach, California, 147 p.
- TRW Systems Group, 1976, Study of geothermal prospects in the western United States: Geothermal Energy Report NP-20997, 133 p.
- Tucker, R.E., Miller, W.R., and McHugh, J.B., 1980, Geochemical results from a natural waters study in the Mount Belknap caldera and vicinity, Utah: U.S. Geological Survey Open-File Report 80-1051, 53 p.
- Turk, L.J., 1973, Hydrogeology of the Bonneville Salt Flats, Utah: Utah Water Resources Bulletin 19, 81 p.
- Turley, C.H., and Nash, W.P., 1980, Studies in late Cenozoic volcanism in west-central Utah — Part 1, Petrology of late Tertiary and Quaternary volcanism in western Juab and Millard Counties, Utah: Utah Geological and Mineral Survey Special Studies 52, p.1-33.
- Turley, C.H., Nash, W.P., and Brown, F.H., 1979, Petrology and geochronology of late Tertiary and Quaternary volcanic rocks in the eastern margin of the Basin and Range Province, Utah: University of Utah, Department of Geology and Geophysics Final Report, v. 1, contract 14-08-0001-G-343, 78 p.
- Tuttle, J., Coe, B.A., Gertsch, W.D., and Meyer, R.T., 1980, State geothermal commercialization programs in seven Rocky Mountain States: semi-annual progress report, January-June 1980: National Technical Information Service Report DOE/ID/12101-2, 343 p.
- U.S. Department of Energy, 2005, Geothermal Technologies Program — Utah: U.S. Department of Energy, National Renewable Energy Laboratory fact sheet, DOE/GO-102005-2144, 2 p.
- U.S. Geological Survey, 1972, Aeromagnetic map of parts of the Delta and Richfield 1x2 degree quadrangles, Utah: U.S. Geological Survey Open-File Report 72-385, scale 1:250,000.
- U.S. Geological Survey, 1972, Aeromagnetic map of parts of the Richfield and Cedar City 1x2 degree quadrangles, Utah: U.S. Geological Survey Open-File Report 72-387, scale 1:250,000.

- U.S. Geological Survey, 1976, Environmental analysis, prepared for 16 deep test wells in Roosevelt Hot Springs unit, Phillips Petroleum Company: U.S. Geological Survey Conservation Division, Office of the Area Geothermal Supervisor, Environmental Assessment, no. 33, 210 p.
- U.S. Geological Survey, 1977, Environmental analysis prepared for geothermal leases U-28947, U-28948, U-29215A, Phillips Petroleum Company; and U-29553 through U-29558, Union Oil Company, Cove Fort-Sulphurdale KGRA, Utah: U.S. Geological Survey Conservation Division, Office of the Area Geothermal Supervisor, Menlo Park, California, 306 p.
- U.S. Geological Survey, 1979, Aeromagnetic map of the Adamsville and Minersville area, Utah: U.S. Geological Survey Open-File Report 79-1684, scale 1:62,500.
- U.S. Geological Survey, 1979, Aeromagnetic map of the Richfield area, Utah: U.S. Geological Survey Open-File Report 79-1367, scale 1:62,500.
- U.S. Geological Survey, 1979, Radium and uranium in mineral springs [abs.], in Geological Survey research 1979, 1980: U.S. Geological Survey Professional Paper 1150, p. 48.
- U.S. Geological Survey, 1983, Geothermal resources - GEOTHERM, in Scientific and technical, spatial, and bibliographic data bases and systems of the U.S. Geological Survey, 1983: U.S. Geological Survey Circular 817, p.2-61 - 2-63.
- U.S. Geological Survey, 1983, United States terrestrial heat flow, in U.S. Geological Survey, Scientific and technical, spatial, and bibliographic data bases and systems of the U.S. Geological Survey, 1983: U.S. Geological Survey Circular 817, p. 2-139 - 2-140.
- U.S. Geological Survey, and USDA Forest Service, 2003, Ashley National Forest, Utah and Wyoming; Uinta, Fishlake, Wasatch and Cache National Forests, Flaming Gorge National Recreational Area and other lands adjacent to Forest Service areas — 7.5 minute series (topographic): Reston, Va, U.S. Department of the Interior, U.S. Geological Survey.
- Union Oil Company, 1973, Union Oil Company general area studies - Cove Fort regional gravity interpretations: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-1.5, unpaginated.
- Union Oil Company, 1974, Union Oil Company, general area studies - geochemical survey, Cove Fort, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-1.6, 4 p.
- Union Oil Company, 1976, Union Oil Company, general area studies - seismic survey, Cove Fort, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-1.3, unpaginated.
- Union Oil Company, 1976, Union Oil Company, general area studies - temperature gradient study, Cove Fort, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-1.1, unpaginated.

Union Oil Company, 1978, Geologic report of the Cove Fort-Sulphurdale geothermal unit area, Millard and Beaver Counties, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-1.2, 33 p.

Union Oil Company, 1978, Union Oil Company Cove Fort-Sulphurdale well 31-33 - geothermal log and directional survey: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-7, 45 p.

Union Oil Company, 1978, Union Oil Company Cove Fort-Sulphurdale well 31-33 - technical report: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-6, unpaginated.

Union Oil Company, 1978, Union Oil Company Cove Fort-Sulphurdale well 42-7 - caliper and directional surveys: Earth Science Laboratory/University of Utah Research Institute Open-File Report, no UT/CFS/UOC-4, 23 p.

Union Oil Company, 1978, Union Oil Company Cove Fort-Sulphurdale well 42-7 - flow tests: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-3.2, 7 p.

Union Oil Company, 1978, Union Oil Company Cove Fort-Sulphurdale well 42-7 - technical report: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-3.1, unpaginated.

Union Oil Company, 1978, Union Oil Company Cove Fort-Sulphurdale well Forminco 1, Cove Fort field: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-2, unpaginated.

Union Oil Company, 1979, Union Oil Company Cove Fort-Sulphurdale well 14-29 - Schlumberger directional survey: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-9, 3 p.

Union Oil Company, 1979, Union Oil Company Cove Fort-Sulphurdale well 14-29 - technical report: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/CFS/UOC-8, unpaginated.

University of Denver, Denver Research Institute, 1978, Geothermal well Utah State 14-2, Roosevelt KGRA, Utah: Earth Science Laboratory/University of Utah Research Institute Open-File Report UT/RHS/DRI-1, unpaginated.

Utah Department of Natural Resources, 1976, Utah energy resource data: Utah Department of Natural Resources, 27 p.

Utah Energy Office, 1981, Utah State Prison space heating with geothermal heat: resource assessment report Crystal Hot Springs geothermal area: Utah Energy Office Report DOE/ET 27027-4, 108 p.

Utah Geological and Mineral Survey, 1978, Crystal Hot Lakes provide geothermal energy at Point of-the-Mountain: Utah Geological and Mineral Survey, Survey Notes, v. 12, no. 4, p. 6.

- Utah Geological and Mineral Survey, 1980, compilers, Geothermal Resources of Utah, 1980: Map prepared by the National Oceanic and Atmospheric Administration for the U.S. Department of Energy, scale 1:500,000.
- Utah Geological and Mineral Survey, 1981, Central Wasatch geology, 1981 — dam safety, seismotectonics, engineering geology, geothermal prospects, mine development; illustrated road logs with abstracts [abs.]: Utah Geological Association Publication 9, 46 p.
- Utah Geological and Mineral Survey, 1983, Energy resources map of Utah: Utah Geological and Mineral Survey Map 68, scale 1:500,000.
- Utah Geological Survey and New Mexico Geochronology Research Laboratory (UGS and NMGR), 2009, 40Ar/39Ar geochronology results for the Blind Lake, Deer Creek Lake, Flat Top, Henrie Knolls, Tabbys Peak, Tabbys Peak SW, Wig Mountain, and Wig Mountain NE quadrangles, Utah: Utah Geological Survey Open-File Report 547, variously paginated.
- Utah Geological Survey and New Mexico Geochronology Research Laboratory, 2007, 40Ar/39Ar geochronology results for the Chris Canyon, Hells Kitchen Canyon SW, Jordan Narrow, Lehi, Mussentuchit Flat, Springdale West, and Veyo quadrangles, Utah: Utah Geological Survey Open-File Report 495, 29 p.
- Utah Geological Survey and New Mexico Geochronology Research Laboratory, 2008, 40Ar/39Ar geochronology results from the Veyo, Gunlock, Billies Mountain, The Flat Tops, Maple Ridge, Hebron, Enterprise, and Central West quadrangles, Utah: Utah Geological Survey Open-File Report 513 parts I and II, variously paginated.
- Utah Geothermal Working Group, 2005, Geothermal energy development in Utah — a position paper by the Utah Geothermal Working Group — April 2005: Utah Geological Survey on-line document, 2 p.
- Utah Roses, Incorporated, 1978, Floral greenhouse industry geothermal energy demonstration project: Utah Roses Technical Proposal Report, no. UR-G-78, v. 1, 48 p.
- Valastro, S., Davis, E.M., and Varela, A.G., 1972, University of Texas at Austin radiocarbon dates IX: Radiocarbon, v. 14, no. 2, p. 461-485.
- Vanden Berg, M.D., 2009, Utah's energy landscape: Utah Geological Survey Public Information Series 95.
- Vanko, D. A., Bonnin-Mosbah, M., Philippot, P., Roedder, E., and Sutton, S. R., 2001, Fluid inclusions in quartz from oceanic hydrothermal specimens and the Bingham, Utah porphyry-Cu deposit: a study with PIXE and SXRF: Chemical Geology, v. 173, p. 227-238.
- Wagstaff, W., 1982, Heat pump system for the LDS Church Office Building: Geothermal Resources Council Bulletin, v. 11, no. 11, p. 15-18.
- Walker, B.A., and Entingh, D.J., 1981, Status of U.S. direct utilization of geothermal energy: Geothermal Resources Council, Transactions, v. 5, p. 579-582.
- Waltham, T., 2001, Crystal Geysers — Utah's cold one: Geology Today, v. 17, no. 1, p. 22-24.

- Wannamaker, P.E., 1978, Magnetotelluric investigations at the Roosevelt Hot Springs KGRA and Mineral Mountains, Utah: University of Utah Department of Geology and Geophysics Topical Report 78-1701.a.6.1, 54 p.
- Wannamaker, P.E., 1983, Resistivity structure of the northern Basin and Range, in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 345-362.
- Wannamaker, P.E., 2009, Lithospheric boundaries, magmatic processes and crustal scale fluid connections of the Great Basin and its transition to the Colorado Plateau as traced by electrical resistivity structure: Abstracts with Programs - Geological Society of America, v. 41, no. 6, p. 14.
- Wannamaker, P. E., Hasterok, D.P., Johnston, J.M., Stodt, J.A., Hall, D.B., Sodergren, T.L., Pellerin, L., Maris, V., Doerner, W.M., Groenewold, K.A., and Unsworth, M.J., 2008, Lithospheric dismemberment and magmatic processes of the Great Basin-Colorado Plateau transition, Utah, implied from magnetotellurics: *Geochemistry, Geophysics, Geosystems* (super 3), v. 9, no. 5.
- Wannamaker, P.E., and Hohmann, G.W., 1980, Regional resistivity structure at the Roosevelt Hot Springs, Utah, KGRA from magnetotellurics — theoretical 3-D model studies [abs.]: *EOS Transactions, American Geophysical Union*, v. 61, no. 17, p. 226.
- Wannamaker, P.E., Hohmann, G.W., Sill, W.R., and Ward, S.H., 1979, Two- and three-dimensional magnetotelluric modeling with applications to crustal structure and reservoir assessment at the Roosevelt Hot Springs KGRA, Utah [abs.]: *Society of Exploration Geophysics Abstract*, no. 49, p. 104.
- Wannamaker, P.E., Hulen, J. B., and Heizler, M. T., 2000, Early Miocene lamproite from the Colorado Plateau tectonic province, Southeastern Utah, USA: *Journal of Volcanology and Geothermal Research*, v. 96, no. 3-4, p.175-190.
- Wannamaker, P.E., Sill, W.R., Ward, S.H., and Combs, J., 1978, Magnetotelluric observations at the Roosevelt Hot Springs KGRA and Mineral Mountains, Utah: *Geothermal Resources Council, Transactions*, v. 2, sec. 2, p. 697-700.
- Wannamaker, P.E., Ward, S.H., Hohmann, G.W., and Sill, W.R., 1980, Magnetotelluric models of the Roosevelt Hot Springs thermal area, Utah: *Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/27002-8*, 213 p.
- Wannamaker, P.E., Ward, S.H., Hohmann, G.W., and Sill, W.R., 1983, Deep resistivity structure in southwestern Utah and its geothermal significance: *Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-89*, 96 p.
- Ward, R.W., 1979, Seismologists seeking heat: *Geotimes*, v. 24, no. 8, p. 21-24.
- Ward, S.H., 1975, Seeking geothermal resources: *Geotimes*, v. 20, no. 11, p. 14-15.
- Ward, S.H., 1977, Geothermal exploration architecture: *ERDA Technical Report*, v. 77-2, 19 p.

- Ward, S.H., 1978, Program review: resource evaluation, reservoir confirmation, and exploration technology: University of Utah Department of Geology and Geophysics Technical Report 78-1701.b.5.1, unpaginated.
- Ward, S.H., 1983, Controlled source electromagnetic methods in geothermal exploration: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/I 2079-97, 46 p.
- Ward, S.H., 1983, Geophysical studies of active geothermal systems in the northern Basin and Range, in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 121-158; also, 1984, Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-108, 37 p.
- Ward, S.H., Bodell, J.M., Brumbaugh, W.D., Carter, J.A., Cook, K.L., Crebs, T.J., Olsen, T.L., Parry, W.T., Sill, W.R., Smith, R.B., Thangsuphanich, I., and Tripp, A.C., 1977, Geology and geochemistry of the Roosevelt Hot Springs thermal area, Utah — Part II — Geophysics of the Roosevelt Hot Springs thermal area, Utah: Earth Science Laboratory/University of Utah Research Institute Report 77-2, 17 p.
- Ward, S.H., Bowman, J.R., Cook, K.L., Parry, W.T., Nash, W.P., Smith, R.B., Sill, W.R., and Whelan, J.A., 1978, Geology, geochemistry, and geophysics of the Roosevelt Hot Springs thermal area, Utah - a summary: Brigham Young University Geology Studies, v. 25, pt. 1, 71 p.
- Ward, S.H., Cook, K.L., Nash, W.P., Parry, W.T., Peeples, W.J., Sill, W.R., Smith, R.B., Brown, F.H., and Whelan, J.A., 1974, Systems of geothermal exploration with applications in Utah: University of Utah, Department of Geology and Geophysics Summary Progress Report, Bulletin NSF GI-43741, 9 p.
- Ward, S.H., Cook, K.L., Parry, W.T., Peeples, W.J., Nash, W.P., Smith, R.B., and Whelan, J.A., 1974, Integrated exploration in geothermal area [abs.]: Geological Society of America Abstracts with Programs, v. 6, no. 3, p. 272-273.
- Ward, S.H., Glenn, W.E., Smith, B.D., and Rijo, L., 1975, Electromagnetic soundings in the geothermal environment [abs.], in Society of Exploration Geophysicists, 44th Annual International Meeting: Geophysics, v. 40, no. 1, p. 177.
- Ward, S.H., Nash, W.P., Parry, W.T., Peeples, W.J., Sill, W.R., Smith, R.B., and Whelan, J.A., 1974, Systems of geothermal exploration with applications in Utah: University of Utah Department of Geology and Geophysics Project Definition Report, Bulletin NSF GI-43741, 39 p.
- Ward, S.H., Parry, W.T., Nash, W.P., Sill, W.R., Cook, K.L., Smith, R.B., Chapman, D.S., Brown, F.H., Whelan, J.A., and Bowman, J.R., 1978, A summary of the geology, geochemistry, and geophysics of Roosevelt Hot Springs thermal area, Utah: Geophysics, v.43, no. 7, p. 1515-1542.
- Ward, S.H., Rijo, L., and Petrick, W.E., 1975, Electromagnetic soundings in the geothermal environment [abs.]: United Nations Symposium on the Development and Use of Geothermal Resources, Abstracts, no. 2., unpaginated.

- Ward, S.H., Ross, H.P., and Nielson, D.L., 1976, Dipole-dipole resistivity surveys, Roosevelt Hot Springs KGRA: University of Utah, Department of Geology and Geophysics Final Report, v. 2, National Science Foundation Grant GI-43741, 29 p.
- Ward, S.H., Ross, H.P., and Nielson, D.L., 1979, A strategy of exploration for high-temperature hydrothermal systems in the Basin and Range Province: Earth Science Laboratory/University of Utah Research Institute Report DOE/ET/27002-5, 46 p.
- Ward, S.H., Ross, H.P., and Nielson, D.L., 1980, Strategy of exploration for high-temperature hydrothermal systems in Basin and Range Province [abs.]: American Association of Petroleum Geologists Bulletin, v. 64, no.5, p.799.
- Ward, S.H., Ross, H.P., and Nielson, D.L., 1981, Exploration strategy for high-temperature hydrothermal systems in Basin and Range Province: American Association of Petroleum Geologists Bulletin, v. 65, no. 1, p. 86-102.
- Ward, S.H., Ross, H.P., and Nielson, D.L., 1984, Resistivity, induced polarization and self-potential methods in geothermal exploration: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-90, 100 p.
- Ward, S.H., and Sill, W.R., 1976, Dipole-dipole resistivity delineation of the near surface at the Roosevelt Hot Springs KGRA: University of Utah, Department of Geology and Geophysics Technical Report, v. 76-1, 10 p.; also, National Technical Information Service Report 264-89710, 52 p.
- Waring, G.A., (revised by Blankenship, R.R., and Bentall, Ray), 1965, Thermal springs of the United States and other countries of the world - a summary: U.S. Geological Survey Professional Paper 492, 383 p.; also, [abs.] Geoscience Abstracts, v. 7, no. 12, p. 75 (7-7174).
- Waring, G.A., 1951, Summary of literature on thermal springs: International Union Geodetics, Geophysics, Association of International Hydrologists Scientific Assembly, General, Bruxelles, 1951, Proceedings, v. 2, p. 289-293.
- Waring, G.A., 1952, Summary of literature on thermal springs: International Association Science Hydrologists Assembly General, Bruxelles, 1951, T. 2, p. 288-292.
- Waring, G.A., 1953, The occurrence and distribution of thermal springs: Pacific Scientific Association, 7th Congress, New Zealand, 1949, Proceedings, v. 2, p. 439-448.
- Warpinski, N.R., Sattler, A.R., Fortuna, R., Sanchez, D.A., Nathwani, J., 2004, Geothermal resources exploration and definition projects: Geothermal Resources Council Transactions, v. 28, p. 373-377.
- Warpinski, N.R., Sattler, A.R., Sanchez, D.A., 2002, Geothermal resource exploration and definition project: Geothermal Resources Council Transactions, v. 26, p. 617-620.
- Wechsler, D.J., and Smith, R.B., 1979, An evaluation of hypocenter location techniques with applications to southern Utah, regional earthquake distributions and seismicity of geothermal areas: University of Utah, Department of Geology and Geophysics Report 78-28392.a.12, 131 p.

- Wells, M.L., 2001, Rheological control on the initial geometry of the Raft River detachment fault and shear zone, *Western United States: Tectonics*, v. 20, no. 4., p. 435-457 (doi: 10.1029/2000TC001202).
- Wells, M.L., Snee, L.W., and Blythe, A.E., 1999, Age of the Raft River detachment and shear zone, Utah, and rheological control of their initial geometries [abs.]: *Geological Society of America Abstracts with Programs*, v. 31, no. 7, p. 112.
- Wender, L.E., 1976, Chemical and mineralogical evolution of the Cenozoic volcanics of the Marysvale, Utah area Salt Lake City, University of Utah, unpublished M.S. thesis, 57 p.
- Wender, L.E., and Nash, W.P., 1976, Chemistry and mineralogy of the Cenozoic volcanic rocks of the Marysvale area, Utah [abs.]: *Geological Society of America Abstracts with Programs*, v. 8, no. 6, p.1163 -1164.
- Wender, L.E., and Nash, W.P., 1979, Petrology of Oligocene and early Miocene calcalkalic volcanism in the Marysvale area, Utah: *Geological Society of America Bulletin*, v. 90, no. 1, pt. 11, p. 34-76.
- Whelan, J.A., 1970, Radioactive and isotopic age determinations of Utah rocks: *Utah Geological and Mineral Survey Bulletin* 81, 75 p.
- Whelan, J.A., 1976, Geothermal gradient data, Cedar City 1x2 degree quadrangle: *Utah Geological and Mineral Survey Map* 40, scale 1:250,000.
- Whelan, J.A., 1977, Thermal gradient and heat flow drilling by Department of Geology and Geophysics, University of Utah, summer 1975: *University of Utah, Department of Geology and Geophysics Final Report*, v. 5, contract GI-43741, 48 p.
- Whelan, J.A., and Petersen, C.A., 1974, Bonneville Salt Flats - a possible geothermal area?: *Utah Geological and Mineral Survey, Utah Geology*, v. 1, no. 1, p. 71-82; also, 1973, *Utah Geological and Mineral Survey Open-File Report* 14, 11 p.
- White, D.E., 1938, Fumaroles, hot springs, and hydrothermal alteration: *American Geophysical Union, Transactions*, v. 44, no. 2, p. 508-511.
- White, D.E., 1955, Thermal springs and epithermal ore deposits: *Economic Geology, Fiftieth Anniversary Volume*, p.100-154.
- White, D.E., 1963, Summary of studies of thermal waters and volcanic emanations of the Pacific region, 1920-1961, in *Geology and solid earth geophysics of the Pacific basin: Pacific Scientific Association, 10th Congress, Honolulu, 1961*, p. 161-169.
- White, D.E., and Heropoulos, C., 1983, Active and fossil hydrothermal convection systems of the Great Basin, in *Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report* 13, p. 41-54.

- White, D.E., and Williams, D.L., editors, 1975, Assessment of geothermal resources of the United States - 1975: U.S. Geological Survey Circular 726, 153 p.
- White, D.H., Mathews, H.B., Wolf, D.A., and Young, T.L., 1982, Advancements in the utilization of geothermal energy in western USA: Institution of Chemical Engineers Symposium Series (England), v.78, p. T6/27-T6/41.
- White, I.L., Chartock, M., Leonard, R., Ballard, S., and Gilliland, M., 1979, Energy from the west — energy resource development systems report, volume VI — Geothermal: National Technical Information Service Report PB-299 182/6ST, 221 p.
- White, I.L., Chartock, M., Leonard, R., Ballard, S., and Gilliland, M., 1979, Energy from the west — energy resource development systems report, volume I — Introduction and general social controls: National Technical Information Service PB-299 177/6GA, or as a set of 6 reports NTIS 299-176-SET, 181 p.
- White, I.L., Chartock, M., Leonard, R., Ballard, S., and Gilliland, M., 1979, Energy from the west — impact analysis report, volume I — introduction and summary: U.S. Environmental Protection Agency Report EPA-600/7-79-082A, 159 p.
- White, K.L., 1980, Potential pollutants of geothermal energy and geothermal development in Utah, in Rom, W.N., and Archer, V.E., Health implications of new energy technologies: Health Implications of the New Energy Technologies Conference, Ann Arbor Science Publishers, Incorporated, Michigan, p. 553-564.
- White, K.L., Hill, A.C., and Ursenbach, W.O., 1978, Environmental overview report on Utah geothermal resource areas, Roosevelt Hot Springs, Cove Fort-Sulphurdale, Thermo Hot Springs-Lund KGRAS: University of Utah Research Institute/Environmental Studies Laboratory Report UCRL-13955, v. 1, 9.47p.
- White, S.P., Allis, R.G., Moore, J., Chidsey, T., Morgan, C., Gwynn, W., and Adams, M., 2001, Injection of CO₂ into an unconfined aquifer located beneath the Colorado Plateau, Central Utah: Proceedings of the 23rd New Zealand Geothermal Workshop, p. 189-196.
- Williams, C.F., Reed, M.J., Mariner, R.H., DeAngelo, J., and Galanis, S.P, Jr. (USGS Geothermal Resources Assessment Team), 2008, Assessment of moderate- and high-temperature geothermal resources of the United States: U.S. Geological Survey Fact Sheet FS-2008-3082, 4 p.
- Willis, C.P., 1980, Radium and uranium determination in samples of Utah Roses geothermal water: National Technical Information Service Report EGGPHYS-5169, 11 p.
- Willis, G.C., and Biek, R.F., 2001, Quaternary incision rates of the Colorado River and major tributaries in the Colorado Plateau, Utah, in Young, R.A., and Spamer, E.E., editors, Colorado River origin and evolution—proceedings of the symposium held at Grand Canyon National Park in June 2000: Grand Canyon Association Monograph 12, p. 119-123.
- Wilson, W.R., 1980, Thermal studies in a geothermal area: Salt Lake City, University of Utah, unpublished Ph.D. thesis, 145 p.

- Wilson, W.R., and Chapman, D.S., 1978, Interpretation of heat flow results at Roosevelt Hot Springs, Utah [abs.]: EOS Transactions, American Geophysics Union, v. 59, no. 12, p. 1201.
- Wilson, W.R., and Chapman, D.S., 1979, Heat flow mapping at Roosevelt Hot Springs, Utah as a geothermal exploration method [abs.]: Geophysics, v. 44, no. 3, p. 405.
- Wilson, W.R., and Chapman, D.S., 1980, Three topical reports: I. Thermal studies at Roosevelt Hot Springs, Utah; II. Heat flow above an arbitrarily dipping plane of heat sources; III. Adatum correction for heat flow measurements made on an arbitrary surface: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/12079-19, 144 p.
- Wiltschko, D.V., Lambert, G.R., Lamb, W., 2009, Conditions during syntectonic vein formation in the footwall of the Absaroka Thrust Fault, Idaho-Wyoming-Utah fold and thrust belt: Journal of Structural Geology, v. 31, no. 9, p. 1039-1057 (doi: 10.1016/j.jsg.2009.03.009).
- Wong, Y.L., 2000, An evaluation of fluorescein-derived compounds for use as geothermal tracers: University of Utah, Department of Chemical and Fuels Engineering unpublished M.S. thesis, 108 p.
- Woodward, L.A., 1970, Tectonic implications of structures of Beaver and northern San Francisco Mountains, Utah: Geological Society of America Bulletin, v. 81, no. 5, p. 1577-1584.
- Wright, P.M., 1966, Geothermal gradient and regional heat flow in Utah: Salt Lake City, University of Utah unpublished Ph.D. dissertation, 181 p.
- Wright, P.M., Blackett, R.E., and Ross, H.P., 1990, Geothermal resource development in Utah: Utah Geological Association Publication 18, p. 27-43.
- Wright, P.M., Foley, D., Nichols, C.R., and Grim, P.J., 1978, Western states cooperative direct heat geothermal program of DOE: Geothermal Resources Council, Transactions, v. 2, p. 739-742.
- Yearsley, E., 1994, Roosevelt Hot Springs reservoir model applied to forecasting remaining field potential: Geothermal Resources Council, Transactions, v. 18, p. 617-622.
- Young, C.Y., Ward, R.W., and Lin, T.L., 1979, Seismic attenuation observations across Roosevelt Hot Springs, KGRA [abs.]: EOS Transactions, American Geophysical Union, v. 60, no. 46, p. 946.
- Young, R.A., and Carpenter, C.H., 1965, Ground-water conditions and storage in the central Sevier Valley, Utah: U.S. Geological Survey Water-Supply Paper, no. 1787, 95 p.
- Yusas, M.R., 1979, Stress history of the Mineral Mountains pluton, southwestern Utah [abs.]: Geological Society of America Abstracts with Programs, v. 11, no. 6, p. 306.
- Yusas, M.R., 1979, Structural evolution of the Roosevelt Hot Springs geothermal reservoir: Salt Lake City, University of Utah, unpublished M.S. thesis, 120 p.

- Yusas, M.R., and Bruhn, R.L., 1979, Structural fabric and in-situ stress analyses of the Roosevelt Hot Springs KGRA: University of Utah, Department of Geology and Geophysics Report DOE/ET/28392-31, 62 p.
- Zandt, G.M., McPherson, L., Schaff, S., and Olsen, S., 1982, Seismic baseline and induction studies: Roosevelt Hot Springs, Utah and Raft River, Idaho: Earth Science Laboratory/University of Utah Research Institute Report DOE/ID/01821-TI, 58 p.
- Zhang, H., Maceira, M., Benson, T., and Toksoz, M.N., 2010, Three-dimensional joint geophysical imaging using an advanced multivariate inversion technique; the method and its application to the Utah area, United States: Geophysical Research Abstracts, v. 12.
- Zhang, Y., Person, M., Merino, E., And Szpakiewicz, M., 2005, Evaluation of soluble benzene migration in the Uinta Basin: Geofluids, v. 5, no. 2, p. 106-123.
- Zietz, I., Shuey, R.T., and Kirby, J.R., Jr., 1976, Aeromagnetic map of Utah: U.S. Geological Survey Geophysical Investigations Map GP-907, scale 1:1,000,000.
- Zimmerman, J.T., 1961, Geology of the Cove Creek area, Millard and Beaver Counties, Utah: Salt Lake City, University of Utah, unpublished M.S. thesis, 91 p.
- Zoback, M.L., and Anderson, R.E., 1983, Style of basin-range faulting as inferred from seismic reflection data in the Great Basin, Nevada and Utah, in Geothermal Resources Council, compilers, The role of heat in the development of energy and mineral resources in the northern Basin and Range Province: Geothermal Resources Council Special Report 13, p. 363-382.
- Zohdy, A.A.R., and Bisdorf, R.J., 1976, Schlumberger soundings in the upper Raft River and Raft River Valleys, Idaho and Utah: U.S. Geological Survey Open-File Report 76-92, 77 p.